INDUSTRIAL EQUIPMENT

Complete Equipment Catalog

Industrial access, material handling, aviation and workplace equipment - organized for practical selection.



70in Steel Crossover Ladder - 4PC36A3B1C1P6



X550AJ Compact Crawler Boom Lift



Economy Rotating Drum Carts

2,928 products. One place to compare.

Browse models and key details, then open the linked product page for complete specifications and a tailored quote. No online checkout.

REQUEST A QUOTE >

industrialmanlifts.com

How to use this catalog

Find. Compare. Request a quote.

01 / Choose the equipment type

Use the department contents and PDF bookmarks to reach the right collection. Each canonical product is listed once; separate dimensions, materials and model families remain distinct.

02 / Check the exact configuration

Product cards show selected details from the current website catalog. Technical tables, documentation and configuration information remain on the linked product page. Some values vary by model or selected options.

03 / Share the application

Open a product page or request a quote. Include the model or catalog reference, quantity, intended task, relevant dimensions, delivery address and needed-by date.

About this edition

Prepared October 2026 from the website catalog. This is a product-selection reference, not a statement of stock, current pricing, certification or guaranteed compatibility. Confirm the final specification and operating documentation before purchase or use.

Photography and source notes

Equipment photos are shown for the identified catalog listing and may show optional configurations. Confirm what is included in the quoted equipment. Unavailable or uncertain model photos are labeled; review the exact product documentation before ordering.

Contents

Choose a department

Ladders & Access 4

649 products / Rolling, fixed, crossover and marine access equipment.

Lifts & Work Platforms 168

303 products / Powered access, telehandlers and maintenance platforms.

Material Handling 245

584 products / Lift tables, cranes, stackers, carts and handling equipment.

Aviation & Ground Support 392

635 products / Aircraft maintenance access, towbars and ground support.

Dock & Loading Equipment 552

216 products / Levelers, ramps, seals, shelters and loading-area equipment.

Scaffolding 607

71 products / Aluminum scaffold components and access systems.

Furniture & Storage 626

388 products / Workplace furniture, seating, tables, shelving and storage.

Facility & Safety Equipment 724

82 products / Facility supplies, protective equipment and specialty products.

Alphabetical model index 746

Ladders & Access

Ladders & Access

Rolling, fixed, crossover and marine access equipment.

BEFORE YOU COMPARE

Measure platform height, floor space, approach and overhead clearance. Confirm the complete operating load and the model-specific movement or anchoring requirements.



BAE100 Series Aluminum Extension Ladder

Equipment shown is a catalog example. Open the product page to confirm its exact configuration.

Ladders & Access / Product selection

Aircraft Engine Access Maintenance Ladder



LISTED DETAILS

Heavy-duty design will support you and your tools all day long / Shelves are interchangeable from right to left side

Large 19" x 36" deck area allows you to move and work comfortably; 2" x 2" square tube construction.

View specifications >

Aluminum Crossover Ladders - Standard Designs

Catalog ref: 41119



LISTED DETAILS

Made with slip resistant, self-cleaning bar grating. / Available in a wide variety of standard sizes. Custom sizes available upon request.

42" Aluminum Handrail Height; Capacity 500lbs.

View specifications >

Aluminum Crossover Ladders Space Saver Designs

Catalog ref: 41124



LISTED DETAILS

Made from our slip resistant, self-cleaning bar grating. / Available in a wide variety of standard sizes. Custom sizes available upon request.

42" Aluminum Handrail Height; Capacity 500lbs.

View specifications >

Aluminum Ladder - Wheelbarrow Style



LISTED DETAILS

14” deep top step standard / 10” rear rubber wheels - Great on rough surfaces

14” deep top step standard; 10” rear rubber wheels - Great on rough surfaces.

View specifications >

Ladders & Access / Product selection

Aluminum Rolling Ladder

Catalog ref: 5899



LISTED DETAILS

300 lbs. capacity, yet lightweight design / Non-magnetic and non-sparking

300 lbs. capacity, yet lightweight design; 7" deep intermediate treads.

View specifications >

Aluminum Rolling Ladder Series A

Catalog ref: 6073



LISTED DETAILS

The climbing angle is 59 degrees / 7" deep steps and 14" deep top step.

The climbing angle is 59 degrees; 7" deep steps and 14" deep top step.

View specifications >

Aluminum Rolling Ladders

Catalog ref: 40995



LISTED DETAILS

Constructed of 1" diameter rigid all-aluminum alloy tubing. / Top step is 14" for added stability.

Constructed of 1" diameter rigid all-aluminum alloy tubing; Spring-loaded 3" casters compress to engage rubber-tipped legs, which provide traction and secure the ladder in place when in use.

View specifications >

Aluminum Tilt & Roll Rolling Ladder

Catalog ref: 5872



LISTED DETAILS

57 degree slope is standard / 18" or 24" wide steps

57 degree slope is standard; 18" or 24" wide steps.

View specifications >

Ladders & Access / Product selection

Mezzanine Ladders

Catalog ref: 5943



LISTED DETAILS

Wheels roll on the ground when ratcheted / Unit is ratcheted into climbing angle and back into stored position

Listed models: LAD-FM-8, LAD-FM-9, LAD-FM-10; LAD-FM-8 Usable: 7' 9"-8' 3".

View specifications >

11Ft Steel Fixed Ladder with Safety Cage - WLFC1112



Overall Width
36"

Load Capacity
500 lb

Number of Steps
12

Overall Height
11 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

11Ft Steel Fixed Ladder with Safety Cage - WLFC1212



Overall Width
36"

Load Capacity
500 lb

Number of Steps
12

Overall Height
15 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

12Ft Steel Fixed Ladder with Safety Cage - WLFC1113



Overall Width
36"

Load Capacity
500 lb

Number of Steps
13

Overall Height
12 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

Ladders & Access / Product selection

12Ft Steel Fixed Ladder with Safety Cage - WLFC1213



Overall Width
36"
Load Capacity
500 lb
Number of Steps
13
Overall Height
16 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

13Ft Steel fixed Ladder with Safety Cage - WLFC1114



Overall Width
36"
Load Capacity
500 lb
Number of Steps
14
Overall Height
13 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

13Ft Steel Fixed Ladder with Safety Cage - WLFC1214



Overall Width
36"
Load Capacity
500 lb
Number of Steps
14
Overall Height
17 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

14Ft Steel Fixed Ladder with Safety Cage - WLFC1115



Overall Width
36"
Load Capacity
500 lb
Number of Steps
15
Overall Height
14 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

Ladders & Access / Product selection

15Ft Steel Fixed Ladder with Safety Cage - WLFC1116



Overall Width
36"
Load Capacity
500 lb
Number of Steps
16
Overall Height
15 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

15Ft Steel Fixed Ladder with Safety Cage - WLFC1216



Step Width
18"
Material
Steel
Overall Width
36"
Overall Height
19 ft

Step Width: 18"; Overall Width: 36".

View specifications >

16Ft Steel Fixed Ladder with Safety Cage - WLFC1117



Overall Width
36"
Load Capacity
500 lb
Number of Steps
17
Overall Height
16 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

17Ft Steel Fixed Ladder with Safety Cage - WLFC1118



Overall Width
36"
Load Capacity
500 lb
Number of Steps
18
Overall Height
17 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

Ladders & Access / Product selection

17Ft Steel Fixed Ladder with Safety Cage - WLFC1218



Step Width
18"
Material
Steel
Overall Width
36"
Overall Height
21 ft

Step Width: 18"; Overall Width: 36".

View specifications >

18Ft Steel Fixed Ladder with Safety Cage - WLFC1119



Overall Width
36"
Load Capacity
500 lb
Number of Steps
19
Overall Height
18 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

18Ft Steel Fixed Ladder with Safety Cage - WLFC1219



Step Width
18"
Material
Steel
Overall Width
36"
Overall Height
22 ft

Step Width: 18"; Overall Width: 36".

View specifications >

19Ft Steel Fixed Ladder with Safety Cage - WLFC1120



Overall Width
36"
Load Capacity
500 lb
Number of Steps
20
Overall Height
19 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

Ladders & Access / Product selection

19Ft Steel Fixed Ladder with Safety Cage - WLFC1220



Step Width
18"
Material
Steel
Overall Width
36"
Overall Height
23 ft

Step Width: 18"; Overall Width: 36".

View specifications >

20Ft Steel Fixed Ladder with Safety Cage - WLFC1121



Overall Width
36"
Load Capacity
500 lb
Number of Steps
21
Overall Height
20 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

20Ft Steel Fixed Ladder with Safety Cage - WLFC1221



Step Width
18"
Material
Steel
Overall Width
36"
Overall Height
24 ft

Step Width: 18"; Overall Width: 36".

View specifications >

21Ft Steel Fixed Ladder with Safety Cage - WLFC1122



Overall Width
36"
Load Capacity
500 lb
Number of Steps
22
Overall Height
21 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

Ladders & Access / Product selection

21Ft Steel Fixed Ladder with Safety Cage - WLFC1222



Step Width
18"
Material
Steel
Overall Width
36"
Overall Height
25 ft

Step Width: 18"; Overall Width: 36".

View specifications >

22Ft Steel Fixed Ladder with Safety Cage - WLFC1123



Overall Width
36"
Load Capacity
500 lb
Number of Steps
23
Overall Height
22 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

22Ft Steel Fixed Ladder with Safety Cage - WLFC1223



Step Width
18"
Material
Steel
Overall Width
36"
Overall Height
26 ft

Step Width: 18"; Overall Width: 36".

View specifications >

23Ft Steel Fixed Ladder with Safety Cage - WLFC1124




Overall Width
36"
Load Capacity
500 lb
Number of Steps
24
Overall Height
23 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

Ladders & Access / Product selection

23Ft Steel Fixed Ladder with Safety Cage - WLFC1224



Step Width
18"
Material
Steel
Overall Width
36"
Overall Height
27 ft

Step Width: 18"; Overall Width: 36".

View specifications >

24Ft Steel Fixed Ladder with Safety Cage - WLFC1125



Overall Width
36"
Load Capacity
500 lb
Number of Steps
25
Overall Height
24 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

24Ft Steel Fixed Ladder with Safety Cage - WLFC1225



Step Width
18"
Material
Steel
Overall Width
36"
Overall Height
28 ft

Step Width: 18"; Overall Width: 36".

View specifications >

25Ft Steel Fixed Ladder with Safety Cage - WLFC1226



Step Width
18"
Material
Steel
Overall Width
36"
Overall Height
29 ft

Step Width: 18"; Overall Width: 36".

View specifications >

Ladders & Access / Product selection

26Ft Steel Fixed Ladder with Safety Cage - WLFC1127



Overall Width
36"

Load Capacity
500 lb


Number of Steps
27

Overall Height
26 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

26Ft Steel Fixed Ladder with Safety Cage - WLFC1227



Step Width
18"

Material
Steel

Overall Width
36"

Overall Height
30 ft

Step Width: 18"; Overall Width: 36".

View specifications >

27Ft Steel Fixed Ladder with Safety Cage - WLFC1128



Overall Width
36"

Load Capacity
500 lb

Number of Steps
28

Overall Height
27 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

27Ft Steel Fixed Ladder with Safety Cage - WLFC1228



Step Width
18"

Material
Steel

Overall Width
36"

Overall Height
31 ft

Step Width: 18"; Overall Width: 36".

View specifications >

Ladders & Access / Product selection

28Ft Steel Fixed Ladder with Safety Cage - WLFC1129



Overall Width
36"

Load Capacity
500 lb

Number of Steps
29

Overall Height
28 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

28Ft Steel Fixed Ladder with Safety Cage - WLFC1229



Step Width
18"

Material
Steel

Overall Width
36"

Overall Height
32 ft

Step Width: 18"; Overall Width: 36".

View specifications >

29Ft Steel Fixed Ladder with Safety Cage - WLFC1130



Overall Width
36"

Load Capacity
500 lb


Number of Steps
30

Overall Height
29 ft

Overall Width: 36"; Load Capacity: 500 lb.

View specifications >

29Ft Steel Fixed Ladder with Safety Cage - WLFC1230



Step Width
18"

Material
steel

Overall Width
36"

Overall Height
33 ft

Step Width: 18"; Overall Width: 36".

View specifications >

Ladders & Access / Product selection

Dual Side Track Caged Ladder



LISTED DETAILS

Reaches up to 16 feet of shelving / As little as 20" of floor space

Reaches up to 16 feet of shelving; As little as 20" of floor space.

View specifications >

Fixed Caged Handrail Ladder

Catalog ref: 6059



LISTED DETAILS

Sidemembers are constructed of 2" x 2" x 1/4" steel angle. / 3/4" round corrugated rungs.

Walk through handrails are made of 1" diameter tubing and spaced 24" apart for convenient pass through; Sidemembers are constructed of 2" x 2" x 1/4" steel angle.

View specifications >

Fixed Ladder with Safety Cage - F10WC C1



Overall Height
12 ft. 9"

Material
steel

Number of Steps
10

Overall Width
39"

Overall Height: 12 ft. 9"; Number of Steps: 10.

View specifications >

Fixed Ladder with Safety Cage - F11WC C1



Overall Height
13 ft. 8"

Material
Steel

Number of Steps
11

Overall Width
39"

Overall Height: 13 ft. 8"; Number of Steps: 11.

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - F12WC C1



Overall Height
14 ft. 7"
Material
steel
Number of Steps
12
Overall Width
39"

Overall Height: 14 ft. 7"; Number of Steps: 12.

View specifications >

Fixed Ladder with Safety Cage - F13WC C1



Overall Height
15 ft. 6"
Material
Steel
Number of Steps
13
Overall Width
39"

Overall Height: 15 ft. 6"; Number of Steps: 13.

View specifications >

Fixed Ladder with Safety Cage - F14WC C1



Overall Height
16 ft. 5"
Material
Steel
Number of Steps
14
Overall Width
39"

Overall Height: 16 ft. 5"; Number of Steps: 14.

View specifications >

Fixed Ladder with Safety Cage - F15WC C1



Overall Height
17 ft. 4"
Material
Steel
Number of Steps
15
Overall Width
39"

Overall Height: 17 ft. 4"; Number of Steps: 15.

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - F16WC C1



Overall Height
18 ft. 3"
Material
Steel
Number of Steps
16
Overall Width
39"

Overall Height: 18 ft. 3"; Number of Steps: 16.

View specifications >

Fixed Ladder with Safety Cage - F17WC C1



Overall Height
19 ft. 2"
Material
Steel
Number of Steps
17
Overall Width
39"

Overall Height: 19 ft. 2"; Number of Steps: 17.

View specifications >

Fixed Ladder with Safety Cage - F18WC C1



Overall Height
20 ft. 1"
Material
Steel
Number of Steps
18
Overall Width
39"

Overall Height: 20 ft. 1"; Number of Steps: 18.

View specifications >

Fixed Ladder with Safety Cage - F19WC C1



Overall Height
21 ft
Material
Steel
Number of Steps
19
Overall Width
39"

Overall Height: 21 ft; Number of Steps: 19.

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - F20WC C1



Overall Height
21 ft. 11"
Material
Steel
Number of Steps
20
Overall Width
39"

Overall Height: 21 ft. 11"; Number of Steps: 20.

View specifications >

Fixed Ladder with Safety Cage - F21WC C1



Overall Height
22 ft. 10"
Material
Steel
Number of Steps
21
Overall Width
39"

Overall Height: 22 ft. 10"; Number of Steps: 21.

View specifications >

Fixed Ladder with Safety Cage - F22WC C1



Overall Height
23 ft. 9"
Material
Steel
Number of Steps
22
Overall Width
39"

Overall Height: 23 ft. 9"; Number of Steps: 22.

View specifications >

Fixed Ladder with Safety Cage - F23WC C1



Overall Height
24 ft. 8"
Material
Steel
Number of Steps
23
Overall Width
39"

Overall Height: 24 ft. 8"; Number of Steps: 23.

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - F24WC C1



Overall Height
25 ft. 7"
Material
Steel
Number of Steps
24
Overall Width
39"

Overall Height: 25 ft. 7"; Number of Steps: 24.

View specifications >

Fixed Ladder with Safety Cage - F24WC C1 - Pre-Owned Never Used



Overall Height
25 ft. 7"
Material
Steel
Number of Steps
24
Overall Width
39"

Overall Height: 25 ft. 7"; Number of Steps: 24.

View specifications >

Fixed Ladder with Safety Cage - F25WC C1



Overall Height
26 ft. 6"
Material
Steel
Number of Steps
25
Overall Width
39"

Overall Height: 26 ft. 6"; Number of Steps: 25.

View specifications >

Fixed Ladder with Safety Cage - F26WC C1



Overall Height
27 ft. 5"
Material
Steel
Number of Steps
26
Overall Width
39"

Overall Height: 27 ft. 5"; Number of Steps: 26.

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - F27WC C1



Overall Height
28 ft. 4"
Material
Steel
Number of Steps
27
Overall Width
39"

Overall Height: 28 ft. 4"; Number of Steps: 27.

View specifications >

Fixed Ladder with Safety Cage - F28WC C1



Overall Height
29 ft. 3"
Material
Steel
Number of Steps
28
Overall Width
39"

Overall Height: 29 ft. 3"; Number of Steps: 28.

View specifications >

Fixed Ladder with Safety Cage - F29WC C1



Overall Height
30 ft. 2"
Material
Steel
Number of Steps
29
Overall Width
39"

Overall Height: 30 ft. 2"; Number of Steps: 29.

View specifications >

Fixed Ladder with Safety Cage - F30WC C1



Overall Height
30 ft. 2"
Material
Steel
Number of Steps
29
Overall Width
39"

Overall Height: 30 ft. 2"; Number of Steps: 29.

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - F8WC C1



Overall Height
10 ft. 11"

Material
Steel

Number of Steps
8

Overall Width
39"

Overall Height: 10 ft. 11"; Number of Steps: 8.

View specifications >

Fixed Ladder with Safety Cage - F9WC C1



Overall Height
11 ft. 10"

Material
steel

Number of Steps
9

Overall Width
39"

Overall Height: 11 ft. 10"; Number of Steps: 9.

View specifications >

Fixed Ladder with Safety Cage - M11SC C1



Step Width
16"

Overall Width
26"

Finish
Gray Powder Coated

Overall Height
10 ft. 3"

Step Width: 16"; Overall Width: 26".

View specifications >

Fixed Ladder with Safety Cage - M13SC C1



Overall Height
12 ft. 3"

Finish
Gray Powder Coated

Step Width
16"

Overall Width
26"

Overall Height: 12 ft. 3"; Step Width: 16".

View specifications >

Ladders & Access / Product selection

Fixed Ladder With Safety Cage - M13SC L10 C1



Material
steel
Number of Steps
13
Overall Width
26"

Number of Steps: 13; Overall Width: 26".

View specifications >

Fixed Ladder with Safety Cage - M13SC L9 C1



Material
steel
Number of Steps
13
Overall Width
26"

Number of Steps: 13; Overall Width: 26".

View specifications >

Fixed Ladder with Safety Cage - M13WC C1



Overall Width
22"
Step Width
16"
Span
42"

Overall Width: 22"; Step Width: 16".

View specifications >

Fixed Ladder With Safety Cage - M14SC L10 C1



Material
steel
Number of Steps
14
Overall Width
26"

Number of Steps: 14; Overall Width: 26".

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - M14SC L9 C1



Material
steel
Number of Steps
14
Overall Width
26"

Number of Steps: 14; Overall Width: 26".

View specifications >

Fixed Ladder with Safety Cage - M14WC C1



Step Width
16"
Overall Width
20"
Finish
Gray Powder Coated
Overall Height
16 ft. 8"

Step Width: 16"; Overall Width: 20".

View specifications >

Fixed Ladder with Safety Cage - M15SC C1



Material
steel
Number of Steps
15
Overall Width
26"

Number of Steps: 15; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M15SC L10 C1



Material
steel
Number of Steps
15
Overall Width
26"

Number of Steps: 15; Overall Width: 26".

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - M15SC L9 C1



Material
steel
Number of Steps
15
Overall Width
26"

Number of Steps: 15; Overall Width: 26".

View specifications >

Fixed Ladder with Safety Cage - M16SC C1



Material
steel
Number of Steps
16
Overall Width
26"

Number of Steps: 16; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M16SC L10 C1



Material
steel
Number of Steps
16
Overall Width
26"

Number of Steps: 16; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M16SC L9 C1



Material
steel
Number of Steps
16
Overall Width
26"

Number of Steps: 16; Overall Width: 26".

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - M16WC C1



Step Width
16"
Overall Width
20"
Finish
Gray Powder Coated
Overall Height
18 ft. 8"

Step Width: 16"; Overall Width: 20".

View specifications >

Fixed Ladder with Safety Cage - M17SC C1



Overall Height
16 ft. 3"
Finish
Gray Powder Coated
Step Width
16"
Overall Width
26"

Overall Height: 16 ft. 3"; Step Width: 16".

View specifications >

Fixed Ladder With Safety Cage - M17SC L10 C1



Material
steel
Number of Steps
17
Overall Width
26"

Number of Steps: 17; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M17SC L9 C1



Material
steel
Number of Steps
17
Overall Width
26"

Number of Steps: 17; Overall Width: 26".

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - M17WC C1



Overall Width
22"

Step Width
16"

Span
42"

Overall Width: 22"; Step Width: 16".

View specifications >

Fixed Ladder with Safety Cage - M18SC C1



Material
steel

Number of Steps
18

Overall Width
26"

Number of Steps: 18; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M18SC L10 C1



Material
steel

Number of Steps
18

Overall Width
26"

Number of Steps: 18; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M18SC L9 C1



Material
steel

Number of Steps
18

Overall Width
26"

Number of Steps: 18; Overall Width: 26".

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - M18WC C1



Step Width
16"
Overall Width
20"
Finish
Gray Powder Coated
Overall Height
20 ft. 8"

Step Width: 16"; Overall Width: 20".

View specifications >

Fixed Ladder with Safety Cage - M19SC C1



Material
steel
Number of Steps
19
Overall Width
26"

Number of Steps: 19; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M19SC L10 C1



Material
steel
Number of Steps
19
Overall Width
26"

Number of Steps: 19; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M19SC L9 C1



Material
steel
Number of Steps
19
Overall Width
26"

Number of Steps: 19; Overall Width: 26".

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - M20SC C1



Material
steel
Number of Steps
20
Overall Width
26"

Number of Steps: 20; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M20SC L10 C1



Material
steel
Number of Steps
20
Overall Width
26"

Number of Steps: 20; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M20SC L9 C1



Material
steel
Number of Steps
20
Overall Width
26"

Number of Steps: 20; Overall Width: 26".

View specifications >

Fixed Ladder with Safety Cage - M21SC C1



Overall Height
20 ft. 3"
Finish
Gray Powder Coated
Step Width
16"
Overall Width
26"

Overall Height: 20 ft. 3"; Step Width: 16".

View specifications >

Ladders & Access / Product selection

Fixed Ladder With Safety Cage - M21SC L10 C1



Material
steel
Number of Steps
21
Overall Width
26"

Number of Steps: 21; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M21SC L9 C1



Material
steel
Number of Steps
21
Overall Width
26"

Number of Steps: 21; Overall Width: 26".

View specifications >

Fixed Ladder with Safety Cage - M21WC C1



Overall Width
22"
Step Width
16"
Span
42"

Overall Width: 22"; Step Width: 16".

View specifications >

Fixed Ladder with Safety Cage - M22SC C1



Material
steel
Number of Steps
22
Overall Width
26"

Number of Steps: 22; Overall Width: 26".

View specifications >

Ladders & Access / Product selection

Fixed Ladder With Safety Cage - M22SC L10 C1



Material
steel
Number of Steps
22
Overall Width
26"

Number of Steps: 22; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M22SC L9 C1



Material
steel
Number of Steps
22
Overall Width
26"

Number of Steps: 22; Overall Width: 26".

View specifications >

Fixed Ladder with Safety Cage - M23SC C1



Material
steel
Number of Steps
23
Overall Width
26"

Number of Steps: 23; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M23SC L10 C1



Overall Height
22 ft. 3"
Material
steel
Number of Steps
23
Load Capacity
300 lb

Overall Height: 22 ft. 3"; Number of Steps: 23.

View specifications >

Ladders & Access / Product selection

Fixed Ladder With Safety Cage - M23SC L9 C1



Material
steel
Number of Steps
23
Overall Width
26"

Number of Steps: 23; Overall Width: 26".

View specifications >

Fixed Ladder with Safety Cage - M24SC C1



Material
steel
Number of Steps
24
Overall Width
26"

Number of Steps: 24; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M24SC L10 C1



Material
steel
Number of Steps
24
Overall Width
26"

Number of Steps: 24; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M24SC L9 C1



Material
steel
Number of Steps
24
Overall Width
26"

Number of Steps: 24; Overall Width: 26".

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - M25SC C1



Material
steel
Number of Steps
25
Overall Width
26"

Number of Steps: 25; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M25SC L10 C1



Material
steel
Number of Steps
25
Overall Width
26"

Number of Steps: 25; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M25SC L9 C1



Material
steel
Number of Steps
25
Overall Width
26"

Number of Steps: 25; Overall Width: 26".

View specifications >

Fixed Ladder with Safety Cage - M26SC C1



Material
steel
Number of Steps
26
Overall Width
26"

Number of Steps: 26; Overall Width: 26".

View specifications >

Ladders & Access / Product selection

Fixed Ladder With Safety Cage - M26SC L10 C1



Overall Height
25 ft. 3"

Material
steel

Number of Steps
26

Load Capacity
300 lb

Overall Height: 25 ft. 3"; Number of Steps: 26.

View specifications >

Fixed Ladder with Safety Cage - M27SC C1



Material
steel

Number of Steps
27

Overall Width
26"

Number of Steps: 27; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M27SC L10 C1



Material
steel

Number of Steps
27

Overall Width
26"

Number of Steps: 27; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M27SC L9 C1



Material
steel

Number of Steps
27

Overall Width
26"

Number of Steps: 27; Overall Width: 26".

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - M28SC C1



Material
steel
Number of Steps
28
Overall Width
26"

Number of Steps: 28; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M28SC L10 C1



Material
steel
Number of Steps
28
Overall Width
26"

Number of Steps: 28; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M28SC L9 C1



Material
steel
Number of Steps
28
Overall Width
26"

Number of Steps: 28; Overall Width: 26".

View specifications >

Fixed Ladder with Safety Cage - M29SC C1



Material
steel
Number of Steps
29
Overall Width
26"

Number of Steps: 29; Overall Width: 26".

View specifications >

Ladders & Access / Product selection

Fixed Ladder With Safety Cage - M29SC L10 C1



Material
steel
Number of Steps
29
Overall Width
26"

Number of Steps: 29; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M29SC L9 C1



Material
steel
Number of Steps
29
Overall Width
26"

Number of Steps: 29; Overall Width: 26".

View specifications >

Fixed Ladder with Safety Cage - M30SC C1



Material
steel
Number of Steps
30
Overall Width
26"

Number of Steps: 30; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M30SC L10 C1



Material
steel
Number of Steps
30
Overall Width
26"

Number of Steps: 30; Overall Width: 26".

View specifications >

Ladders & Access / Product selection

Fixed Ladder With Safety Cage - M30SC L9 C1



Material
steel

Number of Steps
30

Overall Width
26"

Number of Steps: 30; Overall Width: 26".

View specifications >

Series SC Fixed Safety Cage Ladder

Catalog ref: 6058



LISTED DETAILS

Sidemembers are constructed of 2" x 2" x 1/4" steel angle. / 3/4" round corrugated rungs.

Sidemembers are constructed of 2" x 2" x 1/4" steel angle; 3/4" round corrugated rungs.

View specifications >

SeriesC Fixed Ladder Cage

Catalog ref: 6060



LISTED DETAILS

Standard cage lengths are available from 7 ' 6" to 27 ' 6". / Cages are crated for shipping protection.

Standard cage lengths are available from 7 ' 6" to 27 ' 6"; Powder coated with high gloss polyester powder. Pick your color from 11 stock choices.

View specifications >

Standoff Landing Platform

Catalog ref: 6057



LISTED DETAILS

Required for 30' maximum height intervals / Load Rating 300 lbs

Required for 30' maximum height intervals; Load Rating 300 lbs.

View specifications >

Ladders & Access / Product selection

Steel Fixed Ladder - F20W C1



Overall Height
22 ft. 8"
Step Width
16"
Load Capacity
300 lb
Overall Width
20"

Overall Height: 22 ft. 8"; Step Width: 16".

View specifications >

Steel Fixed Ladder - M22WC C1



Overall Height
24 ft. 8"
Step Width
16"
Load Capacity
300 lb
Overall Width
20"

Overall Height: 24 ft. 8"; Step Width: 16".

View specifications >

Steel Fixed Ladder with Safety Cage - M24WC C1



Overall Height
26 ft. 8"
Step Width
16"
Load Capacity
300 lb
Overall Width
20"

Overall Height: 26 ft. 8"; Step Width: 16".

View specifications >

Steel Fixed Ladder with Safety Cage - M26WC C1



Overall Height
28 ft. 8"
Step Width
16"
Overall Width
20"

Overall Height: 28 ft. 8"; Step Width: 16".

View specifications >

Ladders & Access / Product selection

Steel Fixed Ladder with Safety Cage - M28WC C1



Overall Height
30 ft. 8"
Step Width
16"
Overall Width
20"

Overall Height: 30 ft. 8"; Step Width: 16".

View specifications >

Steel Fixed Ladder with Safety Cage - M30WC C1



Overall Height
32 ft. 8"
Step Width
16"
Overall Width
20"

Overall Height: 32 ft. 8"; Step Width: 16".

View specifications >

Walkthru Fixed Ladder with Safety Cage - M12SC C1



Material
steel
Number of Steps
12
Overall Width
26"

Number of Steps: 12; Overall Width: 26".

View specifications >

Walkthru Fixed Ladder with Safety Cage - M23WC C1



Overall Width
28"
Step Width
16"
Span
42"

Overall Width: 28"; Step Width: 16".

View specifications >

Ladders & Access / Product selection

Walkthru Fixed Ladder with Safety Cage - M25WC C1



Overall Width
28"
Step Width
16"
Span
42"

Overall Width: 28"; Step Width: 16".

View specifications >

Walkthru Fixed Ladder with Safety Cage - M27WC C1



Overall Width
28"
Step Width
16"
Span
42"

Overall Width: 28"; Step Width: 16".

View specifications >

Walkthru Fixed Ladder with Safety Cage - M29WC C1



Overall Width
28"
Step Width
16"
Span
42"

Overall Width: 28"; Step Width: 16".

View specifications >

Barge Gangway

Catalog ref: 4878



LISTED DETAILS

Barge Gangways Provide Sure Footing / Operate by crane, winch, hydraulic or pneumatic drives.

Barge Gangways Provide Sure Footing; Marine grade aluminum construction is lightweight yet strong and durable.Adjusts to variations in tide and barge equipment.

View specifications >

Ladders & Access / Product selection

Cantilever Rolling Ladder

Catalog ref: 5879



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Cantilever Rolling Ladder CL-10 10 Step



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Cantilever Rolling Ladder CL-11 11 Step



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Cantilever Rolling Ladder CL-12 12 Step



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Ladders & Access / Product selection

Cantilever Rolling Ladder CL-13 13 Step



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Cantilever Rolling Ladder CL-14 14 Step



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Cantilever Rolling Ladder CL-15 15 Step



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Cantilever Rolling Ladder CL-6 6 Step



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Ladders & Access / Product selection

Cantilever Rolling Ladder CL-7 7 Step



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Cantilever Rolling Ladder CL-8 8 Step



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Cantilever Rolling Ladder CL-9 9 Step



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Alumastep Office Ladder

Catalog ref: 6080



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Combining the high quality construction of our industrial and commercial ladders with an attractive design and finish that suit the office environment;

View specifications >

Ladders & Access / Product selection

Cart-and-Climb Ladders

Catalog ref: 5901



Load Capacity

1000 lbs. Expanded metal treads

Load Capacity: 1000 lbs. Expanded metal treads; 10" rubber rear wheels accommodate all surfaces.

View specifications >

Clean Room Ladders

Catalog ref: 5941



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Non-Contaminating Design: Engineered with smooth surfaces and minimal seams to prevent particle accumulation, making these ladders easy to clean and disinfect;

View specifications >

10 Step Cross-Over Ladder - COLA-3-56-20



LISTED DETAILS

Cross-Over Ladder, 90x81, 10 Step

Cross-Over Ladder, 90x81, 10 Step.

View specifications >

10 Step Cross-Over Ladder - COLA-3-56-32



LISTED DETAILS

Cross-Over Ladder, 97x81, 10 Step

Cross-Over Ladder, 97x81, 10 Step.

View specifications >

Ladders & Access / Product selection

10 Step Cross-Over Ladder - COLA-3-56-44



LISTED DETAILS

Cross-Over Ladder, 104x81, 10 Step

Cross-Over Ladder, 104x81, 10 Step.

View specifications >

10 Step Cross-Over Ladder - COLA-3-56-56



LISTED DETAILS

Cross-Over Ladder, 118x81, 10 Step

Cross-Over Ladder, 118x81, 10 Step.

View specifications >

10 Step Cross-Over Ladder - COLA-3-68-20



LISTED DETAILS

Cross-Over Ladder, 66x81, 10 Step

Cross-Over Ladder, 66x81, 10 Step.

View specifications >

10 Step Cross-Over Ladder - COLA-3-68-32



LISTED DETAILS

Cross-Over Ladder, 73x81, 10 Step

Cross-Over Ladder, 73x81, 10 Step.

View specifications >

Ladders & Access / Product selection

10 Step Cross-Over Ladder - COLA-3-68-44



LISTED DETAILS

Cross-Over Ladder, 80x81, 10 Step

Cross-Over Ladder, 80x81, 10 Step.

View specifications >

10 Step Cross-Over Ladder - COLA-3-68-56



LISTED DETAILS

Cross-Over Ladder, 94x81, 10 Step

Cross-Over Ladder, 94x81, 10 Step.

View specifications >

102in Serrated Crossover Turn Platform - UCT06242



Handrail Height
42"

Load Capacity
1000 lb

Material
Steel

Vertical Clearance
58"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

112in Perforated Crossover Turn Platform - UCT07246



Handrail Height
42"

Load Capacity
1000 lb

Material
Steel

Vertical Clearance
68"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Ladders & Access / Product selection

112in Serrated Crossover Turn Platform - UCT07242



Handrail Height
42"
Load Capacity
1000 lb
Material
Steel
Vertical Clearance
68"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

122in Perforated Crossover Turn Platform - UCT08246



Handrail Height
42"
Load Capacity
1000 lb
Material
Steel
Vertical Clearance
78"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

122in Serrated Crossover Turn Platform - UCT08242



Handrail Height
42"
Load Capacity
1000 lb
Material
Steel
Vertical Clearance
78"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

132in Perforated Crossover Turn Platform - UCT09246



Handrail Height
42"
Load Capacity
1000 lb
Material
Steel
Vertical Clearance
88"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Ladders & Access / Product selection

132in Serrated Crossover Turn Platform - UCT09242



Handrail Height
42"

Load Capacity
1000 lb

Material
Steel

Vertical Clearance
88"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

14 Step Cross-Over Ladder - COLA-4-56-20



LISTED DETAILS

Cross-Over Ladder, 90x91, 14 Step

Cross-Over Ladder, 90x91, 14 Step.

View specifications >

14 Step Cross-Over Ladder - COLA-4-56-32



LISTED DETAILS

Cross-Over Ladder, 97x91, 14 Step

Cross-Over Ladder, 97x91, 14 Step.

View specifications >

14 Step Cross-Over Ladder - COLA-4-56-44



LISTED DETAILS

Cross-Over Ladder, 104x91, 14 Step

Cross-Over Ladder, 104x91, 14 Step.

View specifications >

Ladders & Access / Product selection

14 Step Cross-Over Ladder - COLA-4-68-20



LISTED DETAILS

Cross-Over Ladder, 67x91, 14 Step

Cross-Over Ladder, 67x91, 14 Step.

View specifications >

14 Step Cross-Over Ladder - COLA-4-68-32



LISTED DETAILS

Cross-Over Ladder, 74x91, 14 Step

Cross-Over Ladder, 74x91, 14 Step.

View specifications >

14 Step Cross-Over Ladder - COLA-4-68-44



LISTED DETAILS

Cross-Over Ladder, 81x91, 14 Step

Cross-Over Ladder, 81x91, 14 Step.

View specifications >

14 Step Cross-Over Ladder - COLA-4-68-56



LISTED DETAILS

Cross-Over Ladder, 95x91, 14 Step

Cross-Over Ladder, 95x91, 14 Step.

View specifications >

Ladders & Access / Product selection

14 Step Cross-Over Ladder- COLA-4-56-56



LISTED DETAILS

Cross-Over Ladder, 118x91, 14 Step

Cross-Over Ladder, 118x91, 14 Step.

View specifications >

16 Step Cross-Over Ladder - COLA-5-56-20



LISTED DETAILS

Cross-Over Ladder, 106x103, 16 Step

Cross-Over Ladder, 106x103, 16 Step.

View specifications >

16 Step Cross-Over Ladder - COLA-5-56-32



LISTED DETAILS

Cross-Over Ladder, 113x103, 16 Step

Cross-Over Ladder, 113x103, 16 Step.

View specifications >

16 Step Cross-Over Ladder - COLA-5-56-44



LISTED DETAILS

Cross-Over Ladder, 126x103, 16 Step

Cross-Over Ladder, 126x103, 16 Step.

View specifications >

Ladders & Access / Product selection

16 Step Cross-Over Ladder - COLA-5-56-56



LISTED DETAILS

Cross-Over Ladder, 134x103, 16 Step

Cross-Over Ladder, 134x103, 16 Step.

View specifications >

16 Step Cross-Over Ladder - COLA-5-68-20



LISTED DETAILS

Cross-Over Ladder, 77x103, 16 Step

Cross-Over Ladder, 77x103, 16 Step.

View specifications >

16 Step Cross-Over Ladder - COLA-5-68-32



LISTED DETAILS

Cross-Over Ladder, 84x91, 16 Step

Cross-Over Ladder, 84x91, 16 Step.

View specifications >

16 Step Cross-Over Ladder - COLA-5-68-44



LISTED DETAILS

Cross-Over Ladder, 105x103, 16 Step

Cross-Over Ladder, 105x103, 16 Step.

View specifications >

Ladders & Access / Product selection

16 Step Cross-Over Ladder - COLA-5-68-56



LISTED DETAILS

Cross-Over Ladder, 122x103, 16 Step

Cross-Over Ladder, 122x103, 16 Step.

View specifications >

20 Step Cross-Over Ladder - COLA-6-56-20



LISTED DETAILS

Cross-Over Ladder, 122x115, 20 Step

Cross-Over Ladder, 122x115, 20 Step.

View specifications >

20 Step Cross-Over Ladder - COLA-6-56-32



LISTED DETAILS

Cross-Over Ladder, 129x115, 20 Step

Cross-Over Ladder, 129x115, 20 Step.

View specifications >

20 Step Cross-Over Ladder - COLA-6-56-44



LISTED DETAILS

Cross-Over Ladder, 136x115, 20 Step

Cross-Over Ladder, 136x115, 20 Step.

View specifications >

Ladders & Access / Product selection

20 Step Cross-Over Ladder - COLA-6-56-56



LISTED DETAILS

Cross-Over Ladder, 150x115, 20 Step

Cross-Over Ladder, 150x115, 20 Step.

View specifications >

20 Step Cross-Over Ladder - COLA-6-68-20



LISTED DETAILS

Cross-Over Ladder, 87x115, 20 Step

Cross-Over Ladder, 87x115, 20 Step.

View specifications >

20 Step Cross-Over Ladder - COLA-6-68-32



LISTED DETAILS

Cross-Over Ladder, 94x115, 20 Step

Cross-Over Ladder, 94x115, 20 Step.

View specifications >

20 Step Cross-Over Ladder - COLA-6-68-44



LISTED DETAILS

Cross-Over Ladder, 101x115, 20 Step

Cross-Over Ladder, 101x115, 20 Step.

View specifications >

Ladders & Access / Product selection

20 Step Cross-Over Ladder - COLA-6-68-56



LISTED DETAILS

Cross-Over Ladder, 115x115, 20 Step

Cross-Over Ladder, 115x115, 20 Step.

View specifications >

20In Configurable Cross-Over Bridge - UCB20242



Platform Depth
20"

Overall Height
44"

Overall Span
90"

Material
Steel

Platform Depth: 20"; Overall Height: 44".

View specifications >

20In Configurable Cross-Over Bridge - UCB20246



Platform Depth
20"

Overall Height
44"

Overall Span
90"

Material
Steel

Platform Depth: 20"; Overall Height: 44".

View specifications >

24 Step Cross-Over Ladder - COLA-7-56-20



LISTED DETAILS

Cross-Over Ladder, 138x127, 24 Step

Cross-Over Ladder, 138x127, 24 Step.

View specifications >

Ladders & Access / Product selection

24 Step Cross-Over Ladder - COLA-7-56-32



LISTED DETAILS

Cross-Over Ladder, 145x127, 24 Step

Cross-Over Ladder, 145x127, 24 Step.

View specifications >

24 Step Cross-Over Ladder - COLA-7-56-44



LISTED DETAILS

Cross-Over Ladder, 152x127, 24 Step

Cross-Over Ladder, 152x127, 24 Step.

View specifications >

24 Step Cross-Over Ladder - COLA-7-56-56



LISTED DETAILS

Cross-Over Ladder, 166x127, 24 Step

Cross-Over Ladder, 166x127, 24 Step.

View specifications >

24 Step Cross-over Ladder - COLA-7-68-20



LISTED DETAILS

Cross-Over Ladder, 96x127, 24 Step

Cross-Over Ladder, 96x127, 24 Step.

View specifications >

Ladders & Access / Product selection

24 Step Cross-Over Ladder - COLA-7-68-32



LISTED DETAILS

Cross-Over Ladder, 103x127, 24 Step

Cross-Over Ladder, 103x127, 24 Step.

View specifications >

24 Step Cross-Over Ladder - COLA-7-68-44



LISTED DETAILS

Cross-Over Ladder, 110x127, 24 Step

Cross-Over Ladder, 110x127, 24 Step.

View specifications >

24 Step Cross-Over Ladder - COLA-7-68-56



LISTED DETAILS

Cross-Over Ladder, 124x127, 24 Step

Cross-Over Ladder, 124x127, 24 Step.

View specifications >

30In Configurable Cross-Over Bridge - UCB30242



Platform Depth
30"

Overall Height
44"

Overall Span
30"

Material
Steel

Platform Depth: 30"; Overall Height: 44".

View specifications >

Ladders & Access / Product selection

30In Configurable Cross-Over Bridge - UCB30246



Platform Depth
30"
Overall Height
44"
Overall Span
90"
Material
Steel

Platform Depth: 30"; Overall Height: 44".

View specifications >

36in Serrated Bridge Span - URTSB36



Platform Depth
40"
Overall Height
36"
Handrail Height
42"
For Use With
Ladders

Platform Depth: 40"; Overall Height: 36".

View specifications >

60in Steel Crossover Ladder - 3PC24A3B1C1P6



Step Tread
Serrated
Overall Height
60"
Vertical Clearance
28"
Material
Steel

Overall Height: 60"; Vertical Clearance: 28".

View specifications >

60in Steel Crossover Ladder - 3PC36A3B1C1P6



Step Tread
Serrated
Overall Height
60"
Vertical Clearance
28"
Material
Steel

Overall Height: 60"; Vertical Clearance: 28".

View specifications >

Ladders & Access / Product selection

60in Steel Crossover Ladder - 3PC48A3B1C1P6



Step Tread
Serrated

Overall Height
60"

Vertical Clearance
28"

Material
Steel

Overall Height: 60"; Vertical Clearance: 28".

View specifications >

62in Crossover Turn Platform - URTTP20



Handrail Height
42"

Platform Height
20"

Load Capacity
500 lb

Material
Aluminum

Handrail Height: 42"; Platform Height: 20".

View specifications >

6Step Perforated Crossover Turn Platform - UCT06246



Handrail Height
42"

Load Capacity
1000 lb

Material
Steel

Vertical Clearance
58"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

70in Steel Crossover Ladder - 4PC24A3B1C1P6



Step Tread
Serrated

Overall Height
70"

Vertical Clearance
38"

Material
Steel

Overall Height: 70"; Vertical Clearance: 38".

View specifications >

Ladders & Access / Product selection

70in Steel Crossover Ladder - 4PC36A3B1C1P6



Step Tread
Serrated

Overall Height
70"

Vertical Clearance
38"

Material
Steel

Overall Height: 70"; Vertical Clearance: 38".

View specifications >

70in Steel Crossover Ladder - 4PC48A3B1C1P6



Step Tread
Serrated

Overall Height
70"

Vertical Clearance
38"

Material
Steel

Overall Height: 70"; Vertical Clearance: 38".

View specifications >

72in Crossover Turn Platform - URTTP30



Handrail Height
42"

Platform Height
30"

Load Capacity
500 lb

Material
Aluminum

Handrail Height: 42"; Platform Height: 30".

View specifications >

74in Aluminum Crossover Bridge - 4SCA24A3C50P3



Finish
Brightened Aluminum

Step Width
24"

Color
Gray

Step Tread
Serrated

Step Width: 24"; Platform Depth: 37".

View specifications >

Ladders & Access / Product selection

74in Aluminum Crossover Bridge - 4SCA24A7C50P3



Finish
Brightened Aluminum
Step Width
24"
Color
Gray
Vertical Clearance
30"

Step Width: 24"; Vertical Clearance: 30".

View specifications >

74in Aluminum Crossover Bridge - 4SCA36A3C50P3



Finish
Brightened Aluminum
Step Width
24"
Color
Gray
Step Tread
Serrated

Step Width: 24"; Platform Depth: 49".

View specifications >

74in Aluminum Crossover Bridge - 4SCA36A7C50P3



Finish
Brightened Aluminum
Step Width
24"
Color
Gray
Vertical Clearance
30"

Step Width: 24"; Vertical Clearance: 30".

View specifications >

74in Aluminum Crossover Ladder - 4SPA24A3C50P3



Finish
Brightened Aluminum
Step Width
24"
Color
Gray
Step Tread
Serrated

Step Width: 24"; Platform Depth: 33".

View specifications >

Ladders & Access / Product selection

74in Aluminum Crossover Ladder - 4SPA24A7C50P3



Finish
Brightened Aluminum
Step Width
24"
Color
Gray
Step Tread
Diamond Plate

Step Width: 24"; Platform Depth: 33".

View specifications >

74in Aluminum Crossover Ladder - 4SPA36A3C50P3



Finish
Brightened Aluminum
Step Width
24"
Color
Gray
Step Tread
Serrated

Step Width: 24"; Platform Depth: 44".

View specifications >

74in Aluminum Crossover Ladder - 4SPA36A7C50P3



Finish
Brightened Aluminum
Step Width
24"
Color
Gray
Step Tread
Diamond Plate

Step Width: 24"; Platform Depth: 44".

View specifications >

74in Steel Crossover Ladder - 4SCS24A3C1P3



Platform Depth
37"
Overall Height
74"
Handrail Height
42"
Step Width
24"

Platform Depth: 37"; Overall Height: 74".

View specifications >

Ladders & Access / Product selection

74in Steel Crossover Ladder - 4SCS24A7C1P3



Platform Depth
37"
Overall Height
74"
Handrail Height
42"
Step Width
24"

Platform Depth: 37"; Overall Height: 74".

View specifications >

74in Steel Crossover Ladder - 4SCS36A3C1P3



Platform Depth
49"
Overall Height
74"
Handrail Height
42"
Step Width
24"

Platform Depth: 49"; Overall Height: 74".

View specifications >

74in Steel Crossover Ladder - 4SCS36A7C1P3



Platform Depth
49"
Overall Height
74"
Handrail Height
42"
Step Width
24"

Platform Depth: 49"; Overall Height: 74".

View specifications >

74in Steel Crossover Ladder - 4SPS24A3C1P3



Platform Depth
33"
Finish
Powder Coated
Vertical Clearance
30"
Material
Steel

Platform Depth: 33"; Vertical Clearance: 30".

View specifications >

Ladders & Access / Product selection

74in Steel Crossover Ladder - 4SPS24A7C1P3



Platform Depth
33"
Finish
Powder Coated
Vertical Clearance
30"
Material
Steel

Platform Depth: 33"; Vertical Clearance: 30".

View specifications >

74in Steel Crossover Ladder - 4SPS36A3C1P3



Platform Depth
44"
Finish
Powder Coated
Vertical Clearance
30"
Material
Steel

Platform Depth: 44"; Vertical Clearance: 30".

View specifications >

74in Steel Crossover Ladder - 4SPS36A7C1P3



Platform Depth
44"
Finish
Powder Coated
Vertical Clearance
30"
Material
Steel

Platform Depth: 44"; Vertical Clearance: 30".

View specifications >

8 Step Cross-Over Ladder - COLA-2-56-20



LISTED DETAILS

Cross-Over Ladder, 79x73, 8 Step

Cross-Over Ladder, 79x73, 8 Step.

View specifications >

Ladders & Access / Product selection

8 Step Cross-Over Ladder - COLA-2-56-32



LISTED DETAILS

Cross-Over Ladder, 86x73, 8 Step

Cross-Over Ladder, 86x73, 8 Step.

View specifications >

8 Step Cross-Over Ladder - COLA-2-56-56



LISTED DETAILS

Cross-Over Ladder, 107x73, 8 Step

Cross-Over Ladder, 107x73, 8 Step.

View specifications >

8 Step Cross-Over Ladder - COLA-2-68-20



LISTED DETAILS

Cross-Over Ladder, 66x73, 8 Step

Cross-Over Ladder, 66x73, 8 Step.

View specifications >

8 Step Cross-Over Ladder - COLA-2-68-32



LISTED DETAILS

Cross-Over Ladder, 73x73, 8 Step

Cross-Over Ladder, 73x73, 8 Step.

View specifications >

Ladders & Access / Product selection

8 Step Cross-Over Ladder - COLA-2-68-44



LISTED DETAILS

Cross-Over Ladder, 80x73, 8 Step

Cross-Over Ladder, 80x73, 8 Step.

View specifications >

8 Step Cross-Over Ladder - COLA-2-68-56



LISTED DETAILS

Cross-Over Ladder, 94x73, 8 Step

Cross-Over Ladder, 94x73, 8 Step.

View specifications >

8 Step Crossover Ladder - COLA-2-56-44



LISTED DETAILS

Cross-Over Ladder, 93x73, 8 Step

Cross-Over Ladder, 93x73, 8 Step.

View specifications >

80in Steel Crossover Ladder - 5PC24A3B1C1P6



Step Tread
Serrated

Overall Height
80"

Vertical Clearance
48"

Material
Steel

Overall Height: 80"; Vertical Clearance: 48".

View specifications >

Ladders & Access / Product selection

80in Steel Crossover Ladder - 5PC36A3B1C1P6



Step Tread
Serrated
Overall Height
80"
Vertical Clearance
48"
Material
Steel

Overall Height: 80"; Vertical Clearance: 48".

View specifications >

80in Steel Crossover Ladder - 5PC48A3B1C1P6



Step Tread
Serrated
Overall Height
80"
Vertical Clearance
48"
Material
Steel

Overall Height: 80"; Vertical Clearance: 48".

View specifications >

80in Steel Crossover Ladder - 5PC60A3B1C1P6



Step Tread
Serrated
Overall Height
80"
Vertical Clearance
48"
Material
Steel

Overall Height: 80"; Vertical Clearance: 48".

View specifications >

82in Aluminum Crossover Bridge - 5SCA24A3C50P3



Finish
Brightened Aluminum
Step Width
24"
Color
Gray
Vertical Clearance
38"

Step Width: 24"; Vertical Clearance: 38".

View specifications >

Ladders & Access / Product selection

82in Aluminum Crossover Ladder - 5SCA36A3C50P3



Platform Depth
49"
Overall Height
82"
Handrail Height
42"
Step Width
24"

Platform Depth: 49"; Overall Height: 82".

View specifications >

82in Aluminum Crossover Ladder - 5SCA36A7C50P3



Platform Depth
49"
Overall Height
82"
Handrail Height
42"
Step Width
24"

Platform Depth: 49"; Overall Height: 82".

View specifications >

82in Aluminum Crossover Ladder - 5SCS24A3C1P3



Platform Depth
37"
Overall Height
82"
Handrail Height
42"
Step Width
24"

Platform Depth: 37"; Overall Height: 82".

View specifications >

82in Aluminum Crossover Ladder - 5SCS24A7C1P3



Platform Depth
37"
Overall Height
82"
Handrail Height
42"
Step Width
24"

Platform Depth: 37"; Overall Height: 82".

View specifications >

Ladders & Access / Product selection

82in Aluminum Crossover Ladder - 5SCS36A3C1P3



Platform Depth
49"

Overall Height
82"

Handrail Height
42"

Step Width
24"

Platform Depth: 49"; Overall Height: 82".

View specifications >

82in Aluminum Crossover Ladder - 5SPA24A3C50P3



Finish
Brightened Aluminum

Step Width
24"

Color
Gray

Step Tread
Serrated

Step Width: 24"; Platform Depth: 33".

View specifications >

82in Aluminum Crossover Ladder - 5SPA24A7C50P3



Finish
Brightened Aluminum

Step Width
24"

Color
Gray

Step Tread
Diamond Plate

Step Width: 24"; Platform Depth: 33".

View specifications >

82in Aluminum Crossover Ladder - 5SPA36A3C50P3



Finish
Brightened Aluminum

Step Width
24"

Color
Gray

Step Tread
Serrated

Step Width: 24"; Platform Depth: 44".

View specifications >

Ladders & Access / Product selection

82in Aluminum Crossover Ladder - 5SPA36A7C50P3



Finish
Brightened Aluminum

Step Width
24"

Color
Gray

Step Tread
Diamond Plate

Step Width: 24"; Platform Depth: 44".

View specifications >

82in Crossover Turn Platform - URTTP40



Handrail Height
42"

Platform Height
40"

Load Capacity
500 lb

Material
Aluminum

Handrail Height: 42"; Platform Height: 40".

View specifications >

82In Perforated Crossover Turn Platform - UCT03246



Handrail Height
42"

Load Capacity
1000 lb

Material
Steel

Vertical Clearance
28"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

82in Serrated Crossover Turn Platform - UCT03242



Handrail Height
42"

Load Capacity
1000 lb

Material
Steel

Vertical Clearance
28"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Ladders & Access / Product selection

82in Steel Crossover Ladder - 5SCA24A7C50P3



Platform Depth
37"
Overall Height
82"
Handrail Height
42"
Step Width
24"

Platform Depth: 37"; Overall Height: 82".

View specifications >

82in Steel Crossover Ladder - 5SCS36A7C1P3



Platform Depth
49"
Overall Height
82"
Handrail Height
42"
Step Width
24"

Platform Depth: 49"; Overall Height: 82".

View specifications >

82in Steel Crossover Ladder - 5SPS24A3C1P3



Platform Depth
33"
Finish
Powder Coated
Vertical Clearance
38"
Material
Steel

Platform Depth: 33"; Vertical Clearance: 38".

View specifications >

82in Steel Crossover Ladder - 5SPS24A7C1P3



Platform Depth
33"
Finish
Powder Coated
Vertical Clearance
38"
Material
Steel

Platform Depth: 33"; Vertical Clearance: 38".

View specifications >

Ladders & Access / Product selection

82in Steel Crossover Ladder - 5SPS36A3C1P3



Platform Depth
44"
Finish
Powder Coated
Vertical Clearance
38"
Material
Steel

Platform Depth: 44"; Vertical Clearance: 38".

View specifications >

82in Steel Crossover Ladder - 5SPS36A7C1P3



Platform Depth
44"
Finish
Powder Coated
Vertical Clearance
38"
Material
Steel

Platform Depth: 44"; Vertical Clearance: 38".

View specifications >

90in Aluminum Crossover Ladder - 6SCA24A3C50P3



Platform Depth
37"
Overall Height
90"
Handrail Height
42"
Step Width
24"

Platform Depth: 37"; Overall Height: 90".

View specifications >

90in Aluminum Crossover Ladder - 6SCA24A7C50P3



Platform Depth
37"
Overall Height
90"
Handrail Height
42"
Step Width
24"

Platform Depth: 37"; Overall Height: 90".

View specifications >

Ladders & Access / Product selection

90in Aluminum Crossover Ladder - 6SCA36A3C50P3



Platform Depth
49"

Overall Height
90"

Handrail Height
42"

Step Width
24"

Platform Depth: 49"; Overall Height: 90".

View specifications >

90in Aluminum Crossover Ladder - 6SPA24A3C50P3



Finish
Brightened Aluminum

Step Width
24"

Color
Gray

Step Tread
Serrated

Step Width: 24"; Platform Depth: 33".

View specifications >

90in Aluminum Crossover Ladder - 6SPA24A7C50P3



Finish
Brightened Aluminum

Step Width
24"

Color
Gray

Step Tread
Diamond Plate

Step Width: 24"; Platform Depth: 33".

View specifications >

90in Aluminum Crossover Ladder - 6SPA36A3C50P3



Finish
Brightened Aluminum

Step Width
24"

Color
Gray

Step Tread
Serrated

Step Width: 24"; Platform Depth: 44".

View specifications >

Ladders & Access / Product selection

90in Aluminum Crossover Ladder - 6SPA36A7C50P3



Finish
Brightened Aluminum

Step Width
24"

Color
Gray

Step Tread
Diamond Plate

Step Width: 24"; Platform Depth: 44".

View specifications >

90in Steel Crossover Ladder - 6PC24A3B1C1P6



Step Tread
Serrated

Overall Height
90"

Vertical Clearance
58"

Material
Steel

Overall Height: 90"; Vertical Clearance: 58".

View specifications >

90in Steel Crossover Ladder - 6PC36A3B1C1P6



Step Tread
Serrated

Overall Height
90"

Vertical Clearance
58"

Material
Steel

Overall Height: 90"; Vertical Clearance: 58".

View specifications >

90in Steel Crossover Ladder - 6PC48A3B1C1P6



Step Tread
Serrated

Overall Height
90"

Vertical Clearance
58"

Material
Steel

Overall Height: 90"; Vertical Clearance: 58".

View specifications >

Ladders & Access / Product selection

90in Steel Crossover Ladder - 6PC60A3B1C1P6



Step Tread
Serrated

Overall Height
90"

Vertical Clearance
58"

Material
Steel

Overall Height: 90"; Vertical Clearance: 58".

View specifications >

90in Steel Crossover Ladder - 6SCA36A7C50P3



Platform Depth
49"

Overall Height
90"

Handrail Height
42"

Step Width
24"

Platform Depth: 49"; Overall Height: 90".

View specifications >

90in Steel Crossover Ladder - 6SCS24A3C1P3



Platform Depth
37"

Overall Height
90"

Handrail Height
42"

Step Width
24"

Platform Depth: 37"; Overall Height: 90".

View specifications >

90in Steel Crossover Ladder - 6SCS24A7C1P3



Platform Depth
37"

Overall Height
90"

Handrail Height
42"

Step Width
24"

Platform Depth: 37"; Overall Height: 90".

View specifications >

Ladders & Access / Product selection

90in Steel Crossover Ladder - 6SCS36A3C1P3



Platform Depth
49"
Overall Height
90"
Handrail Height
42"
Step Width
24"

Platform Depth: 49"; Overall Height: 90".

View specifications >

90in Steel Crossover Ladder - 6SCS36A7C1P3



Platform Depth
49"
Overall Height
90"
Handrail Height
42"
Step Width
24"

Platform Depth: 49"; Overall Height: 90".

View specifications >

90in Steel Crossover Ladder - 6SPS24A3C1P3



Platform Depth
33"
Finish
Powder Coated
Vertical Clearance
46"
Material
Steel

Platform Depth: 33"; Vertical Clearance: 46".

View specifications >

90in Steel Crossover Ladder - 6SPS24A7C1P3



Platform Depth
33"
Finish
Powder Coated
Vertical Clearance
46"
Material
Steel

Platform Depth: 33"; Vertical Clearance: 46".

View specifications >

Ladders & Access / Product selection

90in Steel Crossover Ladder - 6SPS36A3C1P3



Platform Depth
44"
Finish
Powder Coated
Vertical Clearance
46"
Material
Steel

Platform Depth: 44"; Vertical Clearance: 46".

View specifications >

90in Steel Crossover Ladder - 6SPS36A7C1P3



Platform Depth
44"
Finish
Powder Coated
Vertical Clearance
46"
Material
Steel

Platform Depth: 44"; Vertical Clearance: 46".

View specifications >

92in Crossover Turn Platform - URTTP50



Handrail Height
42"
Platform Height
50"
Load Capacity
500 lb
Material
Aluminum

Handrail Height: 42"; Platform Height: 50".

View specifications >

92in Perforated Crossover Turn Platform - UCT04242



Handrail Height
42"
Load Capacity
1000 lb
Material
Steel
Vertical Clearance
38"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Ladders & Access / Product selection

92in Perforated Crossover Turn Platform - UCT05246



Handrail Height
42"

Load Capacity
1000 lb

Material
Steel

Vertical Clearance
48"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

92in Serrated Crossover Turn Platform - UCT05242



Handrail Height
42"

Load Capacity
1000 lb

Material
Steel

Vertical Clearance
48"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

98in Aluminum Crossover Ladder - 7SCA24A3C50P3



Platform Depth
37"

Overall Height
98"

Handrail Height
42"

Step Width
24"

Platform Depth: 37"; Overall Height: 98".

View specifications >

98in Aluminum Crossover Ladder - 7SCA24A7C50P3



Platform Depth
37"

Overall Height
98"

Handrail Height
42"

Step Width
24"

Platform Depth: 37"; Overall Height: 98".

View specifications >

Ladders & Access / Product selection

98in Aluminum Crossover Ladder - 7SCA36A3C50P3



Platform Depth
49"
Overall Height
98"
Handrail Height
42"
Step Width
24"

Platform Depth: 49"; Overall Height: 98".

View specifications >

98in Aluminum Crossover Ladder - 7SCA36A7C50P3



Platform Depth
49"
Overall Height
98"
Handrail Height
42"
Step Width
24"

Platform Depth: 49"; Overall Height: 98".

View specifications >

98in Aluminum Crossover Ladder - 7SPA24A3C50P3



Finish
Brightened Aluminum
Step Width
24"
Color
Gray
Step Tread
Serrated

Step Width: 24"; Platform Depth: 33".

View specifications >

98in Aluminum Crossover Ladder - 7SPA24A7C50P3



Finish
Brightened Aluminum
Step Width
24"
Color
Gray
Step Tread
Diamond Plate

Step Width: 24"; Platform Depth: 33".

View specifications >

Ladders & Access / Product selection

98in Aluminum Crossover Ladder - 7SPA36A3C50P3



Finish
Brightened Aluminum

Step Width
24"

Color
Gray

Step Tread
Serrated

Step Width: 24"; Platform Depth: 44".

View specifications >

98in Aluminum Crossover Ladder - 7SPA36A7C50P3



Finish
Brightened Aluminum

Step Width
24"

Color
Gray

Step Tread
Diamond Plate

Step Width: 24"; Platform Depth: 44".

View specifications >

98in Steel Crossover Ladder - 7SCS24A3C1P3



Platform Depth
37"

Overall Height
98"

Handrail Height
42"

Step Width
24"

Platform Depth: 37"; Overall Height: 98".

View specifications >

98in Steel Crossover Ladder - 7SCS24A7C1P3



Platform Depth
37"

Overall Height
98"

Handrail Height
42"

Step Width
24"

Platform Depth: 37"; Overall Height: 98".

View specifications >

Ladders & Access / Product selection

98in Steel Crossover Ladder - 7SCS36A3C1P3



Platform Depth
49"
Overall Height
98"
Handrail Height
42"
Step Width
24"

Platform Depth: 49"; Overall Height: 98".

View specifications >

98in Steel Crossover Ladder - 7SCS36A7C1P3



Platform Depth
49"
Overall Height
98"
Handrail Height
42"
Step Width
24"

Platform Depth: 49"; Overall Height: 98".

View specifications >

98in Steel Crossover Ladder - 7SPS24A3C1P3



Platform Depth
33"
Finish
Powder Coated
Vertical Clearance
54"
Material
Steel

Platform Depth: 33"; Vertical Clearance: 54".

View specifications >

98in Steel Crossover Ladder - 7SPS24A7C1P3



Platform Depth
33"
Finish
Powder Coated
Vertical Clearance
54"
Material
Steel

Platform Depth: 33"; Vertical Clearance: 54".

View specifications >

Ladders & Access / Product selection

98in Steel Crossover Ladder - 7SPS36A3C1P3



Platform Depth
44"
Finish
Powder Coated
Vertical Clearance
54"
Material
Steel

Platform Depth: 44"; Vertical Clearance: 54".

View specifications >

98in Steel Crossover Ladder - 7SPS36A7C1P3



Platform Depth
44"
Finish
Powder Coated
Vertical Clearance
54"
Material
Steel

Platform Depth: 44"; Vertical Clearance: 54".

View specifications >

Aluminum Guardrail Enclosure - URTRK1



Overall Span
36"
Material
Aluminum
Load Capacity
200 lb
Finish
Aluminum Mill

Overall Span: 36"; Load Capacity: 200 lb.

View specifications >

Crossover Platform Ladder

Catalog ref: 5882



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Ladders & Access / Product selection

Double Entry Rolling Platform

Catalog ref: 5948



LISTED DETAILS


Custom Designs Available / Extra Heavy Duty with 800# Capacity

Extra Heavy Duty with 800# Capacity; Base and Rear Framel are Rugged 2"x1" rectangular tubing.

View specifications >

Fixed Crossover Ladder

Catalog ref: 5911



LISTED DETAILS

Supplied in three pieces: two stair sections and one bridge / Structural frame and rails are heavy 1¼" schedule 40 pipe

Structural frame and rails are heavy 1¼" schedule 40 pipe; Stair sections have 10" step spacing with 9" of horizontal run per step.

View specifications >

Portable Crossover Ladder with Slopped Stairway

Catalog ref: 5910



LISTED DETAILS

One-piece all-welded steel construction. / Frame & Rails: 1" O.D. high strength tubing.

Listed models: PC3-24, PC3-36, PC3-48, PC4-24 and additional configurations; PC3-24 No. of Steps Inc. Platform: 3.

View specifications >

Portable Crossover Platform Ladder

Catalog ref: 6070



LISTED DETAILS

Climbing angle is 50 degrees, permitting forward descent. / The ladder is powder coated with high gloss powder.

Climbing angle is 50 degrees, permitting forward descent; Pick your color from our 11 stock choices.

View specifications >

Ladders & Access / Product selection

360 Degree Rotating Ladder

Catalog ref: 40972



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

360 Degree Rotating Ladder - Custom Ladders. Description: IML 360 degree rotating rolling ladders are the perfect solution for tight warehouse aisles.

View specifications >

Aluminum Sawhorse/Work Stand



LISTED DETAILS


Non-Slip Rubber Boot / Solid Rivet Construction

Non-Slip Rubber Boot; Solid Rivet Construction.

View specifications >

Custom Designed Ladders

Catalog ref: 5903



LISTED DETAILS

Provide steel, aluminum and stainless steel solutions / Build to your designs

Provide steel, aluminum and stainless steel solutions; Build to your designs.

View specifications >

EZY Climb Ladder

Catalog ref: 40992



LISTED DETAILS

Steps are 7" deep and available in 16", 24", or 30" widths. Top step is 14" deep.

1" square-tube technology is more abuse-resistant than conventional round tube design;

View specifications >

Ladders & Access / Product selection

Fiberglass Sawhorse/Work Stand



LISTED DETAILS

Non-Slip Rubber Boot / Solid Rivet Construction

Non-Slip Rubber Boot; Solid Rivet Construction.

View specifications >

Galvanized Industrial Stairways

Catalog ref: 41038



LISTED DETAILS

All-welded construction for superior strength / Hot-dipped galvanized finish for exceptional rust resistance

All-welded construction for superior strength; Hot-dipped galvanized finish for exceptional rust resistance.

View specifications >

Industrial Truck Ladder

Catalog ref: 40988



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Industrial Truck Ladder - Custom Ladders. Description : Finally, a ladder that provides access to semi- trailers when docking bays are full or unavailable.

View specifications >

Lift Table Ladder

Catalog ref: 6072



LISTED DETAILS

Sizes offered are 5 step through 8 step. / The following chart shows the usable working heights.

The unit is powered by two 6 Volt DC Trojan batteries with a Guest 10 AMP battery charger; Sizes offered are 5 step through 8 step.

View specifications >

Ladders & Access / Product selection

Dock Ladders

Catalog ref: 41393



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: DKL-2, DKL-3, DKL-4, DKL-5 and additional configurations; DKL-2 Step: 18".

View specifications >

Truck/Dock Access Ladder



LISTED DETAILS

Great for accessing trucks or docks / Rugged - base frame and rear vertical are 2” x 1” rectangular tubing

Rugged - base frame and rear vertical are 2” x 1” rectangular tubing; 21” Deep Top Step standard.

View specifications >

Welded Steel Dock Ladder



LISTED DETAILS

Constructed of 1 1/4" tubing and 3/4" anti-slip corrugated rungs. / 18" wide steps on side step models and 24" on walk-thru models,spaced on 12" centers.

Constructed of 1 1/4" tubing and 3/4" anti-slip corrugated rungs; 18" wide steps on side step models and 24" on walk-thru models,spaced on 12" centers.

View specifications >

ESD-Safe Warehouse Ladders

Catalog ref: 41397



LISTED DETAILS

Portable warehouse ladder for special ESD applications / Weight on bottom step lifts casters for safe use when climbing

Listed models: LAD-R-26-2-G-ESD, LAD-R-26-4-G-ESD, LAD-R-26-6-G-ESD, LAD-R-26-8-G-ESD and additional configurations; LAD-R-26-2-G-ESD Step Quantity: 2.

View specifications >

Ladders & Access / Product selection

BAE100 Series Aluminum Extension Ladder



LISTED DETAILS

Swivel Safety Shoes / Non-Marring End Caps

Rope & Pulleys 20′ & Up; Swivel Safety Shoes.

View specifications >

BAE1A Series Aluminum Extension Ladder



LISTED DETAILS

Swivel Safety Shoes / Non-Marring End Caps

Rope & Pulleys 20' & Up; Swivel Safety Shoes.

View specifications >

BASL1A Series Aluminum Extension Ladder



LISTED DETAILS

Swivel Safety Shoes / Non-Marring End Caps

Rope & Pulleys 20′ & Up; Swivel Safety Shoes.

View specifications >

BE1A Series Fiberglass Extension Ladder



LISTED DETAILS


Steel Swivel Shoes / Heavy Duty Steel Braces

Steel Swivel Shoes; Heavy Duty Steel Braces.

View specifications >

Ladders & Access / Product selection

BE1A-AL Series Fiberglass Extension Ladder



LISTED DETAILS

Steel Swivel Shoes / Heavy Duty Steel Braces

Steel Swivel Shoes; Heavy Duty Steel Braces.

View specifications >

BE1A-E03 Series Fiberglass Extension Ladder



LISTED DETAILS

Steel Swivel Shoes / Heavy Duty Steel Braces

Steel Swivel Shoes; Heavy Duty Steel Braces.

View specifications >

BE1AA Series Fiberglass Extension Ladder



Series
BE1AA

Listed Sizes
16, 20, 24, 28, 32, 36 and 40 ft

BE1AA fiberglass extension ladders, with catalog sizes of 16, 20, 24, 28, 32, 36 and 40 ft. Select the exact model and confirm the current size and reach chart.

View specifications >

1000Lbs Configurable Crossover Ladder - UCL7504246



Handrail Height
42"

Load Capacity
1000 lb

Step Tread
Perforated

Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Ladders & Access / Product selection

10Ft Fixed Ladder - UAP0990



Step Width
24"

Span
24"

Number of Steps
9

Finish
Yellow Powder Coated

Step Width: 24"; Span: 24".

View specifications >

10Ft Steel Fixed Ladder - WLFS0111



Material
Steel

Overall Width
25"

Number of Steps
11

Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 11.

View specifications >

10Ft Steel Fixed Ladder - WLFS0211



Material
Steel

Overall Height
14 ft

Finish
Gray Powder Coated

Overall Width
25"

Overall Height: 14 ft; Overall Width: 25".

View specifications >

10Ft Steel Fixed Ladder with Safety Cage - WLFC1111



Material
Steel

Overall Width
36"

Number of Steps
11

Finish
Gray Powder Coated

Overall Width: 36"; Number of Steps: 11.

View specifications >

Ladders & Access / Product selection

10Ft Steel Fixed Ladder with Safety Cage - WLFC1211



Overall Width
36"

Overall Height
14 ft

Load Capacity
500 lb

Number of Steps
11

Overall Width: 36"; Overall Height: 14 ft.

View specifications >

11Ft Fixed Ladder - UAP1090



Step Width
24"

Span
24"

Number of Steps
10

Finish
Yellow Powder Coated

Step Width: 24"; Span: 24".

View specifications >

11Ft Steel Fixed Ladder - WLFS0112



Material
Steel

Overall Width
25"

Number of Steps
12

Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 12.

View specifications >

11Ft Steel Fixed Ladder - WLFS0212



Material
Steel

Overall Width
25"

Number of Steps
12

Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 12.

View specifications >

Ladders & Access / Product selection

12Ft Fixed Ladder - UAP1190



Step Width
24"

Span
24"

Number of Steps
11

Finish
Yellow Powder Coated

Step Width: 24"; Span: 24".

View specifications >

12Ft Steel Fixed Ladder - WLFS0113



Material
Steel

Overall Width
25"

Number of Steps
13

Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 13.

View specifications >

12Ft Steel Fixed Ladder - WLFS0213



Material
Steel

Overall Width
25"

Number of Steps
13

Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 13.

View specifications >

13Ft Steel Fixed Ladder - WLFS0114



Material
Steel

Overall Width
25"

Number of Steps
14


Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 14.

View specifications >

Ladders & Access / Product selection

13Ft Steel Fixed Ladder - WLFS0214



Step Width
18"
Material
Steel
Overall Width
25"
Overall Height
17 ft

Step Width: 18"; Overall Width: 25".

View specifications >

14Ft Steel Fixed Ladder - WLFS0115




Material
Steel
Overall Width
25"
Number of Steps
15
Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 15.

View specifications >

14Ft Steel Fixed Ladder - WLFS0215



Step Width
18"
Material
Steel
Overall Width
25"
Overall Height
18 ft

Step Width: 18"; Overall Width: 25".

View specifications >

15Ft Steel Fixed Ladder - WLFS0116




Material
Steel
Overall Width
25"
Number of Steps
16
Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 16.

View specifications >

Ladders & Access / Product selection

15Ft Steel Fixed Ladder - WLFS0216



Step Width
18"
Material
Steel
Overall Width
25"
Overall Height
19 ft

Step Width: 18"; Overall Width: 25".

View specifications >

16Ft Steel Fixed Ladder - WLFS0117




Step Width
18"
Material
Steel
Overall Width
25"
Overall Height
16 ft

Step Width: 18"; Overall Width: 25".

View specifications >

16Ft Steel Fixed Ladder - WLFS0217



Step Width
18"
Material
Steel
Overall Width
25"
Overall Height
20 ft

Step Width: 18"; Overall Width: 25".

View specifications >

16Ft Steel Fixed Ladder with Safety Cage - WLFC1217



Overall Width
36"
Overall Height
20 ft
Load Capacity
500 lb
Number of Steps
17

Overall Width: 36"; Overall Height: 20 ft.

View specifications >

Ladders & Access / Product selection

17Ft Steel Fixed Ladder - WLFS0118



Step Width
18"
Material
Steel
Overall Width
25"
Overall Height
17 ft

Step Width: 18"; Overall Width: 25".

View specifications >

17Ft Steel Fixed Ladder - WLFS0218



Step Width
18"
Material
Steel
Overall Width
25"
Overall Height
21 ft

Step Width: 18"; Overall Width: 25".

View specifications >

18Ft Steel Fixed Ladder - WLFS0119



Step Width
18"
Material
Steel
Overall Width
25"
Overall Height
18 ft

Step Width: 18"; Overall Width: 25".

View specifications >

18Ft Steel Fixed Ladder - WLFS0219



Step Width
18"
Material
Steel
Overall Width
25"
Overall Height
22 ft

Step Width: 18"; Overall Width: 25".

View specifications >

Ladders & Access / Product selection

19Ft Steel Fixed Ladder - WLFS0120



Step Width
18"
Material
Steel
Overall Width
25"
Overall Height
19 ft

Step Width: 18"; Overall Width: 25".

View specifications >

19Ft Steel Fixed Ladder - WLFS0220



Step Width
18"
Material
Steel
Overall Width
25"
Overall Height
23 ft

Step Width: 18"; Overall Width: 25".

View specifications >

2 Step 50 Degree Incline Fixed Ladder - URTL502



Handrail Height
42"
Load Capacity
500 lb
Number of Steps
2
Material
Aluminum

Handrail Height: 42"; Load Capacity: 500 lb.

View specifications >

2 Step 90 Degree Incline Fixed Ladder - URTL902



Handrail Height
42"
Load Capacity
500 lb
Number of Steps
2
Material
Aluminum

Handrail Height: 42"; Load Capacity: 500 lb.

View specifications >

Ladders & Access / Product selection

2 Step Fixed Ladder - 102019



Model Number
102019

Number of Steps
2

2-step fixed ladder, model 102019. Confirm mounting, dimensions and the required load rating for the access point.

View specifications >

25Ft Steel Fixed Ladder with Safety Cage - WLFC1126



Overall Width
36"

Overall Height
25 ft

Load Capacity
500 lb

Number of Steps
26

Overall Width: 36"; Overall Height: 25 ft.

View specifications >

3 Step 50 Degree Incline Fixed Ladder - URTL503



Handrail Height
42"

Load Capacity
500 lb

Number of Steps
3

Material
Aluminum

Handrail Height: 42"; Load Capacity: 500 lb.

View specifications >

3 Step 90 Degree Incline Fixed Ladder - URTL903



Handrail Height
42"

Load Capacity
500 lb

Number of Steps
3

Material
Aluminum

Handrail Height: 42"; Load Capacity: 500 lb.

View specifications >

Ladders & Access / Product selection

3 Step Fixed Ladder - 103019



Model Number
103019

Number of Steps
3

3-step fixed ladder, model 103019. Confirm mounting, dimensions and the required load rating for the access point.

View specifications >

3 Step Fixed Walk Thru Ladder - WLA3WT



Overall Width
21-1/16"

Finish
Aluminum

Material
Aluminum

Overall Width: 21-1/16"; Finish: Aluminum.

View specifications >

3Ft Steel Fixed Ladder - WLFS0104



Material
Steel

Overall Width
25"

Number of Steps
4

Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 4.

View specifications >

3Ft Steel Fixed Ladder - WLFS0204



Material
Steel

Overall Width
25"

Number of Steps
4

Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 4.

View specifications >

Ladders & Access / Product selection

4 Step 50 Degree Incline Fixed Ladder - URTL504



Handrail Height
42"

Load Capacity
500 lb

Number of Steps
4

Material
Aluminum

Handrail Height: 42"; Load Capacity: 500 lb.

View specifications >

4 Step 90 Degree Incline Fixed Ladder - URTL904



Handrail Height
42"

Load Capacity
500 lb

Number of Steps
4

Material
Aluminum

Handrail Height: 42"; Load Capacity: 500 lb.

View specifications >

4 Step Fixed Ladder with Handrail -1041L19



Model Number
1041L19

Number of Steps
4

4-step fixed ladder, model 1041L19. Confirm mounting, dimensions and the required load rating for the access point.

View specifications >

4 Step Fixed Walk Thru Ladder - WLA4WT



Overall Width
21-1/16"

Finish
Aluminum

Material
Aluminum

Overall Width: 21-1/16"; Finish: Aluminum.

View specifications >

Ladders & Access / Product selection

4 Step Walkthru Fixed Dock Ladder - DKL-4



Model Number
DKL-4

Number of Steps
4

Style
Walk-through dock ladder

DKL-4 walk-through dock ladder with 4 steps. Confirm the dock-height and mounting requirements for the installation.

View specifications >

4Ft Fixed Ladder - UAP0290



Overall Width
30"

Finish
Yellow Powder Coated

Step Width
24"

Span
24"

Overall Width: 30"; Step Width: 24".

View specifications >

4Ft Steel Fixed Ladder - WLFS0105



Material
steel

Overall Height
4 ft

Finish
Gray Powder Coated

Overall Width
25"

Overall Height: 4 ft; Overall Width: 25".

View specifications >

4Ft Steel Fixed Ladder - WLFS0205



Material
Steel

Overall Width
25"

Number of Steps
5

Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 5.

View specifications >

Ladders & Access / Product selection

5 Step 50 Degree Incline Fixed Ladder - URTL505



Handrail Height
42"

Load Capacity
500 lb

Number of Steps
5

Material
Aluminum

Handrail Height: 42"; Load Capacity: 500 lb.

View specifications >

5 Step 90 Degree Incline Fixed Ladder - URTL905



Handrail Height
42"

Load Capacity
500 lb

Number of Steps
5

Material
Aluminum

Handrail Height: 42"; Load Capacity: 500 lb.

View specifications >

5 Step Fixed Walk Thru Ladder - WLA5WT



Overall Width
21-1/16"

Finish
Aluminum

Material
Aluminum

Overall Width: 21-1/16"; Finish: Aluminum.

View specifications >

5Ft Fixed Ladder - UAP0390



Overall Width
30"

Finish
Yellow Powder Coated

Step Width
24"

Span
24"

Overall Width: 30"; Step Width: 24".

View specifications >

Ladders & Access / Product selection

5Ft Steel Fixed Ladder - WLFS0106



Material
Steel
Overall Width
25"
Number of Steps
6
Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 6.

View specifications >

5Ft Steel Fixed Ladder - WLFS0206



Material
steel
Overall Width
25"
Number of Steps
6
Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 6.

View specifications >

6 Step 50 Degree Incline Fixed Ladder - URTL506



Handrail Height
42"
Load Capacity
500 lb
Number of Steps
6
Material
Aluminum

Handrail Height: 42"; Load Capacity: 500 lb.

View specifications >

6 Step 90 Degree Incline Fixed Ladder - URTL906



Handrail Height
42"
Load Capacity
500 lb
Number of Steps
6
Material
Aluminum

Handrail Height: 42"; Load Capacity: 500 lb.

View specifications >

Ladders & Access / Product selection

6Ft Fixed Ladder - UAP0490



Step Width
24"

Span
24"

Number of Steps
4

Finish
Yellow Powder Coated

Step Width: 24"; Span: 24".

View specifications >

6Ft Steel Fixed Ladder - WLFS0107



Material
Steel

Overall Width
25"

Number of Steps
7

Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 7.

View specifications >

6Ft Steel Fixed Ladder - WLFS0207



Material
Steel

Overall Width
25"

Number of Steps
7

Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 7.

View specifications >

7Ft Fixed Ladder - UAP0590



Step Width
24"

Span
24"

Number of Steps
5

Finish
Yellow Powder Coated

Step Width: 24"; Span: 24".

View specifications >

Ladders & Access / Product selection

7Ft Steel Fixed Ladder - WLFS0108



Material
Steel
Overall Width
25"
Number of Steps
8
Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 8.

View specifications >

7Ft Steel Fixed Ladder - WLFS0208



Material
Steel
Overall Width
25"
Number of Steps
8
Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 8.

View specifications >

8Ft Fixed Ladder - UAP0690



Step Width
24"
Span
24"
Number of Steps
6
Finish
Yellow Powder Coated

Step Width: 24"; Span: 24".

View specifications >

8Ft Steel Fixed Ladder - WLFS0109



Material
Steel
Overall Height
8 ft
Finish
Gray Powder Coated
Overall Width
25"

Overall Height: 8 ft; Overall Width: 25".

View specifications >

Ladders & Access / Product selection

8Ft Steel Fixed Ladder - WLFS0209



Material
Steel
Overall Width
25"
Number of Steps
9
Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 9.

View specifications >

9Ft Fixed Ladder - UAP0790



Step Width
24"
Span
24"
Number of Steps
7
Finish
Yellow Powder Coated

Step Width: 24"; Span: 24".

View specifications >

9Ft Fixed Ladder - UAP0890



Step Width
24"
Span
24"
Number of Steps
8
Finish
Yellow Powder Coated

Step Width: 24"; Span: 24".

View specifications >

9Ft Steel Fixed Ladder - WLFS0110



Material
Steel
Overall Width
25"
Number of Steps
10
Finish
Gray Powder Coated

Overall Width: 25"; Number of Steps: 10.

View specifications >

Ladders & Access / Product selection

9Ft Steel Fixed Ladder - WLFS0210



Material
Steel
Overall Height
13 ft
Finish
Gray Powder Coated
Overall Width
25"

Overall Height: 13 ft; Overall Width: 25".

View specifications >

Configurable Crossover Fixed Ladder - UCL5003242



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Serrated
Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL5003246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL5004246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Ladders & Access / Product selection

Configurable Crossover Fixed Ladder - UCL5005242



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Serrated
Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL5005246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL5006242



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Serrated
Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL5006246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Ladders & Access / Product selection

Configurable Crossover Fixed Ladder - UCL5007242



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Serrated
Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL5007246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL5008246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL5009246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Ladders & Access / Product selection

Configurable Crossover Fixed Ladder - UCL7503242



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Serrated
Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL7503246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL7504242



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Serrated
Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL7505242



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Serrated
Step Depth
7"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Ladders & Access / Product selection

Configurable Crossover Fixed Ladder - UCL7505246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
7"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL7506242



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Serrated
Step Depth
7"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL7506246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
7"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL7507242



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Serrated
Step Depth
7"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Ladders & Access / Product selection

Configurable Crossover Fixed Ladder - UCL7507246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
7"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL7508242



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Serrated
Step Depth
7"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL7508246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
7"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL7509242



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Serrated
Step Depth
7"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Ladders & Access / Product selection

Configurable Crossover Fixed Ladder - UCL7509246



Handrail Height
42"

Load Capacity
1000 lb

Step Tread
Perforated

Step Depth
7"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL9003246



Vertical Clearance
28"

Overall Height
82"

Load Capacity
1000 lb

Material
Steel

Vertical Clearance: 28"; Overall Height: 82".

View specifications >

Configurable Crossover Fixed Ladder - UCL9004246



Vertical Clearance
38"

Overall Height
92"

Load Capacity
1000 lb

Material
Steel

Vertical Clearance: 38"; Overall Height: 92".

View specifications >

Configurable Crossover Fixed Ladder - UCL9005246



Vertical Clearance
48"

Overall Height
92"

Load Capacity
1000 lb

Material
steel

Vertical Clearance: 48"; Overall Height: 92".

View specifications >

Ladders & Access / Product selection

Configurable Crossover Fixed Ladder - UCL9006246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
2-1/2"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL9007246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
2-1/2"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL9008246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
2-1/2"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Configurable Crossover Fixed Ladder - UCL9009246



Handrail Height
42"
Load Capacity
1000 lb
Step Tread
Perforated
Step Depth
2-1/2"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Ladders & Access / Product selection

Configurable Crossover Ladder - UCL5008242



Handrail Height
42"

Load Capacity
1000 lb

Step Tread
Serrated

Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

Fixed Handrail Ladder

Catalog ref: 6062



LISTED DETAILS

Walk-thru handrails extend 42" above landing surface. Mounting brackets are included.

Side members are 1/4" x 2" x 2" steel angle with 3/4"corrugated steel round climbing rungs on 12" centers. Standoff mounting brackets are 7"; Walk-thru handrails extend 42" above landing surface.

View specifications >

Fixed Industrial Ladders

Catalog ref: 6061



LISTED DETAILS


Side members are 1/4" x 2" x 2" steel angle.

Side members are 1/4" x 2" x 2" steel angle; Climbing rungs are 3/4" corrugated steel round rungs spaced on 12" centers. Stand-off brackets are 7".

View specifications >

Fixed Ladder

Catalog ref: 5885



LISTED DETAILS

22" overall width / Caged ladders available

22" overall width; 300 lbs load rating.

View specifications >

Ladders & Access / Product selection

Fixed Ladder - F10S C1



Step Width
16"
Overall Width
20"
Finish
Gray Powder Coated
Overall Height
9 ft. 3"

Step Width: 16"; Overall Width: 20".

View specifications >

Fixed Ladder - F11S C1



Overall Height
10 ft. 3"
Finish
Gray Powder Coated
Step Width
16"
Overall Width
22"

Overall Height: 10 ft. 3"; Step Width: 16".

View specifications >

Fixed Ladder - F12S C1



Step Width
16"
Overall Width
20"
Finish
Gray Powder Coated
Overall Height
11 ft. 3"

Step Width: 16"; Overall Width: 20".

View specifications >

Fixed Ladder - F13S C1



Overall Height
12 ft. 3"
Finish
Gray Powder Coated
Step Width
16"
Overall Width
22"

Overall Height: 12 ft. 3"; Step Width: 16".

View specifications >

Ladders & Access / Product selection

Fixed Ladder - F14S C1



Step Width
16"
Overall Width
20"
Finish
Gray Powder Coated
Overall Height
13 ft. 3"

Step Width: 16"; Overall Width: 20".

View specifications >

Fixed Ladder - F15S C1



Finish
Gray Powder Coated
Step Width
16"
Overall Width
22"

Step Width: 16"; Overall Width: 22".

View specifications >

Fixed Ladder - F17S C1



Overall Height
16 ft. 3"
Finish
Gray Powder Coated
Step Width
16"
Overall Width
22"

Overall Height: 16 ft. 3"; Step Width: 16".

View specifications >

Fixed Ladder - F19S C1



Overall Height
18 ft. 3"
Finish
Gray Powder Coated
Step Width
16"
Overall Width
22"

Overall Height: 18 ft. 3"; Step Width: 16".

View specifications >

Ladders & Access / Product selection

Fixed Ladder - F4S C1



Material
steel
Step Width
16"
Overall Height
3 ft. 8"
Load Capacity
300 lb

Step Width: 16"; Overall Height: 3 ft. 8".

View specifications >

Fixed Ladder - F4W C1



Material
Steel
Step Width
16"
Overall Height
7 ft. 3"
Load Capacity
300 lb

Step Width: 16"; Overall Height: 7 ft. 3".

View specifications >

Fixed Ladder - F5S C1



Material
Steel
Step Width
16"
Overall Height
4 ft. 7"
Load Capacity
300 lb

Step Width: 16"; Overall Height: 4 ft. 7".

View specifications >

Fixed Ladder - F5W C1



Material
Steel
Step Width
16"
Overall Height
8 ft. 2"
Load Capacity
300 lb

Step Width: 16"; Overall Height: 8 ft. 2".

View specifications >

Ladders & Access / Product selection

Fixed Ladder - F6S C1



Material
steel
Step Width
16"
Overall Height
6 ft
Load Capacity
300 lb

Step Width: 16"; Overall Height: 6 ft.

View specifications >

Fixed Ladder - F6W C1



Material
Steel
Step Width
16"
Overall Height
9 ft. 1"
Load Capacity
300 lb

Step Width: 16"; Overall Height: 9 ft. 1".

View specifications >

Fixed Ladder - F7S C1



Material
steel
Step Width
16"
Overall Height
6 ft. 5"
Load Capacity
300 lb

Step Width: 16"; Overall Height: 6 ft. 5".

View specifications >

Fixed Ladder - F7W C1



Material
Steel
Step Width
16"
Overall Height
10 ft
Load Capacity
300 lb

Step Width: 16"; Overall Height: 10 ft.

View specifications >

Ladders & Access / Product selection

Fixed Ladder - F8S C1



Material
steel
Step Width
16"
Overall Height
7 ft. 4"
Load Capacity
300 lb

Step Width: 16"; Overall Height: 7 ft. 4".

View specifications >

Fixed Ladder - F8W C1



Material
Steel
Step Width
16"
Overall Height
10 ft. 11"
Load Capacity
300 lb

Step Width: 16"; Overall Height: 10 ft. 11".

View specifications >

Fixed Ladder - F9S C1



Finish
Gray Powder Coated
Overall Width
22"
Material
steel
Overall Height
8 ft. 3"

Overall Width: 22"; Overall Height: 8 ft. 3".

View specifications >

Fixed Ladder - F9W C1



Overall Width
22"
Step Width
16"
Span
42"

Overall Width: 22"; Step Width: 16".

View specifications >

Ladders & Access / Product selection

Fixed Ladder with Safety Cage - M14SC C1



Material
steel
Number of Steps
14
Overall Width
26"

Number of Steps: 14; Overall Width: 26".

View specifications >

Fixed Ladder With Safety Cage - M26SC L9 C1



Material
steel
Number of Steps
26
Overall Width
26"

Number of Steps: 26; Overall Width: 26".

View specifications >

Fixed Storage Tank Ladder - ST06AL C1



Material
steel
Overall Width
14-1/2"

Overall Width: 14-1/2"; Material: steel.

View specifications >

Fixed Storage Tank Ladder - ST07AL C1



Material
Steel
Overall Width
14-1/2"

Overall Width: 14-1/2"; Material: Steel.

View specifications >

Ladders & Access / Product selection

Fixed Storage Tank Ladder - ST08AL C1



Material
steel
Overall Width
14-1/2"

Overall Width: 14-1/2"; Material: steel.

View specifications >

Fixed Storage Tank Ladder - ST09AL C1



Finish
Gray Powder Coated

Finish: Gray Powder Coated.

View specifications >

Fixed Storage Tank Ladder - ST10AL C1



Finish
Gray Powder Coated

Finish: Gray Powder Coated.

View specifications >

Fixed Storage Tank Ladder - ST11AL C1



Material
steel
Overall Width
14-1/2"

Overall Width: 14-1/2"; Material: steel.

View specifications >

Ladders & Access / Product selection

Fixed Storage Tank Ladder - ST12AL C1




Material
steel
Overall Width
14-1/2"

Overall Width: 14-1/2"; Material: steel.

View specifications >

Fixed Storage Tank Ladder - ST13AL C1



Material
steel
Overall Width
14-1/2"

Overall Width: 14-1/2"; Material: steel.

View specifications >

Fixed Storage Tank Ladder - ST14AL C1




Material
steel
Overall Width
14-1/2"

Overall Width: 14-1/2"; Material: steel.

View specifications >

Fixed Storage Tank Ladder - ST15AL C1



Material
steel
Overall Width
14-1/2"

Overall Width: 14-1/2"; Material: steel.

View specifications >

Ladders & Access / Product selection

Fixed Tank Storage Ladder - NTAL-10



Material
Welded Steel
Overall Width
14"

Overall Width: 14"; Material: Welded Steel.

View specifications >

Fixed Tank Storage Ladder - NTAL-12



Material
Welded Steel
Overall Width
14"

Overall Width: 14"; Material: Welded Steel.

View specifications >

Fixed Tank Storage Ladder - NTAL-7



Material
Welded Steel
Overall Width
14"

Overall Width: 14"; Material: Welded Steel.

View specifications >

Fixed Walk-Thru Ladder - F10W C1



Step Width
16"
Overall Width
20"
Finish
Gray Powder Coated
Overall Height
12 ft. 8"

Step Width: 16"; Overall Width: 20".

View specifications >

Ladders & Access / Product selection

Fixed Walk-Thru Ladder - F11W C1



Overall Width
22"
Step Width
16"
Span
42"

Overall Width: 22"; Step Width: 16".

View specifications >

Fixed Walk-Thru Ladder - F12W C1



Step Width
16"
Overall Width
20"
Finish
Gray Powder Coated
Overall Height
14 ft. 8"

Step Width: 16"; Overall Width: 20".

View specifications >

Fixed Walk-Thru Ladder - F13W C1



Overall Width
22"
Step Width
16"
Span
42"

Overall Width: 22"; Step Width: 16".

View specifications >

Fixed Walk-Thru Ladder - F14W C1



Step Width
16"
Overall Width
20"
Finish
Gray Powder Coated
Overall Height
16 ft. 8"

Step Width: 16"; Overall Width: 20".

View specifications >

Ladders & Access / Product selection

Fixed Walk-Thru Ladder - F15W C1



Overall Width
22"

Step Width
16"

Span
42"

Overall Width: 22"; Step Width: 16".

View specifications >

Fixed Walk-Thru Ladder - F16W C1



Step Width
16"

Overall Width
20"

Finish
Gray Powder Coated

Overall Height
18 ft. 8"

Step Width: 16"; Overall Width: 20".

View specifications >

Fixed Walk-Thru Ladder - F17W C1



Overall Width
22"

Step Width
16"

Span
42"

Overall Width: 22"; Step Width: 16".

View specifications >

Fixed Walk-Thru Ladder - F19W C1



Overall Width
22"

Step Width
16"

Span
42"

Overall Width: 22"; Step Width: 16".

View specifications >

Ladders & Access / Product selection

Fixed Walk-Thru Ladder - F20W C1



Step Width
16"
Overall Width
20"
Finish
Gray Powder Coated
Overall Height
22 ft. 8"

Step Width: 16"; Overall Width: 20".

View specifications >

Side Step Fixed Dock Ladder - WLA10SS



Overall Width
21-1/16"
Material
Aluminum
Overall Height
14 ft. 2"
Finish
Aluminum

Overall Width: 21-1/16"; Overall Height: 14 ft. 2".

View specifications >

Side Step Fixed Dock Ladder - WLA8SS



Overall Width
21-1/16"
Material
Aluminum
Overall Height
12 ft. 2"
Finish
Aluminum

Overall Width: 21-1/16"; Overall Height: 12 ft. 2".

View specifications >

Side Step Fixed Dock Ladder - WLS10SS



Overall Height
14 ft. 2"
Material
steel
Finish
Gray Powder Coated
Overall Width
21-1/16"

Overall Height: 14 ft. 2"; Overall Width: 21-1/16".

View specifications >

Ladders & Access / Product selection

Side Step Fixed Dock Ladder - WLS6SS



Overall Height
10 ft. 2"
Material
steel
Finish
Gray Powder Coated
Overall Width
21-1/16"

Overall Height: 10 ft. 2"; Overall Width: 21-1/16".

View specifications >

Side Step Fixed Dock Ladder - WLS8SS



Overall Width
21-1/16"
Material
steel
Overall Height
12 ft. 2"
Finish
Gray Powder Coated

Overall Width: 21-1/16"; Overall Height: 12 ft. 2".

View specifications >

Side Step Fixed Dock Ladder -WLA6SS



Overall Height
10 ft. 2"
Material
Aluminum
Finish
Aluminum
Overall Width
21-1/16"

Overall Height: 10 ft. 2"; Overall Width: 21-1/16".

View specifications >

Steel Fixed Ladder - F16S C1



Overall Height
15 ft. 3"
Step Width
16"
Load Capacity
300 lb
Overall Width
20"

Overall Height: 15 ft. 3"; Step Width: 16".

View specifications >

Ladders & Access / Product selection

Steel Fixed Ladder - F18S C1



Overall Height
17 ft. 3"
Step Width
16"
Load Capacity
300 lb
Overall Width
20"

Overall Height: 17 ft. 3"; Step Width: 16".

View specifications >

Steel Fixed Ladder - F18W C1



Overall Height
20 ft. 8"
Step Width
16"
Load Capacity
300 lb
Overall Width
20"

Overall Height: 20 ft. 8"; Step Width: 16".

View specifications >

Steel Fixed Ladder - F20S C1



Overall Height
19 ft. 3"
Step Width
16"
Load Capacity
300 lb
Overall Width
20"

Overall Height: 19 ft. 3"; Step Width: 16".

View specifications >

Steel Fixed Storage Tank Ladder - NTAL-15



Load Capacity
300 lb
Material
Welded Steel
Overall Width
14"

Load Capacity: 300 lb; Overall Width: 14".

View specifications >

Ladders & Access / Product selection

Walk-Thru Dock Ladder - D3WT C1 P6



Overall Width
27-1/2"

Material
Steel

Overall Width: 27-1/2"; Material: Steel.

View specifications >

Walkthru Alternating Tread Stairs - ATS-10-56



Load Capacity
350 lb

Overall Height
162"

Number of Steps
16

Color
Yellow

Load Capacity: 350 lb; Overall Height: 162".

View specifications >

Walkthru Alternating Tread Stairs - ATS-10-68



Load Capacity
350 lb

Overall Height
162"

Number of Steps
14

Color
Yellow

Load Capacity: 350 lb; Overall Height: 162".

View specifications >

Walkthru Alternating Tread Stairs - ATS-11-56



Load Capacity
350 lb

Overall Height
174"

Number of Steps
17

Color
yellow

Load Capacity: 350 lb; Overall Height: 174".

View specifications >

Ladders & Access / Product selection

Walkthru Alternating Tread Stairs - ATS-11-68



Load Capacity
350 lb
Overall Height
174"
Number of Steps
17
Color
yellow

Load Capacity: 350 lb; Overall Height: 174".

View specifications >

Walkthru Alternating Tread Stairs - ATS-12-56



Load Capacity
350 lb
Overall Height
186"
Number of Steps
20
Color
yellow

Load Capacity: 350 lb; Overall Height: 186".

View specifications >

Walkthru Alternating Tread Stairs - ATS-12-68



Load Capacity
350 lb
Overall Height
186"
Number of Steps
20
Color
yellow

Load Capacity: 350 lb; Overall Height: 186".

View specifications >

Walkthru Alternating Tread Stairs - ATS-13-56



Load Capacity
350 lb
Overall Height
198"
Number of Steps
21
Color
yellow

Load Capacity: 350 lb; Overall Height: 198".

View specifications >

Ladders & Access / Product selection

Walkthru Alternating Tread Stairs - ATS-13-68



Load Capacity
350 lb
Overall Height
198"
Number of Steps
21
Color
yellow

Load Capacity: 350 lb; Overall Height: 198".

View specifications >

Walkthru Alternating Tread Stairs - ATS-14-56



Load Capacity
350 lb
Overall Height
180"
Number of Steps
24
Color
Yellow

Load Capacity: 350 lb; Overall Height: 180".

View specifications >

Walkthru Alternating Tread Stairs - ATS-14-68



Load Capacity
350 lb
Overall Height
180"
Number of Steps
24
Color
yellow

Load Capacity: 350 lb; Overall Height: 180".

View specifications >

Walkthru Alternating Tread Stairs - ATS-4-56



Step Tread
Perforated
Number of Steps
7
Overall Width
23-1/2"
Handrail Height
42"

Number of Steps: 7; Overall Width: 23-1/2".

View specifications >

Ladders & Access / Product selection

Walkthru Alternating Tread Stairs - ATS-4-68



Step Tread
Perforated
Number of Steps
7
Overall Width
23-1/2"
Handrail Height
42"

Number of Steps: 7; Overall Width: 23-1/2".

View specifications >

Walkthru Alternating Tread Stairs - ATS-5-56



Step Tread
Perforated
Number of Steps
8
Overall Width
23-1/2"
Handrail Height
42"

Number of Steps: 8; Overall Width: 23-1/2".

View specifications >

Walkthru Alternating Tread Stairs - ATS-5-68



Step Tread
Perforated
Number of Steps
8
Overall Width
23-1/2"
Handrail Height
42"

Number of Steps: 8; Overall Width: 23-1/2".

View specifications >

Walkthru Alternating Tread Stairs - ATS-6-56



Load Capacity
350 lb
Overall Height
114"
Number of Steps
10
Color
Yellow

Load Capacity: 350 lb; Overall Height: 114".

View specifications >

Ladders & Access / Product selection

Walkthru Alternating Tread Stairs - ATS-6-68



Step Tread
Perforated
Number of Steps
10
Overall Width
23-1/2"
Handrail Height
42"

Number of Steps: 10; Overall Width: 23-1/2".

View specifications >

Walkthru Alternating Tread Stairs - ATS-7-56



Load Capacity
350 lb
Overall Height
126"
Number of Steps
12
Color
Yellow

Load Capacity: 350 lb; Overall Height: 126".

View specifications >

Walkthru Alternating Tread Stairs - ATS-7-68



Load Capacity
350 lb
Overall Height
126"
Number of Steps
10
Color
Yellow

Load Capacity: 350 lb; Overall Height: 126".

View specifications >

Walkthru Alternating Tread Stairs - ATS-8-56



Load Capacity
350 lb
Overall Height
138"
Number of Steps
13
Color
Yellow

Load Capacity: 350 lb; Overall Height: 138".

View specifications >

Ladders & Access / Product selection

Walkthru Alternating Tread Stairs - ATS-8-68



Load Capacity
350 lb
Overall Height
138"
Number of Steps
11
Color
Yellow

Load Capacity: 350 lb; Overall Height: 138".

View specifications >

Walkthru Alternating Tread Stairs - ATS-9-56



Load Capacity
350 lb
Overall Height
150"
Number of Steps
15
Color
Yellow

Load Capacity: 350 lb; Overall Height: 150".

View specifications >

Walkthru Alternating Tread Stairs - ATS-9-68



Load Capacity
350 lb
Overall Height
150"
Number of Steps
13
Color
Yellow

Load Capacity: 350 lb; Overall Height: 150".

View specifications >

Walkthru Fixed Dock Ladder - DKL-10



Model Number
DKL-10
Number of Steps
10
Style
Walk-through dock ladder

DKL-10 walk-through dock ladder with 10 steps. Confirm the dock-height and mounting requirements for the installation.

View specifications >

Ladders & Access / Product selection

Walkthru Fixed Dock Ladder - DKL-2



Model Number
DKL-2

Number of Steps
2

Style
Walk-through dock ladder

DKL-2 walk-through dock ladder with 2 steps. Confirm the dock-height and mounting requirements for the installation.

View specifications >

Walkthru Fixed Dock Ladder - DKL-3



Model Number
DKL-3

Number of Steps
3

Style
Walk-through dock ladder

DKL-3 walk-through dock ladder with 3 steps. Confirm the dock-height and mounting requirements for the installation.

View specifications >

Walkthru Fixed Dock Ladder - DKL-5



Model Number
DKL-5

Number of Steps
5

Style
Walk-through dock ladder

DKL-5 walk-through dock ladder with 5 steps. Confirm the dock-height and mounting requirements for the installation.

View specifications >

Walkthru Fixed Dock Ladder - DKL-6



Model Number
DKL-6

Number of Steps
6

Style
Walk-through dock ladder

DKL-6 walk-through dock ladder with 6 steps. Confirm the dock-height and mounting requirements for the installation.

View specifications >

Ladders & Access / Product selection

Walkthru Fixed Dock Ladder - DKL-7



Model Number
DKL-7

Number of Steps
7

Style
Walk-through dock ladder

DKL-7 walk-through dock ladder with 7 steps. Confirm the dock-height and mounting requirements for the installation.

View specifications >

Walkthru Fixed Dock Ladder - DKL-8



Model Number
DKL-8

Number of Steps
8

Style
Walk-through dock ladder

DKL-8 walk-through dock ladder with 8 steps. Confirm the dock-height and mounting requirements for the installation.

View specifications >

Walkthru Fixed Dock Ladder - DKL-9



Model Number
DKL-9

Number of Steps
9

Style
Walk-through dock ladder

DKL-9 walk-through dock ladder with 9 steps. Confirm the dock-height and mounting requirements for the installation.

View specifications >

Fold and Store Ladder

Catalog ref: 5897



LISTED DETAILS

Space-Saving Design: Folds easily for compact storage in tight spaces. / Safety First: Wide, non-slip steps and sturdy handrails for enhanced stability.


Space-Saving Design: Folds easily for compact storage in tight spaces; Durable Construction: Built to last with high-quality materials for both industrial and residential use.

View specifications >

Ladders & Access / Product selection

Folding Ladders

Catalog ref: 40976



LISTED DETAILS

Rubber-tip legs grip securely to floor when ladder is in use. / Steps are 16" wide and 7" deep. Top step is 14" deep for added versatility.

1" square-tube technology is more abuse-resistant than conventional round tube design;

View specifications >

Folding Rolling Ladder

Catalog ref: 6071



LISTED DETAILS

Safelock caster system is available on all models for an additional charge. / Climbing angle is 59 degrees.

Climbing angle is 59 degrees; Pick your color from our 11 stock choices.

View specifications >

Lock-N-Stock Folding Safety Ladder

Catalog ref: 5907



LISTED DETAILS


Lock the stair section in place and Climb it Roll it Fold it Store it / Welded construction

Listed models: LS2247, LS3247, LS4247; LS2247 # Steps: 2.

View specifications >

48 Degree Slopped Heavy Duty Ladder

Catalog ref: 5895



LISTED DETAILS

HEAVY DUTY - RUGGED 400 lbs. capacity / Unique 48° stairway slope (for easy forward ascent or descent)

HEAVY DUTY - RUGGED 400 lbs. capacity; Unique 48° stairway slope (for easy forward ascent or descent).

View specifications >

Ladders & Access / Product selection

Mechanics/Maintenance Ladders

Catalog ref: 40967



LISTED DETAILS

Handles at ladder front provide convenience and aid mobility. / 4" casters and our lift & roll wheelbarrow design.

A 21"-deep top platform allows full access to work areas and is equipped with a detachable safety chain at the rear; 4" casters and our lift & roll wheelbarrow design.

View specifications >

105 to 115in Dual Track Ladder w/Brake - 7408A5-B C1 P3 KIT



Step Depth
5"

Bottom Width
23"

Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

105 to 115in Dual Track Ladder w/Brake - 7408A6-B C1 P3 KIT



Step Depth
5"

Bottom Width
23"

Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

105 to 115in Stationary Dual Track Ladder - 7408A5-S C1 P3 KIT



Step Depth
5"

Bottom Width
23"

Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

Ladders & Access / Product selection

105 to 115in Stationary Dual Track Ladder - 7408A6-S C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

115 to 125in Dual Track Ladder w/Brake - 7409A5-B C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

115 to 125in Dual Track Ladder w/Brake - 7409A6-B C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

115 to 125in Stationary Dual Track Ladder - 7409A5-S C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

Ladders & Access / Product selection

115 to 125in Stationary Dual Track Ladder - 7409A6-S C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

125 to 135in Dual Track Ladder w/Brake - 7410A5-B C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

125 to 135in Dual Track Ladder w/Brake - 7410A6-B C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

125 to 135in Stationary Dual Track Ladder - 7410A5-S C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

Ladders & Access / Product selection

125 to 135in Stationary Dual Track Ladder - 7410A6-S C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

135 to 145in Dual Track Ladder w/Brake - 7411A5-B C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

135 to 145in Dual Track Ladder w/Brake - 7411A6-B C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

135 to 145in Stationary Dual Track Ladder - 7411A5-S C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

Ladders & Access / Product selection

135 to 145in Stationary Dual Track Ladder - 7411A6-S C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

145 to 155in Dual Track Ladder w/Brake - 7412A5-B C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

145 to 155in Dual Track Ladder w/Brake - 7412A6-B C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

145 to 155in Stationary Dual Track Ladder - 7412A5-S C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

Ladders & Access / Product selection

145 to 155in Stationary Dual Track Ladder - 7412A6-S C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

85 to 95in Dual Track Ladder w/Brake - 7406A5-B C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

85 to 95in Dual Track Ladder w/Brake - 7406A6-B C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

85 to 95in Stationary Dual Track Ladder - 7406A5-S C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

Ladders & Access / Product selection

85 to 95in Stationary Dual Track Ladder - 7406A6-S C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

95 to 105in Dual Track Ladder w/Brake - 7407A5-B C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

95 to 105in Dual Track Ladder w/Brake - 7407A6-B C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

95 to 105in Stationary Dual Track Ladder - 7407A5-S C1 P3 KIT



Step Depth
5"
Bottom Width
23"
Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

Ladders & Access / Product selection

95 to 105in Stationary Dual Track Ladder - 7407A6-S C1 P3 KIT



Step Depth
5"

Bottom Width
23"

Step Width
18"

Step Depth: 5"; Bottom Width: 23".

View specifications >

Access Stairway Ladder

Catalog ref: 5883



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Aluminum Mobile Step Stool - WLAR001164



LISTED DETAILS

450 rated capacity - Steel / 350 rated capacity - Aluminum

450 rated capacity - Steel; 350 rated capacity - Aluminum.

View specifications >

Aluminum Mobile Step Stool - WLAR001165



LISTED DETAILS

450 rated capacity - Steel / 350 rated capacity - Aluminum

450 rated capacity - Steel; 350 rated capacity - Aluminum.

View specifications >

Ladders & Access / Product selection

Aluminum Mobile Step Stool - WLAR001245



LISTED DETAILS

450 rated capacity - Steel / 350 rated capacity - Aluminum

450 rated capacity - Steel; 350 rated capacity - Aluminum.

View specifications >

Aluminum Step Stool - KDAR003245SS



LISTED DETAILS

45° climbing angle / 9.5” deep steps - Aluminum models

Listed models: WLAR002215SS, KDAR003245SS, WLAR003315SS; WLAR002215SS # of Steps: 2.

View specifications >

Aluminum Step Stool - WLAR002215SS



LISTED DETAILS

45° climbing angle / 9.5” deep steps - Aluminum models

Listed models: WLAR002215SS, KDAR003245SS, WLAR003315SS; WLAR002215SS # of Steps: 2.

View specifications >

Aluminum Step Stool - WLAR003315SS



LISTED DETAILS

45° climbing angle / 9.5” deep steps - Aluminum models

Listed models: WLAR002215SS, KDAR003245SS, WLAR003315SS; WLAR002215SS # of Steps: 2.

View specifications >

Ladders & Access / Product selection

B100 Series Fiberglass Step Ladders



LISTED DETAILS

Yellow Side Rails / Heavy Duty Steel Braces

Yellow Side Rails; Heavy Duty Steel Braces.

View specifications >

B1A Series Fiberglass Step Ladders



LISTED DETAILS

Orange Side Rails / Heavy Duty Steel Braces

Orange Side Rails; Heavy Duty Steel Braces.

View specifications >

B1A-02 Step Stool



LISTED DETAILS

Heavy Duty Steel Braces / Gold Toned Steel Hardware

Heavy Duty Steel Braces; Gold Toned Steel Hardware.

View specifications >

BAD1A Series Aluminum Step Ladders



LISTED DETAILS

Heavy Duty Steel Braces / Unique Side Rail Design

Heavy Duty Steel Braces; Unique Side Rail Design.

View specifications >

Ladders & Access / Product selection

BAS100 Series Aluminum Step Ladders



LISTED DETAILS

Heavy Duty Steel Braces / Unique Side Rail Design

Heavy Duty Steel Braces; Unique Side Rail Design.

View specifications >

BAS1A Series Aluminum Step Ladders



LISTED DETAILS

Heavy Duty Steel Braces / Unique Side Rail Design

Heavy Duty Steel Braces; Unique Side Rail Design.

View specifications >

BC-1AA Series Industrial Ladder



LISTED DETAILS

Heavy Duty Steel Braces / Gold Toned Steel Hardware

Heavy Duty Steel Braces; Gold Toned Steel Hardware.

View specifications >

BD100 Series Fiberglass Step Ladders



LISTED DETAILS

Yellow Side Rails / Heavy Duty Steel Braces

Yellow Side Rails; Heavy Duty Steel Braces.

View specifications >

Ladders & Access / Product selection

BD1A-02 Series Step Stool



LISTED DETAILS

Heavy Duty Steel Braces / Gold Toned Steel Hardware

Heavy Duty Steel Braces; Gold Toned Steel Hardware.

View specifications >

BD1AA Series Double Fiberglass Step Ladders



LISTED DETAILS

Orange Side Rails / Heavy Duty Steel Braces

Orange Side Rails; Heavy Duty Steel Braces.

View specifications >

BMH-1AA Manhole Ladder



LISTED DETAILS

Slip Resistant Traction

Slip Resistant Traction.

View specifications >

BMT1A Series Fiberglass Step Ladders



Series
BMT1A

Listed Sizes
3, 4, 5, 6, 7, 8, 10 and 12 ft

BMT1A fiberglass step ladders, with catalog sizes of 3, 4, 5, 6, 7, 8, 10 and 12 ft. Select the exact model and confirm the current size and reach chart.

View specifications >

Ladders & Access / Product selection

BP1A Series Platform Step Ladders



Series
BP1A

Listed Sizes
2, 3, 4, 5, 6, 8, 10 and 12 ft

BP1A platform step ladders, with catalog sizes of 2, 3, 4, 5, 6, 8, 10 and 12 ft. Select the exact model and confirm the current size and reach chart.

View specifications >

BSH-1A Series Shelf Ladder



LISTED DETAILS

Rubber Bumper / Slip Fiberglass Feet

Rubber Bumper; Slip Fiberglass Feet.

View specifications >

Colorful Office Ladders

Catalog ref: 5908



LISTED DETAILS

300 lbs. capacity / Easy rolling spring loaded casters

300 lbs. capacity; Easy rolling spring loaded casters.

View specifications >

Double Entry Mobile Platform Ladder

Catalog ref: 5915



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Double Entry Mobile Platform Ladder - Industrial Ladders. The Double Entry Mobile Platform Ladder is constructed with dual heavy duty pedal activated locksteps and 4" casters.

View specifications >

Ladders & Access / Product selection

Dual Track Mounted Shelf Ladder

Catalog ref: 6077



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Dual Track Mounted Shelf Ladder - Industrial Ladders. The patented steel Dual Trak Ladder is designed to provide safe, convenient access to tall shelving on both sides of narrow aisles in storage areas.

View specifications >

EZ Light Double Front Step Ladders



Series
EZ-FD1A

Listed Sizes
14 and 16 ft

EZ-FD1A double-front step ladders, with catalog sizes of 14 and 16 ft. Select the exact model and confirm the current size and reach chart.

View specifications >

EZ Light Ladder



Series
EZ-FE1A

Listed Sizes
16, 20, 24, 28 and 32 ft

EZ-FE1A EZ Light ladder models, with catalog sizes of 16, 20, 24, 28 and 32 ft. Select the exact model and confirm the current size and reach chart.

View specifications >

EZ Light Ladder - Plate to Rail



Series
EZ-FE1AA

Listed Sizes
16, 20, 24 and 28 ft

EZ-FE1AA EZ Light plate-to-rail ladder models, with catalog sizes of 16, 20, 24 and 28 ft. Select the exact model and confirm the current size and reach chart.

View specifications >

Ladders & Access / Product selection

EZ Light Ladder -1AA



Series
EZ-FE1AA-S

Listed Sizes
16, 20, 24 and 28 ft

EZ-FE1AA-S EZ Light ladder models with the -S suffix, with catalog sizes of 16, 20, 24 and 28 ft. Select the exact model and confirm the current size and reach chart.

View specifications >

Forward Descent Rolling Ladder

Catalog ref: 6065



LISTED DETAILS

The ladder is powder coated with high gloss powder. / The steps are 7" deep with standard 12" deep top step or optional 24" deep top step.

Pick your color from our 11 stock choices; The steps are 7" deep with standard 12" deep top step or optional 24" deep top step.

View specifications >

Freight Saver Lockstep Ladder

Catalog ref: 5917



LISTED DETAILS

Step by step assembly instructions with detailed photos / Replaceable parts extend ladder life

4 - 8 step ship packaged; 9 - 12 step shipped flat require skidding - call for pricing. Available on smaller models.

View specifications >

Freight Saver Spring Loaded Caster Ladder

Catalog ref: 5916



LISTED DETAILS

Available setup specify (SU) / Step by step assembly instructions with detailed photos

4 - 8 step ship packaged; 9 - 12 step shipped flat. Skidding recommended, call for pricing. Available on smaller models.

View specifications >

Ladders & Access / Product selection

Industrial Rolling Ladders - Square Tube 60

Catalog ref: 40964



LISTED DETAILS

Welded sub assemblies provide superior strength. / Steps are 7" deep and available in 16", 24", or 30" widths. Top step is 14" deep.

1" square-tube technology is more abuse-resistant than conventional round tube design;

View specifications >

Industrial Stairway Ladder

Catalog ref: 5884



LISTED DETAILS

36 degree slope is standard / 36" wide x 9.5" deep steps

36 degree slope is standard; 36" wide x 9.5" deep steps.

View specifications >

M-2000 Rolling Safety Ladder

Catalog ref: 5892



LISTED DETAILS


350 lbs. capacity / Easy to use foot pedal activated lockstep

350 lbs. capacity; 14" deep top step Ladders ship knocked-down cost.

View specifications >

Marine Gangway Ladder

Catalog ref: 5886



LISTED DETAILS

Custom lengths and widths / Beam type gangways and Truss type gangways

Custom lengths and widths; Beam type gangways and Truss type gangways.

View specifications >

Ladders & Access / Product selection

Masterstep Office Ladder

Catalog ref: 6079



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Combining the high quality construction of our industrial and commercial ladders with an attractive design and finish that suit the office environment;

View specifications >

Mobile Foldaway Step Stand - KDMF102166



LISTED DETAILS

Easily folds for storage / 10" deep top platform

Listed models: KDMF102166, KDMF103166, KDMF104166; KDMF102166 # of Steps: 2.

View specifications >

Mobile Foldaway Step Stand - KDMF103166



LISTED DETAILS

Easily folds for storage / 10" deep top platform

Listed models: KDMF102166, KDMF103166, KDMF104166; KDMF102166 # of Steps: 2.

View specifications >

Mobile Foldaway Step Stand - KDMF104166



LISTED DETAILS

Easily folds for storage / 10" deep top platform

Listed models: KDMF102166, KDMF103166, KDMF104166; KDMF102166 # of Steps: 2.

View specifications >

Ladders & Access / Product selection

Mobile Maintenance Platform Ladder

Catalog ref: 5880



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Mobile Office Stand

Catalog ref: 5874



LISTED DETAILS

57 degree slope is standard / 18" or 24" wide steps

57 degree slope is standard; 18" or 24" wide steps.

View specifications >

Mobile Work Platform Ladder

Catalog ref: 5871



LISTED DETAILS

57 degree slope is standard / 24", or 30" wide steps

57 degree slope is standard; 24", or 30" wide steps.

View specifications >

Mobile Work Platforms - 500 lb Rating

Catalog ref: 6054



LISTED DETAILS

57 degree slope is standard / 24", or 30" wide steps

57 degree slope is standard; 24", or 30" wide steps.

View specifications >

Ladders & Access / Product selection

Modular Steel Work Platform System

Catalog ref: 41406



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: MP-S-2, MP-S-3, MP-S-4, MP-S-5 and additional configurations; MP-S-2 Description: Stair Step Section with handrails - 2 steps.

View specifications >

Modular Style Stairway

Catalog ref: 5944



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Modular Style Stairway - Industrial Ladders. Attractive Modular Style Stairway allows for economical cost and quick installation.

View specifications >

Multi-Directional Ladder

Catalog ref: 40979



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Multi-Directional Ladder - Industrial Ladders.

View specifications >

Office Ladders

Catalog ref: 41002



LISTED DETAILS

Top step is 14" for added stability.

Spring loaded 3" casters compress to engage rubber-tipped legs, which provide traction and secure the ladder firmly in place when in use;

View specifications >

Ladders & Access / Product selection

Pivoting Rolling Ladder

Catalog ref: 5898



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Pivoting Rolling Ladder - Industrial Ladders. Our Pivoting Rolling Ladder is mounted on four spring loaded casters that retract under users weight.

View specifications >

Portable Hangar Ladders

Catalog ref: 41401



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Portable Hangar Ladders - Industrial Ladders. Portable warehouse ladder for every-day use applications.

View specifications >

Power Stocker Lift

Catalog ref: 5904



LISTED DETAILS

Ground entry. Manually propelled, Hydraulic Order Picker. / Small foot print 30" wide X 50" long won't block aisles and easy to maneuver

Listed models: PS-10, PS-12, PS-15; PS-10 Working Height: 14'.

View specifications >

Roll-a-Fold Ladder

Catalog ref: 5873



LISTED DETAILS

57 degree slope is standard / 18" wide steps

57 degree slope is standard; 18" wide steps.

View specifications >

Ladders & Access / Product selection

Rolling Safety Ladder

Catalog ref: 6053



LISTED DETAILS

57 degree slope is standard / 30", 24", or 18" wide steps

57 degree slope is standard; 30", 24", or 18" wide steps.

View specifications >

Rolling Steel Safety Ladder

Catalog ref: 5870



LISTED DETAILS

57 degree slope is standard / 30", 24", or 18" wide steps

A mobile steel access ladder with a 300 lb load rating, 57-degree climbing angle and 14-inch-deep top platform. Step-width choices are 18, 24 or 30 inches.

View specifications >

Rolling Steel Work Platform Ladder

Catalog ref: 5947



LISTED DETAILS

Each platform is all welded. / 500 lb capacity

500 lb capacity; Constructed of 1" sq. tubing.

View specifications >

Rolling Stock Picking Ladder

Catalog ref: 5875



LISTED DETAILS

57 degree slope is standard / 24" wide steps

57 degree slope is standard; 24" wide steps.

View specifications >

Ladders & Access / Product selection

Series 1700 Rolling Ladder

Catalog ref: 6066



LISTED DETAILS

The series covers nine through 15 steps. / Nine step ladders through eleven are packaged in shrinkwrap.

The series covers nine through 15 steps; Pick your color from our 11 stock choices.

View specifications >

Series 2600 Rolling Ladder

Catalog ref: 6067



LISTED DETAILS

Rated at 450 lb. capacity. / The series is offered in nine to fifteen step models. 1

The ladders ship disassembled and have a 50 degree climbing angle; The added feature of this product is larger 1¼" diameter tubing used in the base and in the vertical back panel.

View specifications >

Single Entry Mobile Platform Ladder

Catalog ref: 5914



LISTED DETAILS

800 lb capacity / Work platforms accommodate two workers

800 lb capacity; Work platforms accommodate two workers.

View specifications >

Single Track Mounted Shelf Ladder

Catalog ref: 6076



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Single Track Mounted Shelf Ladder - Industrial Ladders. The Single Track Mounted Shelf Ladder provides easy access to shelves in narrow aisles and cramped storage areas.

View specifications >

Ladders & Access / Product selection

Stainless Steel Fold-N-Store Ladders



LISTED DETAILS

Ideal for wash down and corrosive environments / Type T304 Stainless Steel construction

Listed models: SSFAWL-5, SSFAWL-6, SSFAWL-7, SSFAWL-8 and additional configurations; SSFAWL-5 STEPS: 5 STEP.

View specifications >

Stainless Steel Ladders

Catalog ref: 5900



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Stainless Steel Ladders - Industrial Ladders. are ideal for wash down and corrosive environments.

View specifications >

Stainless Steel Lockstep Ladders



LISTED DETAILS

Ideal for wash down and corrosive environments / Type T304 Stainless Steel construction

Listed models: SS052414, SS062414, SS072414, SS082414 and additional configurations; SS052414 STEPS INCLUDING TOP STEP: 5 STEP.

View specifications >

Stainless Steel Spring Loaded Caster Ladders



LISTED DETAILS

Ideal for wash down and corrosive environments / Type T304 Stainless Steel construction

Type T304 Stainless Steel construction; 1-3 step ladders are all welded and have 10” deep top step.

View specifications >

Ladders & Access / Product selection

Stainless Steel Tilt & Roll Ladders



LISTED DETAILS

Ideal for wash down and corrosive environments / Type T304 Stainless Steel construction

Listed models: SSTR220, SSTR320, SSTR420, SSTR520 and additional configurations; SSTR220 STEPS INCLUDING TOP STEP: 2 STEP.

View specifications >

Standard Rolling Ladder Spring Loaded Casters

Catalog ref: 5902



LISTED DETAILS

Mounted on four spring loaded swivel casters that retract under users weight / Working heights up to 12"

Working heights up to 12"; 7" deep steps with a 10" deep top step.

View specifications >

Steel Mobile Steel Stool - WLSR001166



LISTED DETAILS

450 rated capacity - Steel / 350 rated capacity - Aluminum

450 rated capacity - Steel; 350 rated capacity - Aluminum.

View specifications >

Steel Mobile Step Stool - WLSR001162



LISTED DETAILS

450 rated capacity - Steel / 350 rated capacity - Aluminum

450 rated capacity - Steel; 350 rated capacity - Aluminum.

View specifications >

Ladders & Access / Product selection

Steel Mobile Step Stool - WLSR001163-WM



LISTED DETAILS

450 rated capacity - Steel / 350 rated capacity - Aluminum

450 rated capacity - Steel; 350 rated capacity - Aluminum.

View specifications >

Steel Mobile Step Stool - WLSR001242



LISTED DETAILS

450 rated capacity - Steel / 350 rated capacity - Aluminum

450 rated capacity - Steel; 350 rated capacity - Aluminum.

View specifications >

Steel Mobile Step Stool - WLSR001243



LISTED DETAILS

450 rated capacity - Steel / 350 rated capacity - Aluminum

450 rated capacity - Steel; 350 rated capacity - Aluminum.

View specifications >

Steel Mobile Step Stool - WLSR001246



LISTED DETAILS

450 rated capacity - Steel / 350 rated capacity - Aluminum

450 rated capacity - Steel; 350 rated capacity - Aluminum.

View specifications >

Ladders & Access / Product selection

Steel Rolling Ladder Series 1000

Catalog ref: 6063



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Warehousing: Ideal for accessing high storage areas, organizing inventory, and retrieving items in warehouses;

View specifications >

Steel Rolling Ladder Series 1500

Catalog ref: 6064



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Warehouse Operations: Perfect for accessing high storage areas, organizing inventory, and retrieving items in warehouses and distribution centers;

View specifications >

Steel Rolling Warehouse Ladders

Catalog ref: 5942



LISTED DETAILS

Each Steel Rolling Warehouse Ladder is rated at 350 lbs. capacity. / Each step is 24" wide by 7" deep.

Each Steel Rolling Warehouse Ladder is rated at 350 lbs. capacity; The standard climb angle is 58° (contact factory for pricing on optional 50° Easy-Climb angle).

View specifications >

Steel Step Stool - KDST003242



LISTED DETAILS

45° climbing angle / 9.5” deep steps - Aluminum models

Listed models: WLST002212, WLST002212CAS, KDST003242; WLST002212 # of Steps: 2.

View specifications >

Ladders & Access / Product selection

Steel Step Stool - WLST002212



LISTED DETAILS

45° climbing angle / 9.5” deep steps - Aluminum models

Listed models: WLST002212, WLST002212CAS, KDST003242; WLST002212 # of Steps: 2.

View specifications >

Steel Step Stool - WLST002212CAS



LISTED DETAILS

45° climbing angle / 9.5” deep steps - Aluminum models

Listed models: WLST002212, WLST002212CAS, KDST003242; WLST002212 # of Steps: 2.

View specifications >

Steel Step Stools

Catalog ref: 40960



LISTED DETAILS

Rubber-tipped legs ensure stability. / Platform is 16" W x 14" D.

1" square-tube technology is more abuse-resistant than conventional round tube design; Platform is 16" W x 14" D.

View specifications >

Stock Picking Ladder

Catalog ref: 5894



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Stock Picking Ladder - Industrial Ladders. Our Stock Picking Ladder combines the benefits of a rolling safety ladder and a stock picking cart.

View specifications >

Ladders & Access / Product selection

Stockpicking Ladders

Catalog ref: 40984



LISTED DETAILS

Steps are 7" deep. / Top step is 21" deep for added versatility.

1" square-tube technology is more abuse-resistant than conventional round tube design; Steps are 7" deep.

View specifications >

Straddle Base TILTNROLL Ladder

Catalog ref: 6075



LISTED DETAILS

Climbing angle is 59 degrees. / The rated load capacity is 350 lbs.

Climbing angle is 59 degrees; The rated load capacity is 350 lbs.

View specifications >

Tank Top Lift Ladder

Catalog ref: 5912



LISTED DETAILS

Provides easy access to tank trucks, railroad cars or other applications / For use on hard level surfaces

Listed models: TT-913, TT-913F; TT-913 Platform Max: 13' 8 ".

View specifications >

TANK TOP MAN LIFT

Catalog ref: 6050



LISTED DETAILS

Provides easy access to tank trucks and railroad cars / 48 long cantilevered platform

48 long cantilevered platform; Base is 28 wide and 60 long,.

View specifications >

Ladders & Access / Product selection

Thin Line Folding Rolling Safety Ladder

Catalog ref: 5891



LISTED DETAILS

Hide it or hang it when not in use. Custom hangers available to meet your needs / Made out of strong and durable, heavy duty 1" square tubing

Listed models: TL218P, TL318P, TL418P; TL218P Top Step: 20".

View specifications >

Tilt and Roll Ladder

Catalog ref: 5896



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Tilt and Roll Ladder - Industrial Ladders. Balanced design allows ladder to tilt easily and roll effortlessly on two 4" casters Oversized 20" deep by 24" wide top step 24" wide treads 300 lbs.

View specifications >

Tilt-N-Roll Ladder

Catalog ref: 6074



LISTED DETAILS

Climbing angle is 59 degrees. / The ladder is powder coated with high gloss powder.

Climbing angle is 59 degrees; For steel ladders, pick your color from our 11 stock choices, or choose aluminum or stainless steel.

View specifications >

Wood Track Library Ladder

Catalog ref: 6078



LISTED DETAILS

Overall width of ladder is 16", approximately 28" across bottom wheels. / Angle with floor is 80º.

Overall width of ladder is 16", approximately 28" across bottom wheels; Angle with floor is 80º.

View specifications >

Ladders & Access / Product selection

Industrial Rolling Ladders

Catalog ref: 40999



LISTED DETAILS

Steps are 7" deep and available in 16", 24", or 30" widths. Top step is 9 1/2" deep.

Steps are 7" deep and available in 16", 24", or 30" widths. Top step is 9 1/2" deep; KD models incorporate a steel sleeve & pin joint secured by a setscrew with nyloc patch.

View specifications >

Bowed Truss Gangway

Catalog ref: 4880



LISTED DETAILS

Stage gangways come in many shapes and sizes to fit your diverse needs / Rope handrail design can help keep weight down for higher portability

Stage gangways come in many shapes and sizes to fit your diverse needs; Rigid handrails provide a sturdy access from point A to point B, especially over longer distances or carrying a load.

View specifications >

Marine Access Ladder GW100

Catalog ref: 4873



LISTED DETAILS

Aluminum construction is lightweight and resists corrosion / 1-1/4" OD serrated rungs reduce slippage hazards

1-1/4" OD serrated rungs reduce slippage hazards; Heavy-duty 1-1/2" aluminum Tee extrusion rail construction for greater strength and rigidity.

View specifications >

Marine Access Ladder SGW

Catalog ref: 4876



LISTED DETAILS

Aluminum construction is lightweight and resists corrosion / 1-1/4" OD serrated rungs reduce slippage hazards

1-1/4" OD serrated rungs reduce slippage hazards; Heavy-duty 1-1/2" aluminum Tee extrusion rail construction for greater strength and rigidity.

View specifications >

Ladders & Access / Product selection

Marine Access Ladders

Catalog ref: 4858



LISTED DETAILS

Aluminum construction is lightweight and resists corrosion / 1-1/4" OD serrated rungs reduce slippage hazards

1-1/4" OD serrated rungs reduce slippage hazards; Heavy-duty 1-1/2" aluminum Tee extrusion rail construction for greater strength and rigidity.

View specifications >

Marine GW500 Access Ladder

Catalog ref: 4861



LISTED DETAILS

Aluminum construction is lightweight and resists corrosion / 1-1/4" OD serrated rungs reduce slippage hazards

1-1/4" OD serrated rungs reduce slippage hazards; Heavy-duty 1-1/2" aluminum Tee extrusion rail construction for greater strength and rigidity.

View specifications >

Stage Gangway

Catalog ref: 4882



LISTED DETAILS

Stage gangways come in many shapes and sizes to fit your diverse needs / Rope handrail design can help keep weight down for higher portability

Stage gangways come in many shapes and sizes to fit your diverse needs; Rigid handrails provide a sturdy access from point A to point B, especially over longer distances or carrying a load.

View specifications >

Straight Truss Gangway

Catalog ref: 4881



LISTED DETAILS

Stage gangways come in many shapes and sizes to fit your diverse needs / Rope handrail design can help keep weight down for higher portability

Stage gangways come in many shapes and sizes to fit your diverse needs; Rigid handrails provide a sturdy access from point A to point B, especially over longer distances or carrying a load.

View specifications >

Ladders & Access / Product selection

BS1A Series Fiberglass Single Ladder



LISTED DETAILS

Steel Swivel Shoes / Orange Side Rails

Steel Swivel Shoes; Orange Side Rails.

View specifications >

Lifts & Work Platforms

Lifts & Work Platforms

Powered access, telehandlers and maintenance platforms.

BEFORE YOU COMPARE

Define the work envelope, floor or ground conditions, available power and operating environment. Compare model-specific dimensions, capacity and access requirements.



Series DWP Rolling Work Platform

Equipment shown is a catalog example. Open the product page to confirm its exact configuration.

Lifts & Work Platforms / Product selection

1200SJP Telescopic Boom Lift

Catalog ref: 5213



LISTED DETAILS

Ground to 120 ft up in 95 seconds / Stability and capacity from 100,000-psi steel and a dual 1,000 / 500 lb capacity

Ground to 120 ft up in 95 seconds; Stability and capacity from 100,000-psi steel and a dual 1,000 / 500 lb capacity.

View specifications >

1250AJP Articulating Boom Lift

Catalog ref: 5259



LISTED DETAILS

Ground to 120 ft in 95 seconds / Platform Height Elevated - 125 ft

Ground to 120 ft in 95 seconds; Strong 100,000-psi steel and a dual 1,000 lb / 500 lb capacity give you stability and capacity.

View specifications >

1350SJP Telescopic Boom Lift

Catalog ref: 5207



LISTED DETAILS

Ground to 135 ft up in 95 seconds / Platform Height Elevated - 135 ft

Ground to 135 ft up in 95 seconds; Strong 100,000-psi steel and a dual 1,000 / 500 lb capacity give you stability and capacity.

View specifications >

1500SJ Telescopic Boom Lift

Catalog ref: 5217



LISTED DETAILS

Largest self-propelled telescopic boom available / Strong 100,000-psi steel and a dual 1,000 / 500 lb capacity

Strong 100,000-psi steel and a dual 1,000 / 500 lb capacity; Platform Height Elevated - 150 ft.

View specifications >

Lifts & Work Platforms / Product selection

150HAX Articulating Boom Lift

Catalog ref: 5262



LISTED DETAILS

Platform Height Elevated - 150 ft / Overall Width - 11 ft 6 in

Experience the largest self-propelled articulating boom lift with the longest outreach (79 ft 3 in) and the most up and over height (80 ft) in the world; Platform Height Elevated - 150 ft.

View specifications >

2684ES Electric Rough Terrain Articulating Lift

Catalog ref: 6123



LISTED DETAILS

All ELECTRIC rough terrain / Up to 36 ft. (11m) working height

Up to 36 ft. (11m) working height; Fast platform leveling on slopes, automatic or manual selection, with an amazing 14º side to side and 10º fore and aft oscillation.

View specifications >

2684RT Electric Rough Terrain Articulating Lift

Catalog ref: 6125



LISTED DETAILS

Up to 36 ft. (11m) working height / Up to 1,700 lbs (770 kg) platform capacity

Up to 36 ft. (11m) working height; Fast platform leveling on slopes, automatic or manual selection, with an amazing 14º side to sideand 10º fore and aft oscillation.

View specifications >

3084RT Electric Rough Terrain Articulating Lift

Catalog ref: 6126



LISTED DETAILS

Up to 36 ft. (11m) working height / Up to 1,700 lbs (770 kg) platform capacity

Up to 36 ft. (11m) working height; Fast platform leveling on slopes, automatic or manual selection, with an amazing 14º side to side and 10º fore and aft oscillation.

View specifications >

Lifts & Work Platforms / Product selection

340AJ Articulating Boom Lift

Catalog ref: 5222



LISTED DETAILS

Lower cost of ownership / Steel hoods provide added durability

Environmentally-friendly Tier 4 diesel engine; Platform Height Elevated - 34 ft.

View specifications >

36XT Telescoping Boom Lift

Catalog ref: 6033



LISTED DETAILS

No commercial drivers license required.

High performance 4WD system provides 3.5 mph (5.6 km/h) drive speed and 45% gradeability; Dual power and a narrow machine width makes the 36XT ideal for indoor and outdoor applications.

View specifications >

40-S Titan Boom Lift

Catalog ref: 6134



Platform Capacity
3,000 lb (1350 kg) Material Load Zone in Center of Platform

Platform Capacity: 3,000 lb (1350 kg) Material Load Zone in Center of Platform; Up to 46(14 m) working height.

View specifications >

400S Telescopic Boom Lift

Catalog ref: 5161



LISTED DETAILS

Best-in-class gradeability and reach / Fastest lift and drive speeds for unmatched productivity

Platform Height Elevated - 40 ft 4 in; Overall Width - 7 ft 6.5 in.

View specifications >

Lifts & Work Platforms / Product selection

450A Series II Articulating Boom Lift

Catalog ref: 5226



LISTED DETAILS

Reach those tight spaces that you can't reach with other lifts / Best-in-class lift speed increases productivity and efficiency

Platform Height Elevated - 45 ft; Overall Width - 7 ft 8.25 in.

View specifications >

450AJ Series II Articulating Boom Lift

Catalog ref: 5229



LISTED DETAILS

Reach those tight spaces that you can't reach with other lifts / Best-in-class lift speed increases productivity and efficiency

Platform Height Elevated - 45 ft; Overall Width - 7 ft 8.25 in.

View specifications >

460SJ Telescopic Boom Lift

Catalog ref: 5167



LISTED DETAILS

Best-in-class gradeability and reach / Fastest lift and drive speeds for unmatched productivity

Platform Height Elevated - 46 ft; Overall Width - 7 ft 6.5 in.

View specifications >

60-S Titan Boom Lift

Catalog ref: 6135



Platform Capacity

2,000 lb (900 kg) Material Load Zone in Center of Platform

Platform Capacity: 2,000 lb (900 kg) Material Load Zone in Center of Platform; Up to 66 (20 m) working height.

View specifications >

Lifts & Work Platforms / Product selection

600A Articulating Boom Lift

Catalog ref: 5232



LISTED DETAILS

Best reach envelope in its class / Optional articulating jib gets you into hard-to-reach places

Platform Height Elevated - 60 ft; Overall Width - 8 ft.

View specifications >

600AJ Articulating Boom Lift

Catalog ref: 5236



LISTED DETAILS

Best reach envelope in its class / Optional articulating jib gets you into hard-to-reach places

Platform Height Elevated - 60 ft; Overall Width - 8 ft.

View specifications >

600AJN Articulating Narrow Boom Lift

Catalog ref: 5244



LISTED DETAILS

Best reach envelope in its class / Optional articulating jib gets you into hard-to-reach places

Platform Height Elevated - 60 ft; Overall Width - 7 ft.

View specifications >

600AN Articulating Narrow Boom Lift

Catalog ref: 5240



LISTED DETAILS

Best reach envelope in its class / Optional articulating jib gets you into hard-to-reach places

Platform Height Elevated - 60 ft; Overall Width - 7 ft.

View specifications >

Lifts & Work Platforms / Product selection

600S Telescopic Boom Lift

Catalog ref: 5171



LISTED DETAILS

Best selling 60 ft boom lifts / Select from 12 models

Best selling 60 ft boom lifts; Select from 12 models.

View specifications >

600SC Telescopic Crawler Boom Lift

Catalog ref: 5181



LISTED DETAILS

Single drive / steer joystick for one-handed operation / Zero turning radius to get around the jobsite easier

For your toughest jobs and terrains, the 600 Crawler Series provides the mobility you need; Platform Height Elevated - 60 ft 3 in.

View specifications >

600SJ Telescopic Boom Lift

Catalog ref: 5175



LISTED DETAILS

Best selling 60 ft boom lifts / Select from 12 models

Best selling 60 ft boom lifts; Select from 12 models.

View specifications >

660SJ Telescopic Boom Lift

Catalog ref: 5178



LISTED DETAILS

Best selling 60 ft boom lifts / Select from 12 models

Best selling 60 ft boom lifts; Select from 12 models.

View specifications >

Lifts & Work Platforms / Product selection

660SJC Telescopic Crawler Boom Lift

Catalog ref: 5185



LISTED DETAILS

Single drive / steer joystick for one-handed operation / Zero turning radius to get around the jobsite easier

For your toughest jobs and terrains, the 600 Crawler Series provides the mobility you need; Platform Height Elevated - 66 ft 8 in.

View specifications >

740AJ Articulating Boom Lift

Catalog ref: 5248



LISTED DETAILS

Made specifically for working on today’s aircraft / Articulating jib allows you to reach all external surfaces of any aircraft made today

With the Fall Arrest system, you can move 270 degrees around and 6 ft beyond the platform; Platform Height Elevated - 74 ft.

View specifications >

800A Articulating Boom Lift

Catalog ref: 5252



LISTED DETAILS

Platform Height Elevated - 80 ft / Overall Width - 8 ft

Platform Height Elevated - 80 ft; Overall Width - 8 ft.

View specifications >

800AJ Articulating Boom Lift

Catalog ref: 5255



LISTED DETAILS

Platform Height Elevated - 80 ft / Overall Width - 8 ft

Platform Height Elevated - 80 ft; Overall Width - 8 ft.

View specifications >

Lifts & Work Platforms / Product selection

800S Telescopic Boom Lift

Catalog ref: 5195



LISTED DETAILS

Reach full elevation in less than 70 seconds / Platform Height Elevated - 80 ft

Reach full elevation in less than 70 seconds; Platform Height Elevated - 80 ft.

View specifications >

A38E Electric Articulating Boom Lift

Catalog ref: 40799



LISTED DETAILS

Proportional one-hand controls / Minimal front boom overhang

2 person + equipment capacity indoors; 1 person + equipment capacity outdoors.

View specifications >

A46JRT Articulated Boom Lift

Catalog ref: 40803



LISTED DETAILS

Multi-function, variable speed platform controls / Proportional controls

AC generator 110/2kw; Multi-function, variable speed platform controls.

View specifications >

Bil-Jax 3522A Trailer Boom Lift



LISTED DETAILS

Automatic leveling in less than 30 seconds / Best-in-class 12½ degree leveling capability

Automatic leveling in less than 30 seconds; Best-in-class 12½ degree leveling capability.

View specifications >

Lifts & Work Platforms / Product selection

Bil-Jax 3632T Trailer Boom Lift



LISTED DETAILS

Automatic leveling in less than 30 seconds / Best-in-class 12½ degree leveling capability

Automatic leveling in less than 30 seconds; Best-in-class 12½ degree leveling capability.

View specifications >

Bil-Jax 4527A Trailer Boom Lift



LISTED DETAILS

Automatic leveling in less than 30 seconds / Best-in-class 12½ degree leveling capability

Automatic leveling in less than 30 seconds; Best-in-class 12½ degree leveling capability.

View specifications >

Bil-Jax 45XA Self-Propelled Boom Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Bil-Jax 45XA Self-Propelled Boom Lift - Aerial Maintenance Platforms. The Bil-Jax 45XA boom lift is part of the range of electrical articulated boom lift for people and material lifting.

View specifications >

Bil-Jax 5533A Trailer Boom Lift



LISTED DETAILS

Automatic leveling in less than 30 seconds / Best-in-class 12½ degree leveling capability

Automatic leveling in less than 30 seconds; Best-in-class 12½ degree leveling capability.

View specifications >

Lifts & Work Platforms / Product selection

Bil-Jax 55XA Self-Propelled Boom Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Bil-Jax 55XA Self-Propelled Boom Lift - Aerial Maintenance Platforms. The Bil-Jax 55XA boom lift is part of the range of electrical articulated booms lift for people and material lifting.

View specifications >

E300AJ Electric Articulating Boom Lift

Catalog ref: 5069



LISTED DETAILS

Versatility - three options and three different chassis widths to fit any workspace / Accessibility - up and over access, optional jib

Platform Height Elevated - 30 ft; Overall Width - 4 ft.

View specifications >

E300AJP Electric Articulating Boom Lift

Catalog ref: 5066



LISTED DETAILS

Versatility - three options and three different chassis widths to fit any workspace / Accessibility - up and over access, optional jib

Platform Height Elevated - 30 ft; Overall Width - 4 ft.

View specifications >

E33MJ Mast Telescopic Boom Lift

Catalog ref: 5272



LISTED DETAILS

Non-marking tires and efficient electric power for indoor jobs / 20% gradeability for outside work

20% gradeability for outside work; Platform Height Elevated - 33 ft.

View specifications >

Lifts & Work Platforms / Product selection

E400A Electric Articulating Boom Lift

Catalog ref: 5073



LISTED DETAILS

Accessibility - up and over access, optional jib / Productivity - work longer with longer duty cycles

Platform Height Elevated - 40 ft; Overall Width - 5 ft 9 in.

View specifications >

E400AJP Electric Articulating Boom Lift

Catalog ref: 5085



LISTED DETAILS

Accessibility - up and over access, optional jib / Productivity - work longer with longer duty cycles

Platform Height Elevated - 40 ft; Overall Width - 5 ft 9 in.

View specifications >

E400AJPN Electric Articulating Boom Lift

Catalog ref: 5106



LISTED DETAILS

Accessibility - up and over access, optional jib / Productivity - work longer with longer duty cycles

Platform Height Elevated - 40 ft; Overall Width - 4 ft 11 in.

View specifications >

E400AN Electric Articulating Boom Lift

Catalog ref: 5099



LISTED DETAILS

Accessibility - up and over access, optional jib / Productivity - work longer with longer duty cycles

Platform Height Elevated - 40 ft; Overall Width - 4 ft 11 in.

View specifications >

Lifts & Work Platforms / Product selection

E450A Electric Articulating Boom Lift

Catalog ref: 5112



LISTED DETAILS

Accessibility - up and over access, optional jib. / Productivity - work longer with longer duty cycles.

Platform Height Elevated - 45 ft; Overall Width - 5 ft 9 in.

View specifications >

E450AJ Electric Articulating Boom Lift

Catalog ref: 5127



LISTED DETAILS

Accessibility - up and over access, optional jib / Productivity - work longer with longer duty cycles

Platform Height Elevated - 45 ft; Overall Width - 5 ft 9 in.

View specifications >

E600J Electric Articulating Boom Lift

Catalog ref: 5137



LISTED DETAILS

Highest electric boom in the industry / Productivity - work longer with longer duty cycles

Platform Height Elevated - 60 ft 3 in; Overall Width - 7 ft 11 in.

View specifications >

E600JP Electric Articulating Boom Lift

Catalog ref: 5146



LISTED DETAILS

Highest electric boom in the industry / Productivity - work longer with longer duty cycles

Platform Height Elevated - 60 ft 4 in; Overall Width - 7 ft 11 in.

View specifications >

Lifts & Work Platforms / Product selection

FS60 Portable Aerial Work Platform

Catalog ref: 5376



LISTED DETAILS

360-degree range of motion / Work hands-free up to 12 ft

NEW 30" wide base rolls through standard width interior doors, allowing the unit to be moved from location to location fully assembled; 360-degree range of motion.

View specifications >

FS80 Portable Aerial Work Platform

Catalog ref: 5378



LISTED DETAILS

Accessory tray holds materials up to 33 lb / Can be assembled in less than 30 seconds

Accessory tray holds materials up to 33 lb; Can be assembled in less than 30 seconds.

View specifications >

Genie Articulating Booms Diesel Engine

Catalog ref: 6102



LISTED DETAILS

Ideal for outdoor construction and industrial applications / High ground clearance, two- or four-wheel drive and rough terrain features available

Self-leveling platform rotates 90° to either side on non-jib models; Ideal for outdoor construction and industrial applications.

View specifications >

Genie Articulating Booms Electric & BiEnergy

Catalog ref: 6101



LISTED DETAILS

Up, out and over positioning capabilities for ultimate versatility / Self-leveling platform rotates 90° to either side on non-jib models

48V DC electric drive system available for quiet, emission-free operation in sensitive areas; Self-leveling platform rotates 90° to either side on non-jib models.

View specifications >

Lifts & Work Platforms / Product selection

Genie Telescopic Boom Lifts

Catalog ref: 6103



LISTED DETAILS

Ideal for areas with limited access in construction and industrial applications / Minimal tailswing for maneuvering in tight spaces

Ideal for areas with limited access in construction and industrial applications; Minimal tailswing for maneuvering in tight spaces.

View specifications >

HA 33 JE Articulating Boom Lift

Catalog ref: 6024



LISTED DETAILS

Electric drive / Turntable rotation 355° without tailswing

Turntable rotation 355° without tailswing; 6 ft 6 in stowed height for easy travel through doorways.

View specifications >

HA 43 JE Articulating Boom Lift

Catalog ref: 6025



LISTED DETAILS

Full electric drive / Zero tails wing

6 ft 6 in stowed height for easy travel through door ways; 12 ft 2 in short turning radius and 4 ft 11 in width allows operation in the most congested areas.

View specifications >

HA 46 JRT Articulating Boom Lift

Catalog ref: 6017



LISTED DETAILS

Gradability up to 50% / Continuous 360° turntable rotation

Hydraulic differential lock and 16 in ground clearance for improved rough terrain capability; Gradability up to 50%.

View specifications >

Lifts & Work Platforms / Product selection

HA 46 RTJ O Articulating Boom Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

HA 46 RTJ O Articulating Boom Lift - Aerial Maintenance Platforms. The HA 46 RTJ O Articulating Boom Lift is part of the range of diesel articulated booms lift for people and material lifting.

View specifications >

HA 46 RTJ PRO Articulating Boom Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

HA 46 RTJ PRO Articulating Boom Lift - Aerial Maintenance Platforms. The HA46 RTJ PRO boom lift is part of the range of diesel articulated booms lift for people and material lifting.

View specifications >

HA 51 JRT Articulating Boom Lift

Catalog ref: 6018



LISTED DETAILS

Gradeability up to 50% / Continuous 360° turntable rotation

Hydraulic differential lock and 16 in ground clearance for improved rough terrain capability; Gradeability up to 50%.

View specifications >

HA 61 JRT Articulating Boom Lift

Catalog ref: 6019



LISTED DETAILS

12 ft 9 in turning radius for improved maneuverability / Continuous 360° turntable rotation

Improved working area via a positive / negative articulating fly jib with 140° movement; 12 ft 9 in turning radius for improved maneuverability.

View specifications >

Lifts & Work Platforms / Product selection

HA 80 JRT Articulating Boom Lift

Catalog ref: 6020



LISTED DETAILS

Continuous 360° turntable rotation / 180° hydraulic platform rotation

Improved working area via a positive / negative articulating fly jib with 140° movement; Hydraulic differential lock and 17 in ground clearance for improved rough terrain capability.

View specifications >

HA100JRT Articulating Boom Lifts

Catalog ref: 6021



LISTED DETAILS

37 ft 3 in up and over clearance / Gradability up to 45%

37 ft 3 in up and over clearance; Hydraulic differential lock and 15 in ground clearance for improved rough terrain capability.

View specifications >

HA130JRT Articulating Boom Lift

Catalog ref: 6022



LISTED DETAILS

65 ft 0 in maximum outreach with articulated jib pivot at 58 ft 3 in / Gradeability up to 40%

65 ft 0 in maximum outreach with articulated jib pivot at 58 ft 3 in; Gradeability up to 40%.

View specifications >

HA32 CJ Electric Articulating Boom Lift



Working Height
37 ft 9 in

Platform Height
31 ft 9 in

Lift Capacity
550 lbs

Platform Size
3 ft 9 in x 2 ft 7 in

Working Height: 37 ft 9 in; Platform Height: 31 ft 9 in.

View specifications >

Lifts & Work Platforms / Product selection

HA32 CJ+ Electric Articulating Boom Lift



Working Height
37 ft 9 in

Platform Height
31 ft 9 in

Lift Capacity
500 lbs

Platform Size
3 ft 9 in x 2 ft 7 in

Working Height: 37 ft 9 in; Platform Height: 31 ft 9 in.

View specifications >

HA33CJ Articulating Boom Lift

Catalog ref: 6023



LISTED DETAILS

Simultaneous drive and rotation / Tight turning radius

3 ft 11 in width; 37 ft 10 in working height.

View specifications >

HA51JRT MARKII Diesel Articulating Boom Lift



Working Height
55 ft 10 in

Platform Height
49 ft 10 in

Lift Capacity
500 lbs

Platform Size
7 ft 6 in x 2 ft 7 in

Working Height: 55 ft 10 in; Platform Height: 49 ft 10 in.

View specifications >

HA61 RTJ PRO Articulating Boom Lift



Model Number
HA61 RTJ PRO

HA61 RTJ PRO articulating boom-lift reference with proportional simultaneous movements, a modular basket and an integrated diagnostic tool. Confirm the model-specific work envelope for the application.

View specifications >

Lifts & Work Platforms / Product selection

HB 135 JRT Telescoping Boom Lift

Catalog ref: 6032



LISTED DETAILS

Sectional load : 992 lb (3 people) or 507 lb (2 people) / Fly jib horizontal (150°) and vertical (140°) arc movement

Sectional load : 992 lb (3 people) or 507 lb (2 people); Fly jib horizontal (150°) and vertical (140°) arc movement.

View specifications >

HB 40 Telescoping Boom Lift

Catalog ref: 6026



LISTED DETAILS

Continuous 360° turntable rotation / 180° hydraulic platform rotation

Hydraulic differential lock, standard 4 wheel drive, 13 in ground clearance improve rough terrain capability; Continuous 360° turntable rotation.

View specifications >

HB 44 J Telescoping Boom Lift

Catalog ref: 6027



LISTED DETAILS

Continuous 360° turntable rotation / 180° hydraulic platform rotation

Hydraulic differential lock, standard 4 wheel drive, 13 in ground clearance improve rough terrain capability;

View specifications >

HB 62 Telescoping Boom Lift

Catalog ref: 6028



LISTED DETAILS

Hydraulic differential lock for demanding rough terrain conditions. / Standard foam filled tyres.

Length : 29 ft 10 in; 180° hydraulique platform rotation.

View specifications >

Lifts & Work Platforms / Product selection

HB 68 J Telescoping Boom Lift

Catalog ref: 6029



LISTED DETAILS

Continuous 360° turntable rotation. / 180° hydraulic platform rotation.

Improved working area through a positive / negative articulating fly jib with 140° movement; Hydraulic differential lock and 14 in ground clearance for improved rough terrain capability.

View specifications >

HB 76 J Telescoping Boom Lift

Catalog ref: 6030



LISTED DETAILS

Continuous 360° turntable rotation. / 180° hydraulique platform rotation.

Improved working area through a positive / negative articulating fly jib with 140° movement; Hydraulic differential lock and 14 in ground clearance for improved rough terrain capability.

View specifications >

HB 86 TJ Plus Telescoping Boom Lift

Catalog ref: 6031



Load Capacity

772 lbs (3 people) or 507 lbs (2 people)

Load Capacity: 772 lbs (3 people) or 507 lbs (2 people); Telescopic jib provides 19 ft 8 in additional outreach which is extremely practical for accessing work areas and for getting around obstacles!.

View specifications >

High Reach Scissor Lifts



LISTED DETAILS

Self locking gate on platform rather than chain entry / Automatic pothole protection

Listed models: DMSL-26(W), DSL-32, DSL-40, DSL-45; DMSL-26(W) WORKING: 32’.

View specifications >

Lifts & Work Platforms / Product selection

HT132 RTJ PRO Telescopic Boom Lift



LISTED DETAILS

Differential wheel lock / Up to 4 simultaneous, proportional movements

Up to 4 simultaneous, proportional movements; 2 axis jib rotation.

View specifications >

HT61 RT O Telescopic Boom Lift



LISTED DETAILS

67 ft 1 in working height / 52 ft 1 in maximum outreach

67 ft 1 in working height; 52 ft 1 in maximum outreach.

View specifications >

HT61 RT PRO Telescopic Boom Lift



LISTED DETAILS

66 ft 1 in working height / 52 ft 1 in maximum outreach

66 ft 1 in working height; 52 ft 1 in maximum outreach.

View specifications >

HT67 RTJ O Telescopic Boom Lift



LISTED DETAILS

73 ft 5 in working height60 ft maximum outreach / 73 ft 5 in working height

73 ft 5 in working height60 ft maximum outreach; 73 ft 5 in working height.

View specifications >

Lifts & Work Platforms / Product selection

HT67 RTJ PRO Telescopic Boom Lift



LISTED DETAILS

73 ft 5 in working height60 ft maximum outreach / 73 ft 5 in working height

73 ft 5 in working height60 ft maximum outreach; 73 ft 5 in working height.

View specifications >

IML Telehandler G9-43A

Catalog ref: 4906



LISTED DETAILS

Roomier cab for added comfort and to reduce operator fatigue / All-wheel steering for easy maneuverability

9,000 lb (4,082 kg) carrying capacity; Up to 43 ft (13.11 m) maximum lift height.

View specifications >

M400A Articulating Boom Lift

Catalog ref: 5089



LISTED DETAILS

Accessibility - up and over access, optional jib / Productivity - work longer with longer duty cycles

Platform Height Elevated - 40 ft; Overall Width - 5 ft 9 in.

View specifications >

M400AJP Articulating Boom Lift

Catalog ref: 5092



LISTED DETAILS

Accessibility - up and over access, optional jib / Productivity - work longer with longer duty cycles

Platform Height Elevated - 40 ft; Overall Width - 5 ft 9 in.

View specifications >

Lifts & Work Platforms / Product selection

M400AJPN Electric Articulating Boom Lift

Catalog ref: 5109



LISTED DETAILS

Accessibility - up and over access, optional jib / Productivity - work longer with longer duty cycles

Platform Height Elevated - 40 ft; Overall Width - 4 ft 11 in.

View specifications >

M400AN Electric Articulating Boom Lift

Catalog ref: 5103



LISTED DETAILS

Accessibility - up and over access, optional jib / Productivity - work longer with longer duty cycles

Platform Height Elevated - 40 ft; Overall Width - 4 ft 11 in.

View specifications >

M450A Electric Articulating Boom Lift

Catalog ref: 5123



LISTED DETAILS

Accessibility - up and over access, optional jib / Productivity - work longer with longer duty cycles

Platform Height Elevated - 45 ft; Overall Width - 5 ft 9 in.

View specifications >

M450AJ Electric Articulating Boom Lift

Catalog ref: 5131



LISTED DETAILS

Accessibility - up and over access, optional jib / Productivity - work longer with longer duty cycles

Platform Height Elevated - 45 ft; Overall Width - 5 ft 9 in.

View specifications >

Lifts & Work Platforms / Product selection

M600J Electric Articulating Boom Lift

Catalog ref: 5141



LISTED DETAILS

Highest electric boom in the industry / Productivity - work longer with longer duty cycles

Platform Height Elevated - 60 ft 3 in; Overall Width - 7 ft 11 in.

View specifications >

M600JP Electric Articulating Boom Lift

Catalog ref: 5149



LISTED DETAILS

Highest electric boom in the industry / Productivity - work longer with longer duty cycles

Platform Height Elevated - 60 ft 4 in; Overall Width - 7 ft 11 in.

View specifications >

SL26SL/SL30SL Speed Level Lift

Catalog ref: 40786



LISTED DETAILS

Speed level - automatic powered platform levelling / Descent alarm

Speed level - automatic powered platform levelling; Descent alarm.

View specifications >

T20E Telescopic Mast Boom Lift

Catalog ref: 5266



LISTED DETAILS

Non-marking tires and efficient electric power for indoor jobs / 25% gradeability for outside work

25% gradeability for outside work; Platform Height Elevated - 20 ft 2 in.

View specifications >

Lifts & Work Platforms / Product selection

T26E Telescopic Mast Boom Lift

Catalog ref: 5269



LISTED DETAILS

Non-marking tires and efficient electric power for indoor jobs / 25% gradeability for outside work

25% gradeability for outside work; Platform Height Elevated - 26 ft 5 in.

View specifications >

T350 Towable Boom Lift

Catalog ref: 5275



LISTED DETAILS

Gasoline engine or 24V DC electric power / Standard air and water lines to platform

Gasoline engine or 24V DC electric power; Platform Height Elevated - 35 ft.

View specifications >

T500J Towable Boom Lift

Catalog ref: 5278



LISTED DETAILS

Gasoline engine or 24V DC electric power / Standard air and water lines to platform

Gasoline engine or 24V DC electric power; Platform Height Elevated - 50 ft.

View specifications >

Toyota 39.4 Foot Telescopic Wheeled Boom Lift SP400C

Catalog ref: 4834



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

The articulating jib boom models provide nearly 6 feet of extra horizontal or vertical reach and a 130 degrees working range for increased flexibility;

View specifications >

Lifts & Work Platforms / Product selection

Toyota 40 Foot Diesel Crawler Boom Lift SR400C

Catalog ref: 4823



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

The crawler lifts offer 44.5% gradeability allowing you more climbing power at challenging worksites;

View specifications >

Toyota 45.7 Foot Telescopic Wheeled Boom Lift SP460CJ

Catalog ref: 4841



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

The articulating jib boom models provide nearly 6 feet of extra horizontal or vertical reach and a 130 degrees working range for increased flexibility;

View specifications >

Toyota 46 Foot Diesel Crawler Boom Lift SR460CJ

Catalog ref: 4830



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

The crawler lifts offer 44.5% gradeability allowing you more climbing power at challenging worksites;

View specifications >

X390AJ Compact Crawler Boom Lift

Catalog ref: 5283



LISTED DETAILS

Compact design increases ease of transport / Enhanced maneuverability and accessibility

Platform Height Elevated - 39 ft 2 in; Platform Capacity - 440 lb.

View specifications >

Lifts & Work Platforms / Product selection

X550AJ Compact Crawler Boom Lift

Catalog ref: 5286



LISTED DETAILS

Compact design increases ease of transport / Enhanced maneuverability and accessibility

Platform Height Elevated - 55 ft; Platform Capacity - 440 lb.

View specifications >

X700AJ Compact Crawler Boom Lift

Catalog ref: 5290



LISTED DETAILS

Compact design increases ease of transport / Enhanced maneuverability and accessibility

Platform Height Elevated - 69 ft 7 in; Platform Capacity - 440 lb.

View specifications >

27-GEL 12V Deep Cycle Gel Battery



Battery Type
27-GEL

Voltage
12 V

Length
12.73 in (323 mm)

Width
6.38 in (162 mm)

Battery Type: 27-GEL; Voltage: 12 V.

View specifications >

31-GEL 12V Deep Cycle Gel Battery



Battery Type
31-GEL

Voltage
12 V

Length
12.94 in (329 mm)

Width
6.82 in (173 mm)

Battery Type: 31-GEL; Voltage: 12 V.

View specifications >

Lifts & Work Platforms / Product selection

5SHP-GEL 12V Deep Cycle Gel Battery



Battery Type
5SHP-GEL

Voltage
12 V

Length
13.58 in (345 mm)

Width
6.75 in (172 mm)

Battery Type: 5SHP-GEL; Voltage: 12 V.

View specifications >

6V-GEL 6V Deep Cycle Gel Battery



Battery Type
6V-GEL

Voltage
6 V

Length
10.25 in (260 mm)

Width
7.08 in (180 mm)

Battery Type: 6V-GEL; Voltage: 6 V.

View specifications >

HA61 LE PRO Articulating Boom Lift



LISTED DETAILS

Electric drive and operation / Clean and silent operation for use in even the most sensitive work areas

4 wheel drive for rough terrain use; 360° continuous rotation turret.

View specifications >

J250G Deep-Cycle Flooded 6-Volt Battery

Catalog ref: J250G



Model Number
J250G

Voltage
6 V

Battery Type
Deep-cycle flooded/wet lead-acid

J250G six-volt deep-cycle flooded lead-acid battery with a polypropylene case. Confirm the current capacity sheet, terminal arrangement and charging requirements.

View specifications >

Lifts & Work Platforms / Product selection

J250P 6V Deep Cycle Battery



Battery Type
J250P
Voltage
6 V
Length
11.66 in (296 mm)
Width
6.94 in (176 mm)

Battery Type: J250P; Voltage: 6 V.

View specifications >

J305E-AC 6V Deep Cycle Battery



Battery Type
J305E-AC
Voltage
6 V
Length
12.27 in (312 mm)
Width
6.85 in (174 mm)

Battery Type: J305E-AC; Voltage: 6 V.

View specifications >

J305G-AC 6V Deep Cycle Battery



Battery Type
J305G-AC
Voltage
6 V
Length
12.27 in (312 mm)
Width
6.85 in (174 mm)

Battery Type: J305G-AC; Voltage: 6 V.

View specifications >

J305H-AC 6V Deep Cycle Battery



Battery Type
J305H-AC
Voltage
6 V
Length
11.66 in (296 mm)
Width
6.94 in (176 mm)

Battery Type: J305H-AC; Voltage: 6 V.

View specifications >

Lifts & Work Platforms / Product selection

J305P-AC 6V Deep Cycle Battery



Battery Type
J305P-AC
Voltage
6 V
Length
11.66 in (296 mm)
Width
6.94 in (176 mm)

Battery Type: J305P-AC; Voltage: 6 V.

View specifications >

L16E-AC 6V Deep Cycle Battery



Battery Type
L16E-AC
Voltage
6 V
Length
12.25 in (311 mm)
Width
6.85 in (174 mm)

Battery Type: L16E-AC; Voltage: 6 V.

View specifications >

L16G-AC 6V Deep Cycle Battery



Battery Type
L16G-AC
Voltage
6 V
Length
12.14 in (308 mm)
Width
6.85 in (174 mm)

Battery Type: L16G-AC; Voltage: 6 V.

View specifications >

L16H-AC 6V Deep Cycle Battery



Battery Type
L16H-AC
Voltage
6 V
Length
11.66 in (296 mm)
Width
6.94 in (176 mm)

Battery Type: L16H-AC; Voltage: 6 V.

View specifications >

Lifts & Work Platforms / Product selection

L16P-AC 6V Deep Cycle Battery



Battery Type
L16P-AC
Voltage
6 V
Length
11.66 in (296 mm)
Width
6.94 in (176 mm)

Battery Type: L16P-AC; Voltage: 6 V.

View specifications >

T-105 6V Deep Cycle Battery



Battery Type
T-105
Voltage
6 V
Length
10.30 in (262 mm)
Width
7.11 in (181 mm)

Battery Type: T-105; Voltage: 6 V.

View specifications >

T-105 Plus 6V Deep Cycle Battery



Battery Type
T-105 Plus
Voltage
6 V
Length
10.30 in (262 mm)
Width
7.11 in (181 mm)

Battery Type: T-105 Plus; Voltage: 6 V.

View specifications >

T-125 6V Deep Cycle Battery



Battery Type
T-125
Voltage
6 V
Length
10.30 in (262 mm)
Width
7.11 in (181 mm)

Battery Type: T-125; Voltage: 6 V.

View specifications >

Lifts & Work Platforms / Product selection

T-125 Plus 6V Deep Cycle Battery



Battery Type
T-125 Plus
Voltage
6 V
Length
10.30 in (262 mm)
Width
7.11 in (181 mm)

Battery Type: T-125 Plus; Voltage: 6 V.

View specifications >

T-1275 Plus Deep Cycle Battery



Battery Type
T-1275 Plus
Voltage
12 V
Length
12.96 in (329 mm)
Width
7.13 in (181 mm)

Battery Type: T-1275 Plus; Voltage: 12 V.

View specifications >

TE35-GEL 6V Deep Cycle Gel Battery



Battery Type
TE35
Voltage
6 V
Length
9.60 in (244 mm)
Width
7.50 in (191 mm)

Battery Type: TE35; Voltage: 6 V.

View specifications >

Self Propelled Maintenance Lift

Catalog ref: 6157



LISTED DETAILS

Safety velocity fuses / Built-in charger

This unique and highly maneuverable man lift is fully self-contained with on board hydraulic system and battery charger. Call today for more info!; Safety velocity fuses.

View specifications >

Lifts & Work Platforms / Product selection

3084ES Electric Rough Terrain Articulating Lift

Catalog ref: 6124



LISTED DETAILS

All ELECTRIC rough terrain / Up to 36 ft. (11m) working height

Up to 36 ft. (11m) working height; Fast platform leveling on slopes, automatic or manual selection, with an amazing 14º side to side and 10º fore and aft oscillation.

View specifications >

HA43 Articulating Boom Lift



LISTED DETAILS

Excellent manoeuvrability in the tightest spaces / Compact size with 4 ft 11 in width

Compact size with 4 ft 11 in width; 2 m stowed height can pass through a standard doorway.

View specifications >

HA61 LE Articulating Boom Lift



LISTED DETAILS

Electric drive and operation / Clean and silent operation for use in even the most sensitive work areas

4 wheel drive for rough terrain use; 360° continuous rotation turret.

View specifications >

HA61 RTJ O Articulating Boom Lift



LISTED DETAILS

Performance & ease of use / Best lifting speed of 48 sec.

Best lifting speed of 48 sec; Industry leading working envelope with an outreach of 40 ft.

View specifications >

Lifts & Work Platforms / Product selection

HA80 RTJ O Articulating Boom Lift



LISTED DETAILS

Performance & Productivity / Very good working envelope

basket load capacity 550 lbs; Dual load 550-770 lbs (option).

View specifications >

HA80 RTJ PRO Articulating Boom Lift



LISTED DETAILS

Performance & productivity / Very good working envelope

basket load capacity 550 lbs; Dual load 550 - 770 lbs (option).

View specifications >

Maintenance Order Picking Man Lift

Catalog ref: 5906



LISTED DETAILS


One Person lift with 300 lbs. capacity / Totally enclosed 26 x 28 platform with 42 guardrails, midrails and gate

Listed models: OP-10, OP-11; OP-10 Platform Max: 9' 6".

View specifications >

Custom Steel Work Platforms

Catalog ref: 5946



LISTED DETAILS

500 lbs capacity. / Rigid 1 1/4 diameter tubing.

500 lbs capacity; Rigid 1 1/4 diameter tubing.

View specifications >

Lifts & Work Platforms / Product selection

Custom Work Platform

Catalog ref: 40950



LISTED DETAILS

High quality extension units allow you to add up to 3 feet width to any platform. / Rigid 1 1/4" round tubing provides superb construction strength and durability.

Attach same-height lift extension units to select platforms to add 3 feet of width, or units of different height to create step-down areas for easier access to work sites;

View specifications >

Dual Vertical Ram Lift



LISTED DETAILS

Non-skid surface minimizes slipping & loss of traction in wet conditions. / ASTM - A36 - Structural Steel Standard

Minimum 3/8-inch thick steel reinforced platform minimizes deck deflection, maximizes load stability, and extends life of the platform deck;

View specifications >

High Travel Personnel Work Platform Lifts



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks.

Compare the listed model details and configuration options on the product page. Request a quote for your application.

View specifications >

Mobile Work Platforms - Up to 800 lb Rating

Catalog ref: 41005



LISTED DETAILS

Rubber-tip legs grip securely to floor when platform is in use. / Steps are 7" deep. Choose 35" or 49" platform depth.

1" square-tube technology is more abuse-resistant than conventional round tube design; Steps are 7" deep. Choose 35" or 49" platform depth.

View specifications >

Lifts & Work Platforms / Product selection

Series WP Rolling Work Platform

Catalog ref: 6068



LISTED DETAILS

800 lb load rating easily accommodates this additional weight. / All units have 4" rigid casters on the rear, the front end with 2 rubber pads.

800 lb load rating easily accommodates this additional weight; Work Platforms have heavy duty grip strut tread standard and 50 degree climbing angle for easy forward descent.

View specifications >

Two-Step Access Platform

Catalog ref: 40956



LISTED DETAILS

Easily movable. / Top platform is 18" high and available in 3 widths.

Top platform is 18" high and available in 3 widths; Choose 24", 36", or 60" wide steps with a depth of 24".

View specifications >

HTL11532 TIERIII Telescopic Telehandler



Lift Capacity
11466 lbs

Capacity
268 in 3

Lift Capacity: 11466 lbs; Capacity: 268 in 3.

View specifications >

HTL15932 TIERIII Telescopic Telehandler



Lift Capacity
15876 lbs

Capacity
274 in 3

Ground Clearance
17

Lift Capacity: 15876 lbs; Capacity: 274 in 3.

View specifications >

Lifts & Work Platforms / Product selection

HTL7732 TIERIII Telescopic Telehandler



LISTED DETAILS

High safety cab / Smart control 4-in-1 joystick

Smart control 4-in-1 joystick; Alternator: 0 A.

View specifications >

HTL8045 TIERIII Telescopic Telehandler



Lift Capacity
7938 lbs

Capacity
268.4 in 3

Ground Clearance
19.7 in

Lift Capacity: 7938 lbs; Capacity: 268.4 in 3.

View specifications >

HTL8055 TIERIII Telescopic Telehandler



Lift Capacity
7938 lbs

Lift Capacity: 7938 lbs; Simultaneous and proportional controls of all 4 movements of the boom with flow sharing.

View specifications >

IML Telehandler G6-42A

Catalog ref: 4903



LISTED DETAILS

Roomier cab for added comfort and to reduce operator fatigue / All-wheel steering for easy maneuverability

The IML G6-42A telehandler lists a 6,600 lb carrying capacity and a 42 ft maximum lift height, with all-wheel steering and single-joystick boom controls.

View specifications >

Lifts & Work Platforms / Product selection

Telehandlers HTL 9045

Catalog ref: 6051



LISTED DETAILS

Ergonomic and flexible joystick with 4 integrated proportional functions / Hydrostatic transmission

Ergonomic and flexible joystick with 4 integrated proportional functions; 4-wheel drive and steering.

View specifications >

Telehandlers HTL 9055

Catalog ref: 6052



LISTED DETAILS

Ergonomic and flexible joystick with 4 integrated proportional functions / Hydro-static transmission

Ergonomic and flexible joystick with 4 integrated proportional functions; 4-wheel drive and steering.

View specifications >

HT80 RT O Telescopic Boom Lift



LISTED DETAILS

Performance & Productivity / Best horizontal outreach of 22.2 m

Best horizontal outreach of 22.2 m; Dual load 550 - 770 lbs (option).

View specifications >

HT85 RTJ PRO Telescopic Boom Lift



LISTED DETAILS

Performance & productivity / Industry leading horizontal outreach of 78 ft 3 in

Industry leading horizontal outreach of 78 ft 3 in; Dual load capacity 550 - 770 lb (optional).

View specifications >

Lifts & Work Platforms / Product selection

HT85 RTJO Telescopic Boom Lift



LISTED DETAILS

Performance & productivity / Among the industry's best horizontal outreach of 78 ft. 3 in.

Among the industry's best horizontal outreach of 78 ft. 3 in; Dual load capacity 550 - 770 lb (optional).

View specifications >

Double Entry Work Platform Ladder

Catalog ref: 5881



LISTED DETAILS

Dual entry points for convenient access from either side. / Heavy-duty, corrosion-resistant construction for maximum durability.

57 degree slope is standard; 24" or 36"e; wide serrated steps.

View specifications >

Series DWP Rolling Work Platform

Catalog ref: 6069



LISTED DETAILS

Climbing angle is 59 degrees. / The ladder is powder coated with high gloss powder.

Climbing angle is 59 degrees; Pick your color from our 11 stock choices.

View specifications >

Triple-L UT28 Utility Trailer

Catalog ref: 5380



LISTED DETAILS

Exclusive Power Deck® system / Deck raises and lowers in 15 seconds

Deck raises and lowers in 15 seconds; Capacity - 2,200 lb.

View specifications >

Lifts & Work Platforms / Product selection

Triple-L UT410 Utility Trailer

Catalog ref: 5387



LISTED DETAILS

Exclusive Power Deck® system / Deck raises and lowers in 15 seconds

Deck raises and lowers in 15 seconds; Capacity - 4,500 lb.

View specifications >

Triple-L UT49 Utility Trailer

Catalog ref: 5384



LISTED DETAILS

Exclusive Power Deck® system / Deck raises and lowers in 15 seconds

Deck raises and lowers in 15 seconds; Capacity - 4,500 lb.

View specifications >

Triple-L UT610 Utility Trailer

Catalog ref: 5390



LISTED DETAILS

Exclusive Power Deck® system / Deck raises and lowers in 15 seconds

Deck raises and lowers in 15 seconds; Capacity - 7,000 lb.

View specifications >

Triple-L UT612 Utility Trailer

Catalog ref: 5394



LISTED DETAILS

Exclusive Power Deck® system / Deck raises and lowers in 15 seconds

Deck raises and lowers in 15 seconds; Capacity - 7,000 lb.

View specifications >

Lifts & Work Platforms / Product selection

Triple-L UT614 Utility Trailer

Catalog ref: 5398



LISTED DETAILS

Exclusive Power Deck® system / Deck raises and lowers in 15 seconds

Deck raises and lowers in 15 seconds; Capacity - 6,500 lb.

View specifications >

Triple-L UT912 Utility Trailer

Catalog ref: 5402



LISTED DETAILS

Exclusive Power Deck® system / Deck raises and lowers in 15 seconds

Deck raises and lowers in 15 seconds; Capacity - 10,000 lb.

View specifications >

1532ES Electric Scissor Lift

Catalog ref: 6113



LISTED DETAILS

Fully proportional drive and lift controls / No-maintenance scissor bearings

Patented Powerlift2 elevating system - built strong and works tough; Large sheet loading entrance accommodates 48(1.22 m) material.

View specifications >

1930ES Electric Scissor Lift

Catalog ref: 5301



LISTED DETAILS

Quieter, cleaner operation for a variety of environments / Narrow width fits through most standard doorways and tight aisles

Platform Height Elevated - 18 ft 9 in; Overall Width - 30 in.

View specifications >

Lifts & Work Platforms / Product selection

1932ES Electric Scissor Lift

Catalog ref: 6114



LISTED DETAILS

Fully proportional drive and lift controls / No-maintenance scissor bearings

Patented Powerlift2 elevating system - built strong and works tough; Large sheet loading entrance accommodates 48 (1.22 m) material.

View specifications >

1932RS Electric Scissor Lift

Catalog ref: 5293



LISTED DETAILS

Ability to traverse grades of up to 25% / The direct electric drive delivers industry-leading duty cycles

Ability to traverse grades of up to 25%; Leak points are minimized with a design that includes 4 hydraulic hoses.

View specifications >

2030ES Electric Scissor Lift

Catalog ref: 5304



LISTED DETAILS

Quieter, cleaner operation for a variety of environments / Narrow width fits through most standard doorways and tight aisles

Platform Height Elevated - 20 ft; Overall Width - 30 in.

View specifications >

2033ES Electric Scissor Lift

Catalog ref: 6115



LISTED DETAILS

Fully proportional drive and lift controls / No-maintenance scissor bearings

Patented Powerlift2 elevating system - built strong and works tough; Large sheet loading entrance accommodates 48 (1.22 m) material.

View specifications >

Lifts & Work Platforms / Product selection

2047ES Electric Scissor Lift

Catalog ref: 6117



LISTED DETAILS

Fully proportional drive and lift controls / No-maintenance scissor bearings

Patented Powerlift2 elevating system - built strong and works tough; Higher capacity (up to 1,250 lbs/566 kg) expands applications and productivity.

View specifications >

2591ES Electric Scissor Lift

Catalog ref: 6127



LISTED DETAILS

Fully proportional drive and lift controls / No-maintenance scissor bearings

Quad-Trax 4wd power package; Powered by eight 6V 375Ah Industrial, deep cycle batteries.

View specifications >

260MRT Scissor Lift

Catalog ref: 5341



LISTED DETAILS

Narrow 69 in chassis fits into spaces other scissor lifts can’t / Large work platform and 1,250 lb platform capacity so you can be more productive

Narrow 69 in chassis fits into spaces other scissor lifts can’t; Large work platform and 1,250 lb platform capacity so you can be more productive.

View specifications >

2630ES Electric Scissor Lift

Catalog ref: 5308



LISTED DETAILS

Quieter, cleaner operation for a variety of environments / Tight turning radius for great maneuverability

Platform Height Elevated - 25 ft 6 in; Overall Width - 30 in.

View specifications >

Lifts & Work Platforms / Product selection

2633ES Electric Scissor Lift

Catalog ref: 6116



LISTED DETAILS

Fully proportional drive and lift controls / No-maintenance scissor bearings

Patented Powerlift2 elevating system - built strong and works tough; Large sheet loading entrance accommodates 48 (1.22 m) material.

View specifications >

2646ES Electric Scissor Lift

Catalog ref: 5311



LISTED DETAILS

Quieter, cleaner operation for a variety of environments / Tight turning radius for great maneuverability

Platform Height Elevated - 26 ft; Overall Width - 46 in.

View specifications >

2647ES Electric Scissor Lift

Catalog ref: 6118



LISTED DETAILS

Fully proportional drive and lift controls / No-maintenance scissor bearings

Patented Powerlift2 elevating system - built strong and works tough; Higher capacity (up to 1,250 lbs/566 kg) expands applications and productivity.

View specifications >

2659ERT DC Battery Powered Scissor Lift

Catalog ref: 6120



LISTED DETAILS

26- and 32-ft (8- and 9.75-m) Platform Heights / Fully Proportional Drive & Lift Controls

26- and 32-ft (8- and 9.75-m) Platform Heights; 4-Wheel Drive, 48v DC Power.

View specifications >

Lifts & Work Platforms / Product selection

3246ES Electric Scissor Lift

Catalog ref: 5315



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Platform Height: Reaches an elevated height of 31 ft 9 in, giving workers the ability to access higher areas with confidence;

View specifications >

3247ES Electric Scissor Lift

Catalog ref: 6119



LISTED DETAILS

Fully proportional drive and lift controls / No-maintenance scissor bearings

Patented Powerlift2 elevating system - built strong and works tough; Higher capacity (up to 1,250 lbs/566 kg) expands applications and productivity.

View specifications >

3248RS Electric Scissor Lift

Catalog ref: 5297



LISTED DETAILS

Ability to traverse grades of up to 25% / Battery storage areas are easily accessible and have no drawers to pull out

Ability to traverse grades of up to 25%; Leak points are minimized with a design that includes 4 hydraulic hoses.

View specifications >

3259ERT DC Battery Powered Scissor Lift

Catalog ref: 6121



LISTED DETAILS

26- and 32-ft (8- and 9.75-m) Platform Heights / Fully Proportional Drive & Lift Controls

26- and 32-ft (8- and 9.75-m) Platform Heights; 4-Wheel Drive, 48v DC Power.

View specifications >

Lifts & Work Platforms / Product selection

3369LE Electric Scissor Lift

Catalog ref: 5322



LISTED DETAILS

Superior performance on or off slab / Rugged terrain tires take you anywhere you want to go

Platform Height Elevated - 33 ft; Overall Width - 5 ft 9 in.

View specifications >

3391ES Electric Scissor Lift

Catalog ref: 6128



LISTED DETAILS

Fully proportional drive and lift controls / No-maintenance scissor bearings

Quad-Trax 4wd power package; Powered by eight 6V 375Ah Industrial, deep cycle batteries.

View specifications >

3394RT Scissor Lift

Catalog ref: 5334



LISTED DETAILS

Larger platform and increased lift capacity / Optional one-touch leveling jacks for quicker setup

Maximum lift and lower time of 43 seconds gives you more time to get your work done; New twin-pump-powered 4WD for a higher level of performance over rough terrain.

View specifications >

4069ERT Electric Scissor Lift

Catalog ref: 6122



LISTED DETAILS

40-ft (12.2-m) Platform Height / Standard 4-Wheel Drive with Quad-Trax Traction Control

40-ft (12.2-m) Platform Height; Standard 4-Wheel Drive with Quad-Trax Traction Control.

View specifications >

Lifts & Work Platforms / Product selection

4069LE Electric Scissor Lift

Catalog ref: 5328



LISTED DETAILS

Superior performance on or off slab / Rugged terrain tires take you anywhere you want to go

Platform Height Elevated - 40 ft; Overall Width - 5 ft 9 in.

View specifications >

4191ES Electric Scissor Lift

Catalog ref: 6129



LISTED DETAILS

Fully proportional drive and lift controls / No-maintenance scissor bearings

Quad-Trax 4wd power package; Powered by eight 6V 375Ah Industrial, deep cycle batteries.

View specifications >

4394RT Scissor Lift

Catalog ref: 5337



LISTED DETAILS

Larger platform and increased lift capacity / Optional one-touch leveling jacks for quicker setup

Maximum lift and lower time of 43 seconds gives you more time to get your work done; New twin-pump-powered 4WD for a higher level of performance over rough terrain.

View specifications >

Compact 2032 E Scissor Lift

Catalog ref: 6011



LISTED DETAILS

Stowed height allows passage through standard doorways / 32 in width allows operation in the most congested areas

32 in width allows operation in the most congested areas; 7 ft 9 in outside turning radius ensures excellent maneuverability.

View specifications >

Lifts & Work Platforms / Product selection

Compact 2047E Electric Scissor Lift



LISTED DETAILS

990 lb platform capacity / 3 ft 11 in width allows operation in the most congested areas

990 lb platform capacity; 3 ft 11 in width allows operation in the most congested areas.

View specifications >

Compact 2247 E Scissor Lift

Catalog ref: 6012



LISTED DETAILS

990 lb platform capacity / 3 ft 11 in width allows operation in the most congested areas

990 lb platform capacity; 3 ft 11 in width allows operation in the most congested areas.

View specifications >

Compact 2668 RT Scissor Lift

Catalog ref: 6004



LISTED DETAILS

Hydraulic differential lock for improved rough terrain traction / Full proportional controls

Hydraulic differential lock for improved rough terrain traction; Full proportional controls.

View specifications >

Compact 2668 RTE Scissor Lift

Catalog ref: 6013



LISTED DETAILS

Fully proportional controls / Tight turning radius provides for excellent maneuverability in confined spaces

Electric scissor lift with a 10 in ground clearance allowing exceptional all-terrain performance; Fully proportional controls.

View specifications >

Lifts & Work Platforms / Product selection

Compact 2747 E Scissor Lift

Catalog ref: 6014



LISTED DETAILS

990 lb platform capacity / 3 ft 11 in width allows operation in the most congested areas

990 lb platform capacity; 3 ft 11 in width allows operation in the most congested areas.

View specifications >

Compact 3347 E Scissor Lift

Catalog ref: 6015



LISTED DETAILS

660 lb platform capacity / 3 ft 11 in width allows operation in the most congested areas

660 lb platform capacity; 3 ft 11 in width allows operation in the most congested areas.

View specifications >

Compact 3947 E Scissor Lift

Catalog ref: 6016



LISTED DETAILS

772 lb platform capacity / 3 ft 11 in width allows operation in the most congested areas

772 lb platform capacity; 3 ft 11 in width allows operation in the most congested areas.

View specifications >

Driveable Mini Scissor Lifts



LISTED DETAILS

Self-Lock Gate / Drivable at full heights

Listed models: DMSL-10, DMSL-12, DMSL-19, DMSL-26; DMSL-10 Working Height: 16'.

View specifications >

Lifts & Work Platforms / Product selection

Genie Slab Scissor Lifts

Catalog ref: 6105



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Genie Slab Scissor Lifts - Electric Man Lifts. The Genie Slab Scissor Lifts are the industry solution for increasing worksite productivity.

View specifications >

Haulotte Compact 2632 E DUAL Electric Scissor Lift



Indoor Platform Height
25 ft 7 in

Outdoor Platform Height
16 ft 5 in

Indoor Working Height
31 ft 7 in

Outdoor Working Height
23 ft 1 in

Haulotte Compact 2632 E DUAL electric scissor lift: 32-inch overall width, 25 ft 7 in indoor platform height and 550 lb platform capacity. Outdoor height and occupancy limits differ.

View specifications >

M3369LE Electric Scissor Lift

Catalog ref: 5325



LISTED DETAILS

Superior performance on or off slab / Rugged terrain tires take you anywhere you want to go

Platform Height Elevated - 33 ft; Overall Width - 5 ft 9 in.

View specifications >

M4069LE Electric Scissor Lift

Catalog ref: 5331



LISTED DETAILS

Superior performance on or off slab / Rugged terrain tires take you anywhere you want to go

Platform Height Elevated - 40 ft; Overall Width - 5 ft 9 in.

View specifications >

Lifts & Work Platforms / Product selection

Optimum 1930E Scissor Lift

Catalog ref: 6010



LISTED DETAILS

Compact stowed height for easy access travel through standard doorways / 6 ft 6 in length and 2 ft 6 in width allow operation in the most congested areas

6 ft 6 in length and 2 ft 6 in width allow operation in the most congested areas; 5 ft 10 in outside turning radius ensures excellent maneuverability.

View specifications >

Toyota 19 Foot AC Electric Scissor Lift SV1930D

Catalog ref: 4805



LISTED DETAILS

Optional proportional steering system is available for steering wheel-style control. / 90-degree maximum steering angle enables easy turns in small workspaces.

AC drive motors and specially designed inverter allow longer duty cycles (up to 1.5 times greater than DC or Hydraulic based systems) and faster traveling speeds;

View specifications >

Toyota 20 Foot AC Electric Scissor Lift SV2032D

Catalog ref: 4812



LISTED DETAILS

Optional proportional steering system is available for steering wheel-style control. / 90-degree maximum steering angle enables easy turns in small workspaces.

AC drive motors and specially designed inverter allow longer duty cycles (up to 1.5 times greater than DC or Hydraulic based systems) and faster traveling speeds;

View specifications >

Toyota 26 Foot AC Electric Scissor Lift SV2632D

Catalog ref: 4819



LISTED DETAILS

Optional proportional steering system is available for steering wheel-style control. / 90-degree maximum steering angle enables easy turns in small workspaces.

AC drive motors and specially designed inverter allow longer duty cycles (up to 1.5 times greater than DC or Hydraulic based systems) and faster traveling speeds;

View specifications >

Lifts & Work Platforms / Product selection

1532EX Explosion Proof Manlift

Catalog ref: 6111



LISTED DETAILS

15 ft. Platform Height / 21 ft. Working Height

15 ft. Platform Height; 21 ft. Working Height.

View specifications >

1932EX Explosion Proof Scissor Lift



Platform Height
19 ft

Working Height
25 ft

Platform Size
26 x 64 in

Ground Clearance
2.375 in

Platform Height: 19 ft; Working Height: 25 ft.

View specifications >

2032EX Explosion Proof Scissor Lift



Platform Height
20 ft

Working Height
26 ft

Platform Size
28 x 84 in

Ground Clearance
3.5 in

Platform Height: 20 ft; Working Height: 26 ft.

View specifications >

2046EX Explosion Proof Scissor Lift



Platform Height
20 ft

Working Height
26 ft

Platform Size
42 x 84 in

Ground Clearance
3.5 in

Platform Height: 20 ft; Working Height: 26 ft.

View specifications >

Lifts & Work Platforms / Product selection

2632EX Explosion Proof Scissor Lift



Platform Height
26 ft
Working Height
32 ft
Platform Size
28 x 84 in
Ground Clearance
3.5 in

Platform Height: 26 ft; Working Height: 32 ft.

View specifications >

2646EX Explosion Proof Scissor Lift



Platform Height
26 ft
Working Height
32 ft
Platform Size
42 x 84 in
Ground Clearance
3.5 in

Platform Height: 26 ft; Working Height: 32 ft.

View specifications >

2668EX Explosion Proof Scissor Lift



LISTED DETAILS

26 ft Platform Height / 32 ft Working Height

Enhanced Stability: Equipped with heavy-duty stabilizers, the 2668EX ensures rock-solid stability during operation, providing confidence and security at elevated heights;

View specifications >

3188EX Explosion Proof Scissor Lift



Platform Height
31 ft
Working Height
37 ft
Platform Size
67 x 134 in
Ground Clearance
8 in

Platform Height: 31 ft; Working Height: 37 ft.

View specifications >

Lifts & Work Platforms / Product selection

3246EX Explosion Proof Scissor Lift



Platform Height
32 ft
Working Height
38 ft
Platform Size
42 x 84 in
Ground Clearance
3.5 in

Platform Height: 32 ft; Working Height: 38 ft.

View specifications >

4188EX Explosion Proof Scissor Lift



Platform Height
41 ft
Working Height
47 ft
Platform Size
67 x 134 in
Ground Clearance
8in

Platform Height: 41 ft; Working Height: 47 ft.

View specifications >

5092EX Explosion Proof Scissor Lift



Platform Height
50 ft
Working Height
56 ft
Platform Size
74 x 168 in
Ground Clearance
8.0 in

Platform Height: 50 ft; Working Height: 56 ft.

View specifications >

A30JEX Explosion Proof Articulating Boom Lift



Model Number
A30JEX
Platform Height
30 ft
Working Height
36 ft
Platform Size
30 × 48 in

A30JEX boom-lift reference with 30 ft platform height, 20 ft 1 in horizontal reach and a listed 500 lb platform capacity.

View specifications >

Lifts & Work Platforms / Product selection

A45JEX Explosion Proof Articulating Boom Lift



Platform Height
45 ft
Working Height
51 ft
Platform Size
30 x 72 in
Ground Clearance
14 in

Platform Height: 45 ft; Working Height: 51 ft.

View specifications >

A60EX Explosion Proof Articulating Boom Lift

PHOTO PENDING

Exact model image not available

Platform Height
60 ft
Working Height
66 ft
Platform Size
30 x 72 in
Ground Clearance
12 in

Platform Height: 60 ft; Working Height: 66 ft.

View specifications >

A60JEX Explosion Proof Articulating Boom Lift



Model Number
A60JEX
Platform Height
60 ft
Working Height
66 ft
Platform Size
36 × 96 in

A60JEX boom-lift reference with 60 ft platform height, 39 ft 9 in horizontal reach and a listed 500 lb platform capacity.

View specifications >

A80EX Explosion Proof Articulating Boom Lift

PHOTO PENDING

Exact model image not available

Platform Height
80 ft
Working Height
86 ft
Platform Size
36 x 96 in
Ground Clearance
12 in

Platform Height: 80 ft; Working Height: 86 ft.

View specifications >

Lifts & Work Platforms / Product selection

A80JEX Explosion Proof Articulating Boom Lift



Platform Height
80 ft
Working Height
86 ft
Platform Size
36 x 96 in
Ground Clearance
12 in

Platform Height: 80 ft; Working Height: 86 ft.

View specifications >

MLJ32EX Explosion Proof Vertical Mast Lift



Platform Height
32 ft 3 in
Working Height
38 ft 3 in
Platform Size
29 x 41 in
Ground Clearance
4 in

Platform Height: 32 ft 3 in; Working Height: 38 ft 3 in.

View specifications >

MVL12EX Explosion Proof Vertical Mast Lift



Platform Height
12 ft 6 in
Working Height
18 ft
Platform Size
29 x 41 in
Ground Clearance
2.1 in

Platform Height: 12 ft 6 in; Working Height: 18 ft.

View specifications >

MVL16EX Explosion Proof Vertical Mast Lift

Catalog ref: MVL16EX



Platform Height
15 ft 6 in
Working Height
21 ft 6 in
Platform Size
27 x 36 in
Ground Clearance
1 in

Platform Height: 15 ft 6 in; Working Height: 21 ft 6 in.

View specifications >

Lifts & Work Platforms / Product selection

T40EX Explosion Proof Telescopic Manlift



Platform Capacity
500 lb

Platform Capacity: 500 lb.

View specifications >

T46JEX Explosion Proof Telescopic Manlift



Platform Height
46 ft

Working Height
52 ft

Platform Size
36 x 96 in

Ground Clearance
12.5 in

Platform Height: 46 ft; Working Height: 52 ft.

View specifications >

T60EX Explosion Proof Telescopic Manlift



Platform Size
36 x 96 in

Ground Clearance
12.5 in

Platform Capacity
500 lb

Platform Size: 36 x 96 in; Ground Clearance: 12.5 in.

View specifications >

T66JEX Explosion Proof Telescopic Manlift



Platform Size
36 x 96 in

Ground Clearance
12.5 in

Platform Capacity
500 lb

Platform Size: 36 x 96 in; Ground Clearance: 12.5 in.

View specifications >

Lifts & Work Platforms / Product selection

T80EX Explosion Proof Telescopic Manlift



Platform Size
36 x 96 in
Ground Clearance
12.5 in
Platform Capacity
500 lb

Platform Size: 36 x 96 in; Ground Clearance: 12.5 in.

View specifications >

Forklift Platform



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Forklift Platform - Forklift Work Platform. A Custom Forklift Work Platform meets the custom application needs of an Aerospace customer.

View specifications >

Forklift Work Platform

Catalog ref: 5887



LISTED DETAILS

1000 lbs capacity / 42" high handrails with midrail

1000 lbs capacity; 42" high handrails with midrail.

View specifications >

Personnel Forklift Platform

Catalog ref: 5905



LISTED DETAILS

Rugged steel construction / Non-skid platform

Listed models: FD-O-C, FD-48-C, FD-40-48; FD-O-C Deck (L" x W"): 36"x36".

View specifications >

Lifts & Work Platforms / Product selection

4-Post Mechanical Freight Lift



LISTED DETAILS

Heavy duty SEW Eurodrive gear motor requires minimal service and maintenance. / Maintenance-free carriage rollers require no lubrication.

Listed models: FL4M-6, FL4M-8, FL4M-10, FL4M-12 and additional configurations; FL4M-6 Travel (inches): 1200.

View specifications >

DXS Series Compact Scissor Lift Table

Catalog ref: 5990



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Capacity: Supports up to 2,000 lbs, making it ideal for various material handling tasks;

View specifications >

Hydraulic Scissor Lift - Series EHLT

Catalog ref: 5945



LISTED DETAILS

electric toe guard to protect pinch points during lowering of the table / brass velocity fuse to maintain platform height regardless of hydraulic pressure

24V AC push-button hand control, maintenance prop; electric toe guard to protect pinch points during lowering of the table.

View specifications >

Light Duty Manual Scissor Lift Table

Catalog ref: 5993



LISTED DETAILS

Foot operated hydraulic pump provides lift / Hand controlled release for lowering

Listed models: XF24-10, XF24-15, XF24-20, XF36-10 and additional configurations; XF24-10 Load: 1000 lbs.

View specifications >

Lifts & Work Platforms / Product selection

Portable Electric Scissor Lift Table

Catalog ref: 5992



LISTED DETAILS

1,000 and 1,500 pound capacities / Lifting heights up to 45 1/4"

Listed models: XBP24-10, XBP24-15, XBP24-20, XBP36-10 and additional configurations; XBP24-10 Lift: 1000 lbs.

View specifications >

Portable Manual Scissor Lift Table

Catalog ref: 5991



LISTED DETAILS

Capacities from 300 - 1,500 pounds / Lifting heights up to 45 1/2"

Listed models: XP24-300, XP24-600, XP24-10, XP24-15 and additional configurations; XP24-300 Lift: 300 lbs.

View specifications >

2591RT Rough Terrain Scissor Lift

Catalog ref: 6130



LISTED DETAILS

Fully proportional drive and lift controls / No-maintenance scissor bearings

Quad-Trax 4wd power package; Oscillating rear axle with 12 (30.48 cm) ground clearance.

View specifications >

4191RT Rough Terrain Scissor Lift

Catalog ref: 6132



LISTED DETAILS

Fully proportional drive and lift controls / No-maintenance scissor bearings

Quad-Trax 4wd power package; Oscillating rear axle with 12 (30.48 cm) ground clearance.

View specifications >

Lifts & Work Platforms / Product selection

Hydraulic Scissor Lift

Catalog ref: 5940



Capacity
1000 lbs. (supports up to four persons)

Capacity: 1000 lbs. (supports up to four persons); Power Source: 120 Volt AC with thermal overload protection (DC option available for added flexibility).

View specifications >

10MSP Driveable Vertical Mast Lifts

Catalog ref: 5047



LISTED DETAILS

Zero turning radius for superior maneuverability / Built-in automatic charger for less downtime on the job

10 ft platform height; 16 ft working height.

View specifications >

1230ES Electric Vertical Mast Lift

Catalog ref: 5318



LISTED DETAILS

Low maintenance, energy efficient and environmentally clean / Lightweight design for transport in freight elevators

Platform Height Elevated - 12 ft; Overall Width - 2 ft 6 in.

View specifications >

1230ES Vertical Mast Lift

Catalog ref: 5372



LISTED DETAILS

Low maintenance, energy efficient and environmentally clean / Lightweight design for transport in freight elevators

Platform Height Elevated - 12 ft; Overall Width - 2 ft 6 in.

View specifications >

Lifts & Work Platforms / Product selection

12SP Push Around Vertical Mast Lifts

Catalog ref: 5059



LISTED DETAILS

Flexible platform that folds up and down for efficient retrieval of materials / Zero turning radius for superior maneuverability

34 in base; able to fit through standard doorways; 500 lb carrying capacity (people and materials).

View specifications >

15MSP Driveable Vertical Mast Lifts

Catalog ref: 5052



LISTED DETAILS

Zero turning radius for superior maneuverability / Built-in automatic charger for less downtime on the job

15 ft platform height; 21 ft working height.

View specifications >

15MVL Vertical Mast Lift

Catalog ref: 5364



LISTED DETAILS

Rigged mast for operator comfort and stability / Platform Height Elevated - 15 ft 4 in

Platform Height Elevated - 15 ft 4 in; Overall Width - 29.5 in.

View specifications >

15SP Push Around Vertical Mast Lifts

Catalog ref: 5062



LISTED DETAILS

Flexible platform that folds up and down for efficient retrieval of materials / Zero turning radius for superior maneuverability

34 in base; able to fit through standard doorways; 500 lb carrying capacity (people and materials).

View specifications >

Lifts & Work Platforms / Product selection

19AMI Vertical Mast Lift

Catalog ref: 5344



LISTED DETAILS

Most rigid mast in the industry for operator comfort and stability / Six-wheel design for improved maneuverability

Platform Height Elevated - 19 ft; Overall Width - 34 in.

View specifications >

20AM Vertical Mast Lift

Catalog ref: 5348



LISTED DETAILS

Most rigid mast in the industry for operator comfort and stability / Six-wheel design for improved maneuverability

Platform Height Elevated - 20 ft 5 in; Overall Width - 29 in.

View specifications >

20MSP Driveable Vertical Mast Lifts

Catalog ref: 5055



LISTED DETAILS

Elevate and descend at various speeds / Zero turning radius for superior maneuverability

19 ft platform height; 25 ft working height.

View specifications >

20MVL Vertical Mast Lift

Catalog ref: 5368



LISTED DETAILS

Rigged mast for operator comfort and stability / Platform Height Elevated - 19 ft 6 in


Platform Height Elevated - 19 ft 6 in; Overall Width - 29.5 in.

View specifications >

Lifts & Work Platforms / Product selection

25AM Vertical Mast Lift

Catalog ref: 5352



LISTED DETAILS

Most rigid mast in the industry for operator comfort and stability / Six-wheel design for improved maneuverability

Platform Height Elevated - 25 ft 2 in; Overall Width - 29 in.

View specifications >

30AM Vertical Mast Lift

Catalog ref: 5355



LISTED DETAILS

Most rigid mast in the industry for operator comfort and stability / Six-wheel design for improved maneuverability

Platform Height Elevated - 29 ft 10 in; Overall Width - 29 in.

View specifications >

3391RT Rough Terrain Scissor Lift

Catalog ref: 6131



LISTED DETAILS

Fully proportional drive and lift controls / No-maintenance scissor bearings

Quad-Trax 4wd power package; Oscillating rear axle with 12 (30.48 cm) ground clearance.

View specifications >

36AM Vertical Mast Lift

Catalog ref: 5358



LISTED DETAILS

Most rigid mast in the industry for operator comfort and stability / Six-wheel design for improved maneuverability

Platform Height Elevated - 36 ft 3 in; Overall Width - 29 in.

View specifications >

Lifts & Work Platforms / Product selection

41AM Vertical Mast Lift

Catalog ref: 5361



LISTED DETAILS

Most rigid mast in the industry for operator comfort and stability / Six-wheel design for improved maneuverability

Platform Height Elevated - 40 ft 9 in; Overall Width - 29 in.

View specifications >

5492RT Ultra Dual Deck Rough Terrain Scissor Lift

Catalog ref: 6133



LISTED DETAILS

Up to 60 ft. (18.5m) working height / Ultra Deck with slide-out extension deck(s) and incremental locking positions

Up to 60 ft. (18.5m) working height; Quad-Trax 4wd power package.

View specifications >

6543 A Telescopic Trailer Lift



LISTED DETAILS

Access on the move / Hydraulic outriggers and automatic leveling allow operation in under 30 seconds

Hydraulic outriggers and automatic leveling allow operation in under 30 seconds; Air / water lines and 110V GFI protected power to the platform.

View specifications >

Air & Pneumatic Scissor Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Vertically-mounted cylinders are easily accessed for inspection and maintenance.

Listed models: 36XLRA5248-30, 48XLRA5264-30; 36XLRA5248-30 Travel (inches): 36.

View specifications >

Lifts & Work Platforms / Product selection

Air Motor Maintenance Lift

Catalog ref: 6151



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Pivoted steering handle with two swivel casters and two rigid wheels; positive-action floor locks prevent movement; Includes guard rail with entry safety chain. Remote control is available on all models.

View specifications >

BMVL-30 Mobile Vertical Lift



Model Number
BMVL-30

Working Height
35'

Weight
950 lbs

Model Number: BMVL-30; Working Height: 35'.

View specifications >

Compact 3368 RT Scissor Lift

Catalog ref: 6005



LISTED DETAILS

Hydraulic differential lock for improved rough terrain traction / Full proportional controls

Hydraulic differential lock for improved rough terrain traction; Full proportional controls.

View specifications >

DVML-18 Drivable Vertical Mast Lift



Working Height
24'

Platform Size
24"x25"

Capacity
330lbs

Weight
2430 lbs

Working Height: 24'; Platform Size: 24"x25".

View specifications >

Lifts & Work Platforms / Product selection

Electric Motor Maintenance Lift

Catalog ref: 6150



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Pivoted steering handle with two swivel casters and two rigid wheels; positive-action floor locks prevent movement; Includes guard rail with entry safety chain. Remote control is available on all models.

View specifications >

G10-43A JLG Telehandler

Catalog ref: 5019



LISTED DETAILS

9,000 lb (4,082 kg) carrying capacity / Up to 43 ft (13.11 m) maximum lift height

10,000 lb maximum capacity combined with quick boom speeds increase productivity on the job;

View specifications >

G10-55A JLG Telehandler

Catalog ref: 5025



LISTED DETAILS

Roomier cab for added comfort and to reduce operator fatigue / All-wheel steering for easy maneuverability

10,000 lb (4,536 kg) carrying capacity; Up to 55 ft (16.8 m) maximum lift height.

View specifications >

G12-55A JLG Telehandler

Catalog ref: 5031



LISTED DETAILS

Roomier cab for added comfort and to reduce operator fatigue / All-wheel steering for easy maneuverability

12,000 lb (5,443 kg) carrying capacity; Up to 55 ft (16.76 m) maximum lift height.

View specifications >

Lifts & Work Platforms / Product selection

G5-18A JLG Telehandler

Catalog ref: 5007



LISTED DETAILS

Comfortable cab to reduce operator fatigue / Tight turning radius to maneuver through crowded jobsites

Fuel-efficient Tier 4 final Deutz engine; 126 in (3.20 m) turning radius to maneuver through tight jobsites.

View specifications >

G6-42A JLG Telehandler

Catalog ref: 5011



LISTED DETAILS

Roomier cab for added comfort and to reduce operator fatigue / All-wheel steering for easy maneuverability

6,600 lb (2,994 kg) carrying capacity; 42 ft (12.8 m) maximum lift height.

View specifications >

G9-43A JLG Telehandler

Catalog ref: 5015



LISTED DETAILS

Roomier cab for added comfort and to reduce operator fatigue / All-wheel steering for easy maneuverability

9,000 lb (4,082 kg) carrying capacity; Up to 43 ft (13.11 m) maximum lift height.

View specifications >

Gas Engine Maintenance Lift

Catalog ref: 6152



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Pivoted steering handle with two swivel casters and two rigid wheels; positive-action floor locks prevent movement; Includes guard rail with entry safety chain. Remote control is available on all models.

View specifications >

Lifts & Work Platforms / Product selection

Genie Rough Terrain Scissor Lifts

Catalog ref: 6106



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Genie Rough Terrain Scissor Lifts - Industrial Man Lifts.

View specifications >

Genie Trailer Mounted Z-Booms

Catalog ref: 6104



LISTED DETAILS

Operating envelope of a Z-boom reaches up, over and out. / Easily towed behind a pickup or SUV

Exclusive Genie Automatic Leveling System for self-leveling on slopes up to 11°; Operating envelope of a Z-boom reaches up, over and out.

View specifications >

HS 3388 RT Scissor Lift

Catalog ref: 6006



LISTED DETAILS

Double extension for increased working area / Hydraulic differential lock for improved rough terrain capability

11 in ground clearance ensures exceptional rough terrain performance; Maximum drive speed: 3,7 mph.

View specifications >

HS 4388 RT Scissor Lift

Catalog ref: 6007



LISTED DETAILS

Double extension for increased working area / Hydraulic differential lock for improved rough terrain capability

11 in ground clearance ensures exceptional rough terrain performance; Maximum drive speed: 3.7 mph.

View specifications >

Lifts & Work Platforms / Product selection

HS 5388 RT Scissor Lift

Catalog ref: 6008



LISTED DETAILS

Double extension for increased working area / Hydraulic differential lock for improved rough terrain capability

11 in ground clearance ensures exceptional rough terrain performance; Maximum drive speed: 3.7 mph.

View specifications >

Hydraulic Elevating Platform

Catalog ref: 5913



LISTED DETAILS

Rated capacity 1000 lbs./four persons / Large 3' x 8' platform with serrated grating deck to assure secure footing

Rated capacity 1000 lbs./four persons; Totally enclosed platform with 42" guardrails, midrails, 4" toeboards and swing-in gate.

View specifications >

IML Telehandler G10-43A

Catalog ref: 4909



LISTED DETAILS

10,000 lb (4,536 kg) carrying capacity / Up to 43 ft (13.11 m) maximum lift height

10,000 lb maximum capacity combined with quick boom speeds increase productivity on the job;

View specifications >

IML Telehandler G10-55A

Catalog ref: 4911



LISTED DETAILS

Roomier cab for added comfort and to reduce operator fatigue / All-wheel steering for easy maneuverability

10,000 lb (4,536 kg) carrying capacity; Up to 55 ft (16.8 m) maximum lift height.

View specifications >

Lifts & Work Platforms / Product selection

IML Telehandler G5-18A

Catalog ref: 4899



LISTED DETAILS

Comfortable cab to reduce operator fatigue / Tight turning radius to maneuver through crowded jobsites

Fuel-efficient Tier 4 final Deutz engine; 126 in (3.20 m) turning radius to maneuver through tight jobsites.

View specifications >

JLG 1230ES Mast Lift

Catalog ref: 6045



LISTED DETAILS

Industry leading duty cycles / Joystick with fully proportional lift and drive

Standard 110 V AC wiring to platform; Industry leading duty cycles.

View specifications >

JLG 20MVL MOBILE VERTICAL LIFT

Catalog ref: 6046



LISTED DETAILS

Heavy Duty Planetary Gear Drive / Motors with 5 Times the Life of Previous Models

Motors with 5 Times the Life of Previous Models; Oversized 26 x 28 in. (66 x 71 cm) Platform.

View specifications >

JLG Telehandler G12-55A 55 ft

Catalog ref: 4914



LISTED DETAILS

Roomier cab for added comfort and to reduce operator fatigue / All-wheel steering for easy maneuverability

12,000 lb (5,443 kg) carrying capacity; Up to 55 ft (16.76 m) maximum lift height.

View specifications >

Lifts & Work Platforms / Product selection

LITERISER 10 SP Vertical Mast Lift

Catalog ref: 6047



LISTED DETAILS

Ideally suited for maintenance work / Electric drive possible at full height

Ideally suited for maintenance work; Electric drive possible at full height.

View specifications >

LPG Engine Maintenance Lift

Catalog ref: 6153



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Pivoted steering handle with two swivel casters and two rigid wheels; positive-action floor locks prevent movement; Includes guard rail with entry safety chain. Remote control is available on all models.

View specifications >

M1230E Electric Mast Lift

Catalog ref: 40764



LISTED DETAILS

Proportional controls / Descent and tilt alarms

2 persons + equipment capacity indoors; 1 person + equipment capacity outdoors.

View specifications >

Manual Winch Elevating Platform

Catalog ref: 6043



LISTED DETAILS

The Maxi-Lifts® smooth electro/hydraulic system is powered by a 12V DC motor. / All units are supplied with 110V AC power outlet on the platform.

Cottermans electro/hydraulic elevating work platform offers convenient ground entry and elevation to a maximum platform height of 17 ft. giving a working height of 23 ft;

View specifications >

Lifts & Work Platforms / Product selection

Mini Merchandise Lift



LISTED DETAILS

Shelf Lip to prevent packages from falling off the front of the lift / Safety Control Panel-3 button plus Kill Switch

Listed models: BMML-9; BMML-9 Capacity Lbs.: 500.

View specifications >

MRO Telescoping Man Lift

Catalog ref: 5909



LISTED DETAILS

Large diameter cylinder with chrome-plated ram and fluid restrictor / Low pressure system includes by-pass pressure valve to prevent overload

Listed models: MR-15-AC, MR-15-DC, MR-20-AC, MR-20-DC and additional configurations; MR-15-AC Platform Max: 15'.

View specifications >

MSL-10 Mini Scissor Lift



LISTED DETAILS

500 lb capacity / Provides working heights to 16' 0"

Listed models: MSL-10, MSL-12; MSL-10 WORKING HEIGHT: 16'.

View specifications >

MSL-12 Mini Scissor Lift



LISTED DETAILS

500 lb capacity / Provides working heights to 19' 0"

Listed models: MSL-10, MSL-12; MSL-10 WORKING HEIGHT: 16'.

View specifications >

Lifts & Work Platforms / Product selection

Optimum 1530E Scissor Lift

Catalog ref: 6009



LISTED DETAILS

Compact stowed height for easy access travel through standard doorways / 6 ft 6 in length and 2 ft 6 in width allow operation in the most congested areas

6 ft 6 in length and 2 ft 6 in width allow operation in the most congested areas; 5 ft 10 in outside turning radius ensures excellent maneuverability.

View specifications >

PS-12D Drivable Power Stocker



Model Number
PS-12D

Working Height
18'

Weight
1600lbs

Model Number: PS-12D; Working Height: 18'.

View specifications >

S2770/3370RT Rough Terrain Scissor Lift

Catalog ref: 40775



LISTED DETAILS

Slide-out deck extension / 4 wheel drive

4 wheel drive; 4 hydraulic stabilizers with automatic levelling.

View specifications >

Snorkel S3006P Push-Around Mini Scissor Lifts



LISTED DETAILS

Auto brake system /
Saloon-door style entry gates

Integrated battery charger 90V - 240V; Platform height (ft/in): 6' 6".

View specifications >

Lifts & Work Platforms / Product selection

Snorkel S3008P Push-Around Mini Scissor Lifts



LISTED DETAILS

Auto brake system /
Saloon-door style entry gates

Integrated battery charger 90V - 240V; Platform height (ft/in): 8' 2".

View specifications >

Snorkel S3010P Push-Around Mini Scissor Lifts



LISTED DETAILS

Auto brake system /
Saloon-door style entry gates

Integrated battery charger 90V - 240V; Platform height (ft/in): 9' 10".

View specifications >

STAR 22J/26J Vertical Mast Man Lift

Catalog ref: 6049



LISTED DETAILS

397-500 lbs. capacity / 28' 2" to 32' 3" working height

397-500 lbs. capacity; 28' 2" to 32' 3" working height.

View specifications >

STAR13 Vertical Mast Lift

Catalog ref: 6048



LISTED DETAILS

24 V electric engine continuous / 24 AH 225 V semi-traction batteries

24 V electric engine continuous; 24 AH 225 V semi-traction batteries.

View specifications >

Lifts & Work Platforms / Product selection

Star13P Electric Vertical Mast Lift



LISTED DETAILS

Adjustable height picking tray with 4 positions and weight sensor / Saloon-style doors for easy access

Adjustable height picking tray with 4 positions and weight sensor; Width of 2 ft 3 in to operate in the most congested areas.

View specifications >

Star20 Vertical Mast Lift



LISTED DETAILS

Go everywhere / Precision driving and smooth controls

Platform extension deck (+ 16 in); 4- stage cylinder mast with no chain or cable.

View specifications >

TH80 Telehandler

Catalog ref: 5890



LISTED DETAILS

360° visibility from low boom positioning / Well-equipped spacious cab

360° visibility from low boom positioning; Hydraulics: 32 gpm Capacity.

View specifications >

UTX 30 Utility Vehicle Scissor Lift



LISTED DETAILS

Visual & Audible Alarms & Lockout / Outrigger Legs for Stability

UTX30 Max Work Height 18’ (5.5m); UTX30 Max Deck Height 12’ (3.7m).

View specifications >

Lifts & Work Platforms / Product selection

UTX 44 Utility Vehicle Scissor Lift



LISTED DETAILS

Visual & Audible Alarms & Lockout / Outrigger Legs for Stability

UTX44 Max Work Height 19’ (5.8m); UTX44 Max Deck Height 13’ (4.0m).

View specifications >

AHT Adjustable Steel Work-Mate Stands - Ergo-matting



Series
AHT

Deck Style
Ergo-matting

Material
Steel

Capacity
500 lb

AHT adjustable steel work stands with a ergo-matting deck and 500 lb listed capacity. Select the deck size and height range for the work position.

View specifications >

AHW Adjustable Steel Work-Mate Stands - Serrated steel



Series
AHW

Deck Style
Serrated steel

Material
Steel

Capacity
500 lb

AHW adjustable steel work stands with a serrated steel deck and 500 lb listed capacity. Select the deck size and height range for the work position.

View specifications >

Material Handling

Material Handling

Lift tables, cranes, stackers, carts and handling equipment.

BEFORE YOU COMPARE

Include the complete load, center of gravity, transfer height and operating cycle. Confirm how the selected configuration interfaces with your handling process.



Deluxe Drywall/Panel Hoist

Equipment shown is a catalog example. Open the product page to confirm its exact configuration.

Material Handling / Product selection

A-Frame Gantry Crane

Catalog ref: 6170



LISTED DETAILS

Make it a mobile gantry crane with optional wheel package

Use as a portable gantry crane -- space savings for transportation and storage when not in use. Crane can be assembled in less than 15 minutes;

View specifications >

A/C Electric Stacker

Catalog ref: 5981



LISTED DETAILS

1000 lb capacity / 18" load centers

1000 lb capacity; 18" load centers.

View specifications >

Combination Hand Pump and Electric Stacker



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: SE/HP-63-AA, SE/HP-98-AA, SE/HP-118-AA, SE/HP-63 and additional configurations; SE/HP-63-AA Overall Fork Size (WxL): 26-3/4"x42".

View specifications >

Stacker with Powered Drive and Powered Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: S-62-FA, S-62-AA, S-118-AA, S-150-AA and additional configurations; S-62-FA Fork Size (O.D.) (WxL): 26-3/4"x42".

View specifications >

Material Handling / Product selection

Stacker with Powered Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: SL-63-AA, SL-118-AA, SL-137-AA, SL-150-AA and additional configurations; SL-63-AA Lowered Height: 2-1/8".

View specifications >

Tracked Hydraulic Stacker



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: THS-3500, THS-2600, THS-1800; THS-3500 Fork Length: 43".

View specifications >

Access & Inspection Platforms



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Access & Inspection Platforms - Access & Inspection Platforms. Description: With the lift in the down position entry into the platform is at finished floor level.

View specifications >

Adjustable Box Stackers



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: ABS-130; ABS-130 Fork Length: 19.5".

View specifications >

Material Handling / Product selection

Adjustable Work Platforms



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Adjustable Work Platforms - Adjustable Work Platforms. Description: Adjustable work platforms can be designed to fit your specific needs.

View specifications >

Large Adjustable Work Platforms



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Large Adjustable Work Platforms - Adjustable Work Platforms. Description: These units are suitable for industrial applications and can be powered by air or electric drive units.

View specifications >

Air Bag Scissor Lift Tables



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: ABLT-H-1-32, ABLT-H-2-32, ABLT-H-3-32, ABLT-H-4-32; ABLT-H-1-32 Capacity (lbs): 1,000.

View specifications >

Heavy Duty Air Bag Scissor Lift Tables



LISTED DETAILS

Maintenance Prop: Includes a maintenance prop for secure servicing. / Customization Available: Other sizes and custom configurations are available.

Listed models: ABLT-1000, ABLT-2000; ABLT-1000 Platform Size (WxL): 48"x32".

View specifications >

Material Handling / Product selection

Low Profile Air Bag Lift Table - Series ABLT-H-LP



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: ABLT-H-LP-1-29, ABLT-H-LP-2-29, ABLT-H-LP-3-29, ABLT-H-LP-4-29 and additional configurations; ABLT-H-LP-1-29 Capacity: 1,000.

View specifications >

Articularm

Catalog ref: 6173



LISTED DETAILS

Available in 500, 1000, and 2000 pound capacities / Mini-Articularm available in 200 pound capacity

Available in 500, 1000, and 2000 pound capacities; Mini-Articularm available in 200 pound capacity.

View specifications >

Articulating Cranes 300 Series



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Articulating Cranes 300 Series - Articulating Cranes. Articulating Cranes 300 Series range from 9,000 FT/LBS up to 20,000 FT/LBS.

View specifications >

Articulating Cranes 500 Series



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Articulating Cranes 500 Series - Articulating Cranes. Articulating Cranes 500 Series range from 10,000 FT/LBS up to 43,000 FT/LBS.

View specifications >

Material Handling / Product selection

Articulating Cranes 700 Series



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Articulating Cranes 700 Series - Articulating Cranes. Articulating Cranes 700 Series range from 59,000 FT/LBS up to 323,000 FT/LBS.

View specifications >

Hydraulic Double Leaf Bascule Bridge



LISTED DETAILS

Chrome-plating improves rod durability and extends the life of cylinders and seals. / Maintenance-free bearings at pivot points require no lubrication

DBB-SPL Capacity (lbs#): 100000; DBB-SPL Maximum Platform Width: 240.

View specifications >

Mini Bascule Bridge



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks.

Listed models: MBB-20; MBB-20 Capacity (lbs#): 2000.

View specifications >

Single Leaf Bascule Bridge



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks.

BB-SPL Capacity (lbs#): 100000; BB-SPL Maximum Platform Width: 240.

View specifications >

Material Handling / Product selection

Basket & Skid Stacker



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PMSS-50-DC, PMSS-50-AIR, PMSS-50-AC, PMSS-60-DC and additional configurations; PMSS-50-DC Capacity (lbs): 4,000.

View specifications >

Battery Stackers

Catalog ref: 5982



LISTED DETAILS

Capacities up to 2,000 lbs. / Lifting Heights from 52" - 78"

Capacities up to 2,000 lbs; Lifting Heights from 52" - 78".

View specifications >

Bench Top Tilters



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: BTT-6-36, BTT-6-46, BTT-5-36, BTT-5-46 and additional configurations; BTT-6-36 Platform: 36"x28"x2".

View specifications >

5-Gallon Paint Cart Hand Truck



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

5-Gallon Paint Cart Hand Truck - Carts. The New 5-Gallon Paint Cart Hand Truck makes transporting a 5 gallon container quicker and less stressful on your back and shoulders.

View specifications >

Material Handling / Product selection

Cantilever Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Cantilever Carts - Carts. Portable Cantilever Carts for storage of bar stock type items.

View specifications >

Hydraulic Elevating Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Hydraulic Elevating Carts - Carts. Portable ergonomic elevating carts minimize worker bending and lifting.

View specifications >

Merchandise Ladder Cart



Model Number
BMLC

Overall Height
63"

Weight
108 lbs

Overall Height: 63"; Weight: 108 lbs.

View specifications >

Powered Portable Loading Dock



Model Number
PLD Plus

Platform Height
Ground Level to 55” high

Weight
2178 lbs

Platform Height: Ground Level to 55” high; Weight: 2178 lbs.

View specifications >

Material Handling / Product selection

Air Hydraulic Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: AIR-800-D, AIR-800-D-PSS, AIR-1000, AIR-1000-LD and additional configurations; AIR-800-D Platform Size (WxL): 20"x35-1/2".

View specifications >

Auto-Hite Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: SCSC-500-2040, SCSC-500-4242, SCSC-750-2040, SCSC-1000-4242 and additional configurations; SCSC-500-2040 Platform (WxL): 20-3/4"x40".

View specifications >

Auto-Shift Hydraulic Elevating Cart



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CART-550-AS; CART-550-AS Platform Size (WxL): 19-3/4"x32-3/4".

View specifications >

DC & Manual Scissor Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DC & Manual Scissor Carts - Carts & Transporters. Tables provide unparalleled ergonomic support in lifting, palletizing, loading, and unloading applications.

View specifications >

Material Handling / Product selection

Hydra Lift Carts



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: HYDRA-2, HYDRA-4, HYDRA-HD, HYDRA-AF-18 and additional configurations; HYDRA-2 Platform (WxL): 20"x16-3/16".

View specifications >

Lift & Tilt Carts with Sequence Select



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: CART-500-LT, CART-400-LT, CART-1000-LT, CART-600-LT and additional configurations; CART-500-LT Platform Size (WxL): 21-1/2"x40".

View specifications >

Linear Actuated Elevating Cart



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CART-400-LA, CART-400-D-LA, CART-500-LA, CART-500-LA-PSS; CART-400-LA Platform Size (WxL): 23-5/8"x35-1/2".

View specifications >

Long Deck Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: LDLT-3060, LDLT-3072, LDLT-3096, LDLT-30120 and additional configurations; LDLT-3060 Platform Size (WxL): 30"x60".

View specifications >

Material Handling / Product selection

Mechanical Scissor Cart



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CART-660-M, CART-660-M-PSS; CART-660-M Platform Size (WxL): 23-1/2"x37".

View specifications >

Pallet Cart & Carousel



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CC-48; CC-48 Carousel Dia.: 48".

View specifications >

Powered Drive and Powered Lift Hydraulic Scissor Carts



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: CART-1000-DC-CTD, CART-1500-DC-CTD, CART-1000D-DC-CTD, CART-1500D-DC-CTD; CART-1000-DC-CTD Platform Size (WxL): 24"x40".

View specifications >

Premium Scissor Lift Carts



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: CART-300-S-FR, CART-600-S-FR, CART-1000-S-FR, CART-300-D-FR and additional configurations; CART-300-S-FR Scissor Design: Single.

View specifications >

Material Handling / Product selection

Rough Terrain Elevating Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CART-PN-400, CART-PN-600, CART-PN-600-D, CART-PN-1000 and additional configurations; CART-PN-400 Platform Size (WxL): 27-1/2"x20-1/2".

View specifications >

Scissor Cart with Built-In Scale



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CART-500-SCL, CART-1000-SCL, CART-500-SCL-PSS; CART-500-SCL Platform Size (WxL): 19-1/2"x32".

View specifications >

Self-Elevating Lift Carts



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: ETS-230, ETS-460, ETS-840-30, ETS-1120-18 and additional configurations; ETS-230 Platform WxL: 20"x20".

View specifications >

Stainless Steel Hydraulic Elevating Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CART-200-D-PSS, CART-400-PSS, CART-750-PSS, CART-800-D-PSS and additional configurations; CART-200-D-PSS Platform Size (WxL): 17-1/2"x27-1/2".

View specifications >

Material Handling / Product selection

Stainless Steel Scissor Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: SSSC-200, SSSC-400, SSSC-1000, CART-550-SS and additional configurations; SSSC-200 Platform Size (WxL): 17-3/4"x27-1/2".

View specifications >

Tilt Master & Tilt Master Straddle



LISTED DETAILS

Tilts products from ground level to a comfortable operator working height / Doubles as a pallet truck and a portable tilt table

Tilts products from ground level to a comfortable operator working height; Doubles as a pallet truck and a portable tilt table.

View specifications >

Traction Drive Electric Hydraulic Elevating Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CART-DS-1000-CTD, CART-2000-CTD; CART-DS-1000-CTD Platform Size (WxL): 20-3/8"x33".

View specifications >

Double Stainless Steel Scissor Lift Tables



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Lift Capacity: Designed to handle larger and heavier loads, improving productivity and efficiency in material handling;

View specifications >

Material Handling / Product selection

E-Low Profile Scissor Lift Table



LISTED DETAILS

“E” Shaped top platform / “E” Shaped table are specially for handling pallets, no need for a pit or load ramps

Listed models: SL HE500, SL HE1000, SL HE1500, SL HE2000; SL HE500 Capacity: 1102.

View specifications >

Push Around Stainless Steel Scissor Lift Tables



LISTED DETAILS

High quality 304L and 316L stainless steel / Capacities 150 kgs to 1,000 kgs

Listed models: SL B SS50 - SINGLE SCISSOR, SL B SS100 - SINGLE SCISSOR; SL B SS50 - SINGLE SCISSOR Capacity: 1102.

View specifications >

Stainless Steel Low Profile Scissor Lift Tables



LISTED DETAILS

Heavy Duty all welded frames / Delrin bushings

Listed models: SS SLLP 20, SS SLLP 40; SS SLLP 20 Capacity: 2000.

View specifications >

Stainless Steel Pneumatic Scissor Lift Table



LISTED DETAILS

Heavy Duty all welded frames / Delrin bushings

Heavy Duty all welded frames; Delrin bushings.

View specifications >

Material Handling / Product selection

Stainless Steel Scissor Lift & Tilt Table



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Hygienic Stainless Steel Construction: Built for environments that require the highest standards of cleanliness and durability;

View specifications >

Stainless Steel Scissor Lift Table



LISTED DETAILS

Ideal for food processing plants, pharmaceutical facilities, and clean rooms. / Value priced 2,000 and 2,500 lbs capacity

Listed models: SL SS30-20, SL SS30-25, SL SS30-40, SL SS30-60 and additional configurations; SL SS30-20 Capacity: 2000lbs.

View specifications >

Stainless Steel Single & Double Portable Scissor Lift Tables



LISTED DETAILS

High quality 304L and 316L stainless steel / Foot pump and powered lift available

High quality 304L and 316L stainless steel; Platform sizes to 48” x 72” (1,200mm x 1,600 mm).

View specifications >

Air Force Pneumatic Tilters



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication / Built-in fork truck pockets allow easy relocation and sharing between work stations.

Listed models: STA-4240-030; STA-4240-030 Capacity (lbs#): 3000.

View specifications >

Material Handling / Product selection

Fixed Height Tilters TT30-10



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT30-10 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

View specifications >

Fixed Height Tilters TT30-15



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT30-15 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

View specifications >

Fixed Height Tilters TT30-20



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT30-20 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

View specifications >

Fixed Height Tilters TT30-40



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT30-40 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

View specifications >

Material Handling / Product selection

Fixed Height Tilters TT30-60



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT30-60 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

View specifications >

Fixed Height Tilters TT45-10



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT45-10 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

View specifications >

Fixed Height Tilters TT45-15



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT45-15 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

View specifications >

Fixed Height Tilters TT45-20



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT45-20 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

View specifications >

Material Handling / Product selection

Fixed Height Tilters TT45-40



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT45-40 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

View specifications >

Fixed Height Tilters TT45-60



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT45-60 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

View specifications >

Fixed Height Tilters TT60-10



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT60-10 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

View specifications >

Fixed Height Tilters TT60-15



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT60-15 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

View specifications >

Material Handling / Product selection

Floor Level Container Tilters ZRT50-20



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Floor Level Container Tilters ZRT50-20 - Container Tilters. Tilt containers weighing up to 4,000 lbs.

View specifications >

Floor Level Container Tilters ZRT50-40



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Floor Level Container Tilters ZRT50-40 - Container Tilters. Tilt containers weighing up to 4,000 lbs.

View specifications >

Pneumatic Tilters AT10-3648



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT10-3648 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

View specifications >

Pneumatic Tilters AT10-4848



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT10-4848 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

View specifications >

Material Handling / Product selection

Pneumatic Tilters AT10-4856



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT10-4856 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

View specifications >

Pneumatic Tilters AT10-4860



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT10-4860 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

View specifications >

Pneumatic Tilters AT20-3648



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT20-3648 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

View specifications >

Pneumatic Tilters AT20-4848



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT20-4848 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

View specifications >

Material Handling / Product selection

Pneumatic Tilters AT20-4856



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT20-4856 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

View specifications >

Pneumatic Tilters AT20-4860



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT20-4860 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

View specifications >

Pneumatic Tilters AT40-4848



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT40-4848 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

View specifications >

Pneumatic Tilters AT40-4856



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT40-4856 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

View specifications >

Material Handling / Product selection

Pneumatic Tilters AT40-4860



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT40-4860 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

View specifications >

Pneumatic Tilters AT60-4848



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT60-4848 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

View specifications >

Pneumatic Tilters AT60-4856



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT60-4856 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

View specifications >

Pneumatic Tilters AT60-4860



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT60-4860 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

View specifications >

Material Handling / Product selection

Portable Container Tilters PT-20



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Portable Container Tilters PT-20 - Container Tilters. These portable, battery powered container tilters go anywhere they are needed.

View specifications >

Portable Container Tilters PT-40



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Portable Container Tilters PT-40 - Container Tilters. These portable, battery powered container tilters go anywhere they are needed.

View specifications >

Portable Container Tilters PTS50-20



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Portable Container Tilters PTS50-20 - Container Tilters. These portable, battery powered container tilters go anywhere they are needed.

View specifications >

Portable Container Tilters PTS50-40



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Portable Container Tilters PTS50-40 - Container Tilters. These portable, battery powered container tilters go anywhere they are needed.

View specifications >

Material Handling / Product selection

Tork Non-Intrusive Tilter



LISTED DETAILS

Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / Non-intrusive design minimizes floorspace requirements for the operator.

Listed models: TM1T-45-022, TM2T-45-044, TM3T-45-060; TM1T-45-022 Travel (inches): 0.

View specifications >

Conversion/Dump Hoists - VC416



LISTED DETAILS

Electric double-acting, 4 qt. reservoir / 4 piston PTO driven, 7/8″ square shaft, 7 qt. reservoir

Electric double-acting, 4 qt. reservoir; 4 piston PTO driven, 7/8″ square shaft, 7 qt. reservoir.

View specifications >

Conversion/Dump Hoists - VC516



LISTED DETAILS

Electric double-acting, 4 qt. reservoir / 4 piston PTO driven, 7/8″ square shaft, 7 qt. reservoir

Electric double-acting, 4 qt. reservoir; 4 piston PTO driven, 7/8″ square shaft, 7 qt. reservoir.

View specifications >

Conversion/Dump Hoists - VC520



LISTED DETAILS

Electric double-acting, 4 qt. reservoir / 4 piston PTO driven, 7/8″ square shaft, 15 qt. reservoir

Electric double-acting, 4 qt. reservoir; 4 piston PTO driven, 7/8″ square shaft, 15 qt. reservoir.

View specifications >

Material Handling / Product selection

Conversion/Dump Hoists - VC620



LISTED DETAILS

Electric double-acting, H.D. motor, 4 qt. reservoir / 8 piston PTO driven, 7/8″ square shaft, 21 qt. reservoir

Electric double-acting, H.D. motor, 4 qt. reservoir; 8 piston PTO driven, 7/8″ square shaft, 21 qt. reservoir.

View specifications >

Conversion/Dump Hoists - VC628



LISTED DETAILS

VC628: 825 lbs.

8 piston double-acting pump with 21 qt. reservoir. Direct-mount gear pump and electric pump also available; VC628: 825 lbs.

View specifications >

Conversion/Dump Hoists VC6620



LISTED DETAILS

8 piston double-acting pump with 21 qt. reservoir. / VC6620: 1,050 lbs

Direct-mount gear PTO driven, SAE “B” 2-bolt mounting flange, 7/8″ - 13 spline shaft, 21 qt. reservoir; 8 piston double-acting pump with 21 qt. reservoir.

View specifications >

Conversion/Dump Hoists VC6628



LISTED DETAILS

VC6628: 1,300 lbs.

8 piston double-acting pump with 27 qt. reservoir. Direct-mount gear pump also available; VC6628: 1,300 lbs.

View specifications >

Material Handling / Product selection

Counter-Balanced Powered Drive Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: S-CB-62, S-CB-118, S-2CB-62*, S-2CB-118*; S-CB-62 Fork Size (WxL): 6-3/8 to 23-5/8"x30".

View specifications >

PowerStak Counterweight Stackers

Catalog ref: 5983



LISTED DETAILS

1100 lb capacity / 15" load center

1100 lb capacity; 15" load center.

View specifications >

HT25 Crane Service Body



LISTED DETAILS

Jet Kote ASTM A-60 steel construction / Dual weather stripping in protective door channels for added water protection

Listed models: HT25-107-FLT, HT25-107-TFC, HT25-131-FLT, HT25-131-TFC and additional configurations; HT25-107-FLT CA: 60".

View specifications >

HT40 Crane Service Body



LISTED DETAILS

Jet Kote ASTM A-60 steel construction / Dual weather stripping in protective door channels for added water protection

Listed models: HT40-131-FLT, HT40-131-TFC, HT40-131-DTF; HT40-131-FLT CA: 84".

View specifications >

Material Handling / Product selection

HT50 Crane Service Body



LISTED DETAILS

Jet Kote ASTM A-60 steel construction / Dual weather stripping in protective door channels for added water protection

Listed models: HT50-131-FLT, HT50-131-TFC, HT50-131-DTF; HT50-131-FLT CA: 84".

View specifications >

HT66 Crane Service Body



LISTED DETAILS

Jet Kote ASTM A-60 steel construction / Dual weather stripping in protective door channels for added water protection

Listed models: HT66-132-DTF-W88, HT66-163-DTF-W88; HT66-132-DTF-W88 CA: 84".

View specifications >

S135-155FT Cushion Tire Lift Truck



LISTED DETAILS

Productivity means moving more of your loads in less time with less cost.

Productivity means moving more of your loads in less time with less cost; CANbus communications network reduces wiring complexity, providing superior dependability.

View specifications >

S30-35FT & S40FTS Cushion Tire Lift Trucks



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Pacesetter VSM™ continuously monitors fluid levels and powertrain, reducing daily service checks and preventing major repairs.

View specifications >

Material Handling / Product selection

S40-70FT Cushion Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Our Auto Deceleration System extends brake life by up to 60% by automatically slowing the truck when the accelerator pedal is released;

View specifications >

S50CT Cushion Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Lighter weight and more efficient engine means lower fuel costs - in a documented industry standard test cycle the CT used up to 14% less fuel than the leading competitors;

View specifications >

S80-120FT Cushion Tire Lift Truck



LISTED DETAILS

Powertrain combinations include the durable Kubota 3.8L spark-ignited LPG engine

Powertrain combinations include the durable Kubota 3.8L spark-ignited LPG engine;

View specifications >

DC Powered Mobile Scissor Lift Table



LISTED DETAILS

Exceptionally low lowered height allows on and off load flexibility. / Lockable casters add load stability

Listed models: 36SRV25, 36SRV40, 36SRV60, 48SRV25 and additional configurations; 36SRV25 Travel (inches): 36.

View specifications >

Material Handling / Product selection

Double Scissors Lift Tables

Catalog ref: 6143



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: DSL-51836E, DSL-12436E, DSL-13242E, DSL-23248E and additional configurations; DSL-51836E Capacity (lbs.): 500.

View specifications >

Ground Lift Scissor Table



LISTED DETAILS

Voltage - 208-230/460 Volt, 60 cycle, 3 phase / External Power Unit

Listed models: EHLTG-3850-2-36, EHLTG-3850-4-36, EHLTG-4450-2-36, EHLTG-4450-4-36 and additional configurations; EHLTG-3850-2-36 Platform Size (WxL): 38" x 51½".

View specifications >

Hydraulic Scissor Lift Table

Catalog ref: 6142



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Lifting, feeding, accumulating, aligning and many other production and assembly operations; Lift tables reduce worker fatigue and increase overall efficiency; also promotes worker safety.

View specifications >

Lift and Tilt Tables

Catalog ref: 6145



LISTED DETAILS

Larger retaining plates available. / Required on mobile tables with greater than 45° tilt.

90° tilt available as option for table use as coil or crate upender (capacity is derated on tilts greater than 45°); Required on mobile tables with greater than 45° tilt.

View specifications >

Material Handling / Product selection

Light Duty Electric Scissor Lift Table

Catalog ref: 5994



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Light Duty Electric Scissor Lift Table - DC Powered Scissor Tables. Light Duty Electric Scissor Lifts for lifting and positioning of lighter loads, Light Duty Electric Scissor Lifts are the answer.

View specifications >

Low Profile "U" Type Electric Lift Tables



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: EHU-2, EHU-3, EHE-2, EHE-3; EHU-2 Platform Size (WxL): 52-1/2" x 55-3/4".

View specifications >

Low Profile Zero Low Lift Tables

Catalog ref: 6140



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: ZLLPC-2648E, ZLLPC-3848E, ZLLPC-4448E, ZLLPC-5048E and additional configurations; ZLLPC-2648E Capacity (lb.): 1000.

View specifications >

Mechanical Lift Table

Catalog ref: 6147



LISTED DETAILS

Both butcher block and metal deck available

Lift tables are available powered electro-mechanically by 110 volts AC single-phase power providing effortless operation;

View specifications >

Material Handling / Product selection

Mechanical Post Table



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: MT-2436-LP, MT-2442-LP, MT-2448-LP, MT-2460-LP and additional configurations; MT-2436-LP Platform (WxL): 24"x36".

View specifications >

Mini Scissors Lift Table

Catalog ref: 6146



LISTED DETAILS

Available up to 250 pound capacities and up to 70" raised height / Light and portable for institutional, industrial, or laboratory applications

Available up to 250 pound capacities and up to 70" raised height; Electro-mechanically operated; no drift, no leakage(designed for intermittent usage, 25% duty cycle).

View specifications >

Post Lift Tables

Catalog ref: 6149



LISTED DETAILS

Capacity: Ranges from 500 to 1,000 lbs for versatile light-duty lifting. / Lift Height: Offers a maximum raised height of 49 inches.

Listed models: PT12-10, PT12-20, PT12-40, PT2436E*; PT12-10 Platform (WxL): 20"x30".

View specifications >

Serapid Mechanical Scissors Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Serpaid actuator design is simple and easy to inspect and maintain.

Listed models: 24-SC-020, 24-SC-040, 24-SC-060, 24-SC-080 and additional configurations; 24-SC-020 Travel (inches): 24.

View specifications >

Material Handling / Product selection

Series 35 Extra Narrow Scissor Lift Table



LISTED DETAILS

Exceptionally low lowered height allows on and off load flexibility. / ASTM - A36 - Structural Steel Standard

Listed models: 24S25EXN, 24S40EXN, 24S60EXN, 36S25EXN and additional configurations; 24S25EXN Travel (inches): 24.

View specifications >

Series 35 Triple High Scissor Lift Tables



LISTED DETAILS

Lubricated-for-life composite bearings on all pivot points / Maintenance free bearings, no greasing required

Factory tested to 110% of capacity; Lubricated-for-life composite bearings on all pivot points.

View specifications >

Single Vertical Ram Lift



LISTED DETAILS

Non-skid surface minimizes slipping & loss of traction in wet conditions. / ASTM - A36 - Structural Steel Standard

Listed models: APE-0, APE-1, APE-2, APE-3 and additional configurations; APE-0 Travel (inches): 60.

View specifications >

Spiral Lift Mechanical Scissor Lifts



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Drive motors are rated for variable frequency drive control signals.

Listed models: 24-SL-020, 24-SL-040, 24-SL-060, 24-SL-080 and additional configurations; 24-SL-020 Travel (inches): 24.

View specifications >

Material Handling / Product selection

Stainless Steel Zero Low Scissor Lift Tables

Catalog ref: 6139



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Enhanced Safety: By eliminating the need to lift loads 8 to 10 inches, these tables reduce worker strain and minimize injury risk, improving workplace safety;

View specifications >

Tandem Scissor Lift Table

Catalog ref: 6144



LISTED DETAILS

2,000 to 50,000 lbs. capacities available. / Height up to 8 feet.

Listed models: SLTD-236120E, SLTD-248144E, SLTD-448144E, SLTD-460192E and additional configurations; SLTD-236120E Capacity (lbs.): 2,000.

View specifications >

Vertical Ball Screw Actuated Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Vertical ball screw actuator design is simple and easy to inspect and maintain.

Listed models: 24-VB-020, 24-VB-040, 24-VB-060, 24-VB-080 and additional configurations; 24-VB-020 Travel (inches): 24.

View specifications >

Work Positioners Low Mast Stacker

Catalog ref: 5986



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: WPS4236-20, WPS4248-20, WPS4260-20, WPS4236-30 and additional configurations; WPS4236-20 Load Capacity: 2000 lbs.

View specifications >

Material Handling / Product selection

Work Station Electric Hydraulic Scissor Tables



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: EHLT-WS-2436-1.5-31, EHLT-WS-2448-1.5-36, EHLT-WS-3248-1.5-36, EHLT-WS-4048-1.5-36 and additional configurations; EHLT-WS-2436-1.5-31 Platform Size (WxL): 24"x36".

View specifications >

Zero-Low Lift & Tilt Tables

Catalog ref: 6141



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: ZLTTC-5048E, ZLTTD-5048E, ZLTTE-5048E, ZLTTD-5072E and additional configurations; ZLTTC-5048E Capacity (lb.): 1,000.

View specifications >

Zero-Low, 3-Point Entry Lift Table

Catalog ref: 6148



LISTED DETAILS

Decks available in 30x30, 36x36, 42x42, and 48x48 inch sizes.

Listed models: ZL3PC-3030E, ZL3PC-3636E, ZL3PC-4242E, ZL3PC-4848E and additional configurations; ZL3PC-3030E Capacity (lbs.): 1000.

View specifications >

Air Cargo Lift

LISTED DETAILS



Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / Manual pallet stops are easily engaged & disengaged.

Listed models: 49AC150-9, 49AC150-10, 49AC150-11, 49AC150-12 and additional configurations; 49AC150-9 Travel (inches): 49.

View specifications >

Material Handling / Product selection

CMD Dock Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient hydraulic power unit simplifies servicing.

Listed models: CMD-30, CMD-40; CMD-30 Travel (inches): 50.

View specifications >

PDQ Dock Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient hydraulic power unit simplifies servicing.

Listed models: PDQ 40, PDQ 50, PDQ 60; PDQ 40 Travel (inches): 55.5.

View specifications >

Pit Mounted Truck Leveler



LISTED DETAILS

Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / Efficient and highly serviceable hydraulic power unit reduces downtime.

Listed models: TL-1440, TL-1640, TL-1840, TL-2040 and additional configurations; TL-1440 Travel (inches): 36.

View specifications >

PLD Dock Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient hydraulic power unit simplifies servicing.

Listed models: PLD-20, PLD-30, PLD-50; PLD-20 Travel (inches): 55.5.

View specifications >

Material Handling / Product selection

Shallow Pit Mounted Truck Leveler



LISTED DETAILS

Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / Efficient and highly serviceable hydraulic power unit reduces downtime.

Listed models: TL-TBDGL, TL-1440SPM, TL-1640SPM, TL-1840SPM and additional configurations; TL-TBDGL Travel (inches): 30.

View specifications >

Surface Mounted Truck Leveler



LISTED DETAILS

Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / Efficient and highly serviceable hydraulic power unit reduces downtime.

Listed models: TL-1440SM, TL-1640SM, TL-2040SM, TL-1840SM and additional configurations; TL-1440SM Travel (inches): 30.

View specifications >

TSL Dock Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient hydraulic power unit simplifies servicing.

Joints, the most critical wear points in the lift, feature chrome-plated, 100,000-psi, Minimum 3:1 structural factor of safety makes these lifts the most structurally sound lift in the industry.

View specifications >

Automatic Eagle Beak Drum Lifters



LISTED DETAILS

Simple & Easy Operation / Low Maintenance Design

Listed models: FMDL-1, FMDL-2; FMDL-1 Number of Drums: 1.

View specifications >

Material Handling / Product selection

Economy Portable Drum Lifter/Rotator/Transporter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

DRUM-LRT-EC Overall Size (WxDxH): 33"x53"x78"; DRUM-LRT-EC Raised Height: 53".

View specifications >

Fork Mounted Drum Carrier/Rotator



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DCR-205-8, DCR-205-15, DCR-205-20, DCR-205-8-DC and additional configurations; DCR-205-8 Drum Restraint Method: 36" Chain.

View specifications >

Hoist Mounted Drum Carrier/Rotator




SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DCT-75, DCT-85, DCT-2000; DCT-75 Drum Style: 55 gallon steel.

View specifications >

Hoist Mounted Pail Carrier/Rotator



LISTED DETAILS

For use with 5, 6, and 6-1/2 gallon pails / Capacity is 200 pounds

Listed models: PCT-5, FPA-450; PCT-5 Pail Type: 5, 6, 6-1/2 gallon plastic and metal pails.

View specifications >

Material Handling / Product selection

Manual Drum Carrier/Rotator



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DCR-110-55, DCR-110-55-SS, DCR-110-55-FDA-250, DCR-110-55-FDC-30; DCR-110-55 Drum Style: 55 gallon steel.

View specifications >

Portable Hydraulic Drum Carrier/Rotator



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: HDC-305-60, HDC-305-72, HDC-305-84, HDC-305-96 and additional configurations; HDC-305-60 Rotation Method: Hand Crank.

View specifications >

Hydraulic Drum Crusher/Compactor



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: HDC-905-IDC/460V, HDC-905-HC/460V, HDC-905-IDC/230V, HDC-905-HC/230V and additional configurations; HDC-905-IDC/460V Description: Crusher/Compactor (460V, 3 Phase).

View specifications >

Adjustable Drum/Crate Dolly



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

DRUM-X-H Approx. Height: 5-5/16"; DRUM-X-H Capacity (lbs): 1000.

View specifications >

Material Handling / Product selection

Mobile Drum Dollies



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DDO-P103-HT3, DDO-P103-SS3, DRUM-DRH-HR, DRUM-SS-55-H; DDO-P103-HT3 Description: Cast Iron.

View specifications >

Multi-Level Plastic Drum Dolly



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-PDD Acceptable Drum Styles: 30 & 55 Gallon; DRUM-PDD Overall Size (DxH): 24-1/4"x7".

View specifications >

Multi-Pail Dolly



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: MPD-5; MPD-5 Accommodates Pail Types: 5 Gallon.

View specifications >

Multi-Purpose Dollies



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-QUAD-H Capacity (lbs): 900; Listed models: DRUM-QUAD-H, DRUM-QUAD-C, DRUM-QUAD-CS-SS, DRUM-TRI-H and additional configurations.

View specifications >

Material Handling / Product selection

Octo & Heavy Duty Drum Dollies



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: OCTO-55, DRUM-HD; OCTO-55
Acceptable Drum Types: 55 gallon.

View specifications >

Overpack Drum Dollies & Containers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRUM-SP-28-12-C, DRUM-SP-28-9-H, DRUM-SP-32-12-C, DRUM-SP-32-9-H; DRUM-SP-28-12-C
Outside Diameter: 28-3/8".

View specifications >

Polyethylene Drum Dollies



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRUM-DP-30-BK, DRUM-DP-30-BU, DRUM-DP-55-BK, DRUM-DP-55-BU; DRUM-DP-30-BK
Acceptable Drum Styles: 5 & 30 Gallon.

View specifications >

Tilting Drum Dollies



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-QUAD-H-TLT Tilt Capacity (lbs): 200;
DRUM-QUAD-H-TLT Uniform Capacity (lbs): 900.

View specifications >

Material Handling / Product selection

Lift-and-Dump Hydraulic Drum Dumpers



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Lift-and-Dump Hydraulic Drum Dumpers - Drum Dumpers. The Lift-and-Dump Hydraulic Drum Dumper is what you need to dump drums at variable heights.

View specifications >

Stationary Hydraulic Drum Dumpers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: HDD-36-7-S, HDD-48-7-S, HDD-60-7-S, HDD-72-7-S and additional configurations; HDD-36-7-S Dump Height: 36".

View specifications >

Aerosol Can Recycling System



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

CAN-RECY Overall Size (HxD): 14-5/8"x5-13/16"; CAN-RECY Handle Length: 11".

View specifications >

Automatic Plastic Drum Lifter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: FMDL-1, FMDL-2; FMDL-1 Number of Drums: 1.

View specifications >

Material Handling / Product selection

Barrel/Drum Trucks



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DBT-1200, DBT-1200-P, DBT-RED; DBT-1200 Overall Size (WxH): 29"x60".

View specifications >

Brass Drum Vent Adaptor



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DVA-B Wt. (lbs): 3; Listed models: DVA-B.

View specifications >

Chain Drum Lifter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: CHDL-1620, CHDL-2025; CHDL-1620 Accommodates Drum Diameter: 16" TO 20".

View specifications >

Crane/Hoist Drum Lifters



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: CHDL-1620, CHDL-2025; CHDL-1620 Accommodates Drum Diameter: 16" TO 20".

View specifications >

Material Handling / Product selection

Deluxe Combination Fork Mounted Drum Lifter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: DFDL-3; DFDL-3 Description: Deluxe Combo Drum Lifter.

View specifications >

Deluxe Rotating Drum Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: RDC-1000-5PU, RDC-1000-5PO, RDC-1000-5SS; RDC-1000-5PU Capacity (lbs): 1,000.

View specifications >

Deluxe Tilt Back Drum Trucks



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DBT-1000, DBT-1000-PN; DBT-1000 Overall Size (WxDxH): 22-1/2"x24-3/8"x59".

View specifications >

Dispensing Bottles



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Dispensing Bottles - Drum Handling Equipment. Translucent bottles allow easy viewing of contents.

View specifications >

Material Handling / Product selection

Dispensing Containment Cart



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DHDC-66; DHDC-66 Overall Size (WxDxH): 32"x72-1/4"x27".

View specifications >

Drum Caddies



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

LO-DC-MR Straddle (WxD): 28-1/8"x21-5/8"; LO-DC-MR Capacity (lbs): 1,000.

View specifications >

Drum Clutchers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DCL-550, DCL-1000; DCL-550 Acceptable Drum style: 30 gallon steel.

View specifications >

Drum Controller



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DC-550; DC-550 Overall Size: 33"x33-3/4"x63".

View specifications >

Material Handling / Product selection

Drum Dispensing Equipment



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

PAIL-PST Displacement Per Stroke: 8 oz; Listed models: PAIL-PST, PAIL-PST-SS.

View specifications >

Drum Faucets



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: VDFT-6PKG, JDFT-B, DFT-SS, DFT-AL and additional configurations; VDFT-6PKG Description: Polyethylene Drum Faucet 6 Pack.

View specifications >

Drum Grab



LISTED DETAILS

Design feature three ductile-iron arms for maximum strength / The three-arm design allows for centering the drum under the lifter

DRUM-GRAB Lifting Capacity: 2,200 lbs; DRUM-GRAB Wt. (lbs): 20.

View specifications >

Drum Grippers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DGS-A, DGD-A, DGS-55-D, DGD-55-D and additional configurations; DGS-A Drum Style: (1) 30 or 55 gallon steel.

View specifications >

Material Handling / Product selection

Drum Jacks



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRUM-55-36, DRUM-55FP, DRUM-55S, DRUM-55-FSP; DRUM-55-36 Overall Size (W x D): 30-1/2" x 27-13/16".

View specifications >

Drum Lid Tool



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-PLB Wrench Opening: 1"; DRUM-PLB Net Wt. (lbs): 2.

View specifications >

Drum Lifter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: FDT-22, DL-31; FDT-22 Acceptable Drum Types: 55 & 30 Gallon Steel.

View specifications >

Drum Liners



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Drum Liners - Drum Handling Equipment.

View specifications >

Material Handling / Product selection

Drum Lock



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: BLD-80, DTL-22; BLD-80 Description: Brass drum lock.

View specifications >

Drum Slings



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DCS-750-B, DCS-1000-I, DCS-1000-B, DCS-2000-G; DCS-750-B Acceptable Drum Type: 55 & 30 gallon steel.

View specifications >

Drum Stacker



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: HDC-450-60, HDC-450-72, HDC-450-84, HDC-450-96; HDC-450-60 Rotation Method: Hand Crank.

View specifications >

Drum Stands



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-ST Acceptable Drum Types: 30 & 55 Gal. Plastic, Steel & Fiber Drums; DRUM-ST Capacity (lbs): 1,500.

View specifications >

Material Handling / Product selection

Drum Stik



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-STIK Drum Type: 30 & 55 Gallon; DRUM-STIK Overall Width: 18-3/4".

View specifications >

Drum Storage Hard Top Container



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: DSHRT-2, DSHRT-4; DSHRT-2 Description: 2 drum container.

View specifications >

Drum Tiers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DTR-20, DTR-24, DTR-28; DTR-20 Acceptable Drum Types: 30 Gallon Steel.

View specifications >

Drum Tops



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DC-TP Diameter: 25"; DC-TP Qty. Per Package: 5.

View specifications >

Material Handling / Product selection

Drum Truck with Spring Assist



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DBT-SA-MR Overall (WxLxH): 23-1/2""x14-5/16"x60-5/8"; Listed models: DBT-SA-MR, DBT-SA-PO, DBT-P-SA-MR, DBT-P-SA-PO.

View specifications >

Drum Vent & Indicator



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

VENT-H Displacement: Fits 2" Openings; VENT-H Wt. (lbs): 1.

View specifications >

Drum Wedge



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-WEDGE Overall Size (WxH): 11-1/2"x6"; DRUM-WEDGE Net Weight (lbs): 2.

View specifications >

Drum Wheel



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-WHEEL Acceptable Drum Types: 55 Gallon Steel; DRUM-WHEEL Dimensions: 25" Diameter 6-1/2" Height.

View specifications >

Material Handling / Product selection

Economical Mechanical Drum Transporter



LISTED DETAILS

Simple Design / Completely Mechanical Operation

Listed models: DCR-880-M, DCR-880-H, DCR-880-H-HP, DCR-880-H-DC and additional configurations; DCR-880-M Description: Hand Ratchet.

View specifications >

Economy Drum Positioners



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: VEDP-55; VEDP-55 Description: Lift 55-Gallon Steel Drums.

View specifications >

Economy Rotating Drum Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: RDC-60-NC, RDC-60-5-PU, RDC-60-5-PO, RDC-60-5-SS; RDC-60-NC Capacity (lbs): 800.

View specifications >

Elastic Drum Covers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DCVR-30-E, DCVR-55-E, DCVR-30-E-AS, DCVR-55-E-AS and additional configurations; DCVR-30-E Acceptable Drum Types: 30-Gal.

View specifications >

Material Handling / Product selection

Electric Drum Pumps



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

FHL-PUMP Description/Speed: Flammables, Hazardous Locations-115VFHL-PUMP, Class I Group C & D, Class II Group F & G (Explosion Proof); FHL-PUMP Max Viscosity: 500 CPS.

View specifications >

Ergonomic Drum Truck with Scale



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRUM-55-SCL; DRUM-55-SCL Overall Size (WxLxH): 31"x43"x41".

View specifications >

Fork Mounted Drum Grippers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: FDG-55, FDG-30; FDG-55 Acceptable Drum Sizes: 55 Gallon.

View specifications >

Fork Mounted Drum Lifters



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: FMDL-850, FMDL-1500, FMDL-2000, FMDDL-1700 and additional configurations; FMDL-850 Acceptable Drum Types: (1) Steel, Poly or Fiber.

View specifications >

Material Handling / Product selection

Fork Mounted Hydraulic Drum Grippers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRUM-HYD-1; DRUM-HYD-1 Acceptable Drum Types: 55 & 30 Gallon Steel, Plastic, and Fiber Drums.

View specifications >

Fork Mounted Poly Drum Handlers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: FPDL-8-L, FPDL-11-H; FPDL-8-L Description: Bottom Grip.

View specifications >

Heavy Duty Vertical Drum Lifter



LISTED DETAILS

Designed for lifting 55-gallon closed-head steel drums in the vertical position / Industrial ratchet load-binder is used to clamp the unit to the top of the drum

Listed models: HDDL-55; HDDL-55 Description: For lifting 55 gal. closed-head steel drums in the vertical position.

View specifications >

High Capacity Powered Turntable



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication / Lag-down holes in the base allow for easier relocation.

Minimum 1/2" thick steel platform minimizes deck deflection and maximizes load stability; Minimum 3:1 structural factor of safety makes these lifts the most structurally sound lift in the industry.

View specifications >

Material Handling / Product selection

Horizontal Drum Cradle



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: HORIZ-70; HORIZ-70 Acceptable Drum Styles: Open or closed 55 gallon steel drums.

View specifications >

Horizontal Drum Positioner



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: HDT-500; HDT-500 Acceptable Drum Size: 55-Gal. Drums.

View specifications >

Horizontal Drum Tap



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: TAP-3; TAP-3 Description: Horizontal Drum Tap.

View specifications >

Horizontal Semi-Automatic Drum Tong



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DTH-1000; DTH-1000 Acceptable Drum style: 55 Gal. Steel & Fiber.

View specifications >

Material Handling / Product selection

Lever Action Drum Pumps



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: LDP-ST, LDP-POLY-304, LDP-POLY, LDP-RYT and additional configurations; LDP-ST Displacement Per Stroke: 12 oz.

View specifications >

Lift and Tilt Table



LISTED DETAILS

Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / Non-intrusive design minimizes floor space requirements for the operator

Listed models: PT-45-020, PT-45-060, PT-45-040; PT-45-020 Travel (inches): 17.

View specifications >

Light Bulb Crusher



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: LBR-55, LBR-55-UC; LBR-55 Includes: T12 Entry Tube, combo kit of filters, and entry tube storage rack.

View specifications >

Linear Actuated Pail Dumper



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PAIL/D-5; PAIL/D-5 Operation: Linear Actuated.

View specifications >

Material Handling / Product selection

Manual & Electric Drum Deheader



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Manual & Electric Drum Deheader - Drum Handling Equipment. Convert your closed head steel drums into storage containers with our Drum Deheaders.

View specifications >

Manual Drum Upender



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DTP-11; DTP-11 Description: Upender for horizontal drums.

View specifications >

Manual Pail Tippers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

CAN-A Dispensing Height: 10"; CAN-A Capacity (lbs): 70.

View specifications >

Manual Trash Compactor



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: MTC-55, MTC-30; MTC-55 Drum Type (gallons): 55.

View specifications >

Material Handling / Product selection

Multi-Purpose Overhead Drum Lifter/Wrench



LISTED DETAILS

Simple Design is Easy to Use

Listed models: PDL-800-M, PDL-800-M-BR; PDL-800-M
Construction: Steel.

View specifications >

Oil Filter Crusher



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CM-1, CM-2, CM-T, CM-D; CM-1
Description: Air Operated, 100-180 PSI.

View specifications >

Oval Tank Containment with Drain



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: IML-275, IML-550; IML-275 Dimensions (WxDxH): 84-1/2"x43-3/4"x29".

View specifications >

Pail dollies



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: MPD-5; MPD-5 Accommodates Pail Types: 5 Gallon.

View specifications >

Material Handling / Product selection

Pail Hand Truck



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

PAIL-T Nose Plate (WxL): 10-3/4"x7-1/2"; PAIL-T Overall Size (WxDxH): 20-9/16"x 16-11/16" x 55-3/4".

View specifications >

Pail Lid Closing Press



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

PLC-P-FM Accommodates Pail Sizes: 2-7 Gallons; PLC-P-FM Overall Size (W x L x H): 29-7/8” x 36-13/16” x 96-3/16”.

View specifications >

Pallet Rack Drum Cradle



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PRDC-42, PRDC-42-R; PRDC-42 Description: Pallet Rack Drum Cradle.

View specifications >

Plastic Pallets & Drum Spill Containers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: VLPUT-2448, VLPUT-4848, DR-1-UT, DR-2-UT and additional configurations; VLPUT-2448 Drums Accepted: 2.

View specifications >

Material Handling / Product selection

Pocket Bung



LISTED DETAILS

Small versatile bung nut wrench / Small size to fit in your pocket

BNW-PKT-SS Wt. (lbs): 3.6 oz; Listed models: BNW-PKT-SS.

View specifications >

Poly Drum Heaters



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRH-P-5, DRH-P-55; DRH-P-5 Drum Capacity: 5 Gallon.

View specifications >

Poly Drum Heaters (CSA APPROVED-for use in Canada Only)



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRH-P-5, DRH-P-55; DRH-P-5 Drum Capacity: 5 Gallon.

View specifications >

Polyethylene Drum Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PDR-2, PDR-4, PDR-SHF; PDR-2 Description: 2 Drum System.

View specifications >

Material Handling / Product selection

Portable Drum Lifter/Rotator/Transporter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

DRUM-LRT *Raised Height: 62"; DRUM-LRT Overall Size (WxDxH): 33"x52"x85-7/16".

View specifications >

Recycling Lid



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CAN-CAP-P, DC-P-55-CAN-BK, DC-P-55-CAN-BU, DC-P-55-CANF-BK and additional configurations; CAN-CAP-P Center Opening: 7".

View specifications >

Revolving Drum Cart



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: RDC-100, RDC-100-10; RDC-100 Number of Rollers: 4 Dual Rollers.

View specifications >

Rotary Drum Pumps



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: RDP-55, ADP-55, RP-90R, RP-90RT and additional configurations; RDP-55 Description: Rotary Drum Pump.

View specifications >

Material Handling / Product selection

Round Metal Can With Lid



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: MRC-4, MRC-8, MRC-16, MRC-32 and additional configurations; MRC-4 Description: Tin.

View specifications >

Self-Venting Drum Pumps



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Self-Venting Drum Pumps - Drum Handling Equipment. Designed for dispensing and transferring liquids out of 55-gallon drums and 5- and 15-gallon pails.

View specifications >

Series 35 Electrical Powered Turntable



LISTED DETAILS

1/2-inch-thick steel platform minimizes deck deflection and maximizes load stability. / Maintenance-free bearings at pivot points require no lubrication.

Listed models: SRP-3625, SRP-4225, SRP-4248-25, SRP-4825 and additional configurations; SRP-3625 Capacity (lbs#): 2500.

View specifications >

Specialty Covers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Specialty Covers - Drum Handling Equipment. Protect your drums from bung seepage and unprotected outdoor storage situations.

View specifications >

Material Handling / Product selection

Specialty Drum Adaptors



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: FDA-800; FDA-800 Description: Fiber Drum Adapter (includes adjusting arm & nylon strap).

View specifications >

Stackable Drum Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: DRUM-RACK-2, DRUM-RACK-3, DRUM-RACK-2-G, DRUM-RACK-3-G and additional configurations; DRUM-RACK-2 Drum Capacity: (2) 55 Gal. Steel.

View specifications >

Standard Steel Drums



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Standard Steel Drums - Drum Handling Equipment. Standard Steel Drums Quality cold rolled drums meet most U.N.

View specifications >

Steel Drum Funnel



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DF-S Drum Size: 55 Gallon; DF-S Fits Drum Bungs: 2".

View specifications >

Material Handling / Product selection

Steel Drum Heaters



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRH-S-5, DRH-S-15, DRH-S-30, DRH-S-55 and additional configurations; DRH-S-5 Drum Capacity: 5 Gallon.

View specifications >

Steel Drum Heaters (CSA APPROVED-for use in Canada Only)



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRH-S-5, DRH-S-15, DRH-S-30, DRH-S-55 and additional configurations; DRH-S-5 Drum Capacity: 5 Gallon.

View specifications >

Steel Pail Lid Closing Tool



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PLC-5; PLC-5 Acceptable Drum style: 5-gallon steel.

View specifications >

Tilting Drum Rings



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: TDR-30, TDR-55, TDR-30-G, TDR-55-G and additional configurations; TDR-30 Acceptable Drum Types: 30 Gallon Steel.

View specifications >

Material Handling / Product selection

Trash Cans



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Trash Cans - Drum Handling Equipment. Durable polyethylene construction with stands subzero cold and extreme summer heat.

View specifications >

Utility Trays



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: UT-TRAY-2436, UT-TRAY-2448, UT-TRAY-3048, UT-TRAY-4048; UT-TRAY-2436 Capacity (Gallons): 18.

View specifications >

Vertical Drum Clamp



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: VDC-1000; VDC-1000 Acceptable Drum style: Steel, Plastic & Fiber.

View specifications >

Vertical Drum Lifter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: VDL-22.5; VDL-22.5 Acceptable Drum Types: 55 Gallon Steel.

View specifications >

Material Handling / Product selection

Drum Stackers

Catalog ref: 5988



LISTED DETAILS

1000 lb. capacity / 18" load centers

1000 lb. capacity; 18" load centers.

View specifications >

Dual Mast Work Platform



LISTED DETAILS

Platform capacity 1500# Max. 300# maximum on rollouts / Travel speed 8-15 F.P.M.

Platform capacity 1500# Max. 300# maximum on rollouts; Travel speed 8-15 F.P.M.

View specifications >

Pick Up Hoists VP/VC 6600



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pick Up Hoists VP/VC 6600 - Dump Hoists. The Pick Up Hoists VP/VC 6600 is for 2011 - 2014 Chevrolet Silverado and GMC Sierra pickup models.

View specifications >

Pick Up Hoists VP6F



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pick Up Hoists VP6F - Dump Hoists. The VP6F Dump Hoist is designed for the Ford Superduty F-Series 1999-2015 models.

View specifications >

Material Handling / Product selection

Pick Up Hoists VP6S



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pick Up Hoists VP6S - Dump Hoists. These hoists are custom designed to fit your 1999-2010 Gas model Chevy Silverado/GMC Sierra 8-foot box pickup truck.

View specifications >

Universal Subframe Hoists - 416



LISTED DETAILS

Electric double-acting, 4 qt. reservoir / 4 piston PTO driven, 7/8″ square shaft, 7 qt. reservoir

Electric double-acting, 4 qt. reservoir; 4 piston PTO driven, 7/8″ square shaft, 7 qt. reservoir.

View specifications >

Universal Subframe Hoists - 516



LISTED DETAILS

Electric double-acting, 4 qt. reservoir / 4 piston PTO driven, 7/8″ square shaft, 7 qt. reservoir

Electric double-acting, 4 qt. reservoir; 4 piston PTO driven, 7/8″ square shaft, 7 qt. reservoir.

View specifications >

Universal Subframe Hoists - 520



LISTED DETAILS

Electric double-acting, 4 qt. reservoir / 4 piston PTO driven, 7/8″ square shaft, 15 qt. reservoir

Electric double-acting, 4 qt. reservoir; 4 piston PTO driven, 7/8″ square shaft, 15 qt. reservoir.

View specifications >

Material Handling / Product selection

Universal Subframe Hoists - 620



LISTED DETAILS

Electric double-acting, H.D. motor, 4 qt. reservoir / 8 piston PTO driven, 7/8″ square shaft, 21 qt. reservoir

Electric double-acting, H.D. motor, 4 qt. reservoir; 8 piston PTO driven, 7/8″ square shaft, 21 qt. reservoir.

View specifications >

Econo-Master Mobile Hydraulic Floor Cranes

Catalog ref: 6167



LISTED DETAILS

Has heavy-duty lifting cylinder; built with quality materials and workmanship. / Electric, either battery or 110 volt a.c., and air power are optional.

Overall width of only 34 in. enables crane to pass through doorways and work in aisles; Electric, either battery or 110 volt a.c., and air power are optional.

View specifications >

DT7K Truck-Mounted Electric Crane 2200lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

DT7K Truck-Mounted Electric Crane 2200lbs Lifting Capacity - Electric Cranes. The DT7K Truck-Mounted Electric Crane 2200lbs Lifting Capacity is a 7,000 ft.-lbs.

View specifications >

ET12K Truck-Mounted Electric Crane 3500lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

View specifications >

Material Handling / Product selection

ET12KX Truck-Mounted Electric Crane 3500lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

View specifications >

ET16KX Truck-Mounted Electric Crane 4000lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

View specifications >

ET18KX Truck-Mounted Electric Crane 4500lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

View specifications >

ET25KX Truck-Mounted Electric Crane 5000lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

View specifications >

Material Handling / Product selection

ET30KX Truck-Mounted Electric Crane 5000lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

View specifications >

ET36KX Truck-Mounted Electric Crane 6000lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

View specifications >

ET6K Truck-Mounted Electric Crane 2000lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

ET6K Truck-Mounted Electric Crane 2000lbs Lifting Capacity - Electric Cranes.

View specifications >

ET8K Truck-Mounted Electric Crane 2700lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

View specifications >

Material Handling / Product selection

ET8KX Truck-Mounted Electric Crane 2700lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

View specifications >

CE1500FB Truck-Mounted Electric Mast Crane 1500lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

CE1500FB Truck-Mounted Electric Mast Crane 1500lbs Lifting Capacity - Electric Mast Cranes.

View specifications >

CE6K Truck-Mounted Electric Mast Crane 2000lbs Lifting Capacity



Weight
247 lbs. (3-5 Ft. boom)

Weight: 247 lbs. (3-5 Ft. boom).

View specifications >

CT2003FB Truck-Mounted Electric Mast Crane



Model Number
CT2003FB

CT2003FB truck-mounted electric mast-crane reference. Confirm the load chart, boom length and mounting arrangement for the quoted configuration.

View specifications >

Material Handling / Product selection

CT2004FB Truck-Mounted Electric Mast Crane



Model Number
CT2004FB

CT2004FB truck-mounted electric mast-crane reference. Confirm the load chart, boom length and mounting arrangement for the quoted configuration.

View specifications >

CT2005 Truck-Mounted Electric Mast Crane



Model Number
CT2005

CT2005 truck-mounted electric mast-crane reference. Confirm the load chart, boom length and mounting arrangement for the quoted configuration.

View specifications >

CT310KX Truck-Mounted Electric Mast Crane 1900lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

CT310KX Truck-Mounted Electric Mast Crane 1900lbs Lifting Capacity - Electric Mast Cranes.

View specifications >

Electric Pallet Truck with Scale



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: EPT-2547-30-SCL, EPT-2748-45-SCL, EPT-2748-45-SCL-RP; EPT-2547-30-SCL Overall Size (WxLxH): 28-1/2"x 66 "x 49".

View specifications >

Material Handling / Product selection

Fully Powered Electric Pallet Trucks with Lead Acid Batteries



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: EPT-2047-30, EPT-2547-30, EPT-2547-30-E, EPT-2048-45 and additional configurations; EPT-2047-30 Overall Size (WxLxH): 28-1/4"x64"x48".

View specifications >

Accordion Skirts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Accordion Skirts - Ergonomic Equipment. Accordion Skirts have a functional purpose as well as a safety purpose.

View specifications >

Add-A-Level Work Platforms



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: P-2436-2.625, P-2436-2.625-A, P-2448-2.625, P-2448-2.625-A and additional configurations; P-2436-2.625 Description: Base.

View specifications >

Adjustable Ergonomic Work Benches



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: EAH-3672-PT, EAH-3696-PT, EAH-3672-MT, EAH-3696-MT and additional configurations; EAH-3672-PT Platform Size (WxL): 36”x72”.

View specifications >

Material Handling / Product selection

Adjustable Height Step Stands with Handrails




SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Adjustable Height Step Stands with Handrails - Ergonomic Equipment. The Adjustable Step-Mate Stand can be used as either a comfortable worker platform or a semi-permanent step.

View specifications >

Adjustable Pallet Stands



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PS-4045, PS-4045/CA, PS-4045/CA-CK, PS-4045-CK; PS-4045 Platform (WxL): 40"x42-1/4".

View specifications >

Air Bag Pneumatic Scissor Lift Table



LISTED DETAILS

Direct acting air bags deliver more power than air actuators. / Maintenance-free bearings at pivot points require no lubrication

Listed models: 5ABS20, 5ABS40, 5ABS60, 7ABS20 and additional configurations; 5ABS20 Travel (inches): 5.

View specifications >

Air Corner Tilter



LISTED DETAILS

Base Size 71"W x 52"D / Multi-ply air bag

AIR-THL Description: 44"Wx44"L hand lever operated; AIR-THL Capacity (lbs): 1,500.

View specifications >

Material Handling / Product selection

Air Powered Lift & Tilt Table



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Air bag actuators and lift rollers are easily replaced, minimizing downtime.

Listed models: 24AFT30; 24AFT30 Travel (inches): 24.

View specifications >

Aluminum DC Powered Quick-Lift



LISTED DETAILS

All Lift Components Concealed in Lift Column, No Dangerous Pinch Points / Efficient and Quiet Ball Screw Design Uses Less Power Per Pound to Lift

Listed models: PEL-88-A, PEL-100-A; PEL-88-A Platform: 23-1/2"x18-1/2".

View specifications >

Aluminum Mini Carousels



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CA-5-12, CA-5-14, CA-5-24; CA-5-12 Diameter: 12".

View specifications >

Back Support Cushions



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

BACK-COMBO Overall Size (WxDxH): 19"x8"x22"; BACK-COMBO Wt. (lbs): 2.

View specifications >

Material Handling / Product selection

Battery Transfer Cart for use with Pallet Truck



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

BTC-PJ Overall Size (WxLxH): 33-1/4"x 41-1/8"x 16-1/8"; BTC-PJ Cart Capacity (lbs): 4,000.

View specifications >

Counter-Balanced Pallet Master/Servers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CB-PMPS-6-50-DC, CB-PMPS-6-50-AC, CB-PMPS-10-50-DC, CB-PMPS-10-50-AC and additional configurations; CB-PMPS-6-50-DC Uniform Capacity (lbs): 600.

View specifications >

Counter-Balanced Stackers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: S-CB-62, S-CB-118, S-2CB-62*, S-2CB-118*; S-CB-62 Fork Size (WxL): 6-3/8 to 23-5/8"x30".

View specifications >

DC Powered Quick-Lift - PEL Model Range



LISTED DETAILS

All Lift Components Concealed in Lift Column, No Dangerous Pinch Points / Efficient and Quiet Ball Screw Design Uses Less Power Per Pound to Lift

Listed models: PEL-88, PEL-100, PEL-400-57, PEL-400-72 and additional configurations; PEL-88 Platform: 23.5"x18.5".

View specifications >

Material Handling / Product selection

Deluxe Drywall/Panel Hoist



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DPH-X-11; DPH-X-11 Sheet Size Capacity: 4'x16'.

View specifications >

Deluxe Roller Stands



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

STAND-H Description: 14" Horizontal Roller; STAND-H Service Range: 23" to 38-1/2".

View specifications >

Desk Mover



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

DESK-M Lowered Height: 4-3/4"; DESK-M Raised Height: 10-1/4".

View specifications >

Die Table



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: DIE-2430-36, DIE-2430-48, DIE-2430-60, DIE-2430-36-C and additional configurations; DIE-2430-36 Platform Size (WxL): 24"x30".

View specifications >

Material Handling / Product selection

Double Pantograph High Travel Scissor Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication / Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks.

Compare the listed model details and configuration options on the product page. Request a quote for your application.

View specifications >

Double Scissor Lift Table



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Double Scissor Lift Table - Ergonomic Equipment. Achieve the extra reach you're looking for with our Double Scissor Lift Tables.

View specifications >

Economy Pallet Truck



LISTED DETAILS

Powder Coat Finish / Quality Built

Listed models: PM5-2748-Y, PM5-2748-Y-6PKG; PM5-2748-Y Description: Pallet Truck.

View specifications >

Economy Transporter / Tilter



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: ETT-254; ETT-254 Platform Size: 40" x 42-1/4".

View specifications >

Material Handling / Product selection

Electric Adjustable Height Work Bench



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: EAH-3672-PT, EAH-3696-PT, EAH-3672-MT, EAH-3696-MT and additional configurations; EAH-3672-PT Platform Size (WxL): 36”x72”.

View specifications >

Electric Hydraulic Scissor Lift Table - Series EHLT



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Electric Hydraulic Scissor Lift Table - Series EHLT - Ergonomic Equipment. Full featured electric hydraulic scissor lift tables are used by all types of manufacturing and warehouse facilities.

View specifications >

Electric Order Picker



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: EOP-440, EOP-500; EOP-440 Overall Size: 23"x41-1/2"x48-3/4".

View specifications >

Ergonomic Matting



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CK-35, CK-310, MAT-EZ-23, MAT-EZ-35 and additional configurations; CK-35 Color: Blue.

View specifications >

Material Handling / Product selection

Ergonomic Worker Chairs



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CPRO-200, CPRO-600, CPRO-600S, CPRO-800LP and additional configurations; CPRO-200 Base Size (WxD): 14"x21".

View specifications >

Fork Truck Jacks



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

FORK-J Service: 2-1/4"to16"; FORK-J Capacity: 8,000.

View specifications >

Full Featured Deluxe Pallet Truck



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Full Featured Deluxe Pallet Truck - Ergonomic Equipment. An economical way for one person to move heavy pallet loads without the use of a fork truck!

View specifications >

Gas Powered All Terrain Pallet Truck



LISTED DETAILS

Handle with variable speed forward / reverse control and safety kill switch / Hydrostatic transmission with hand-operated, Forward and Reverse control

Listed models: ALL-T-2-GPT, ALL-T-2-GPT-L, ALL-T-4-GPT, ALL-T-4-GPT-L and additional configurations; ALL-T-2-GPT Overall size (W x L): 79" x 78".

View specifications >

Material Handling / Product selection

Ground Lift Tilter



LISTED DETAILS

Fused 24V, NEMA-4 hand control with two buttons / Electric pinch point guards on lip edge and sides of platform protect personnel.

Listed models: GLT-4000; GLT-4000 Platform Size (WxL): 50"x48".

View specifications >

H135-155FT Pneumatic Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

CANbus communications network reduces wiring complexity, providing superior dependability.

View specifications >

H170-190FT Pneumatic Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Superior ergonomic design allows for easy driver access, excellent visibility and a choice of two choices of hydraulic controls enable your operator to maximize productivity.

View specifications >

H30-35FT H40FTS Pneumatic Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Proven tough, Pacesetter VSM industrial onboard computer manages truck operation to maintain world-class dependability and maximize uptime.

View specifications >

Material Handling / Product selection

H40-70FT Pneumatic Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

CANbus communications, non-mechanical sensors and switches and IP66 sealed automotive style electrical connectors simplify truck wiring and enhance truck dependability;

View specifications >

H50CT Pneumatic Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Lighter weight and more efficient engine means lower fuel costs - in a documented industry standard test cycle the CT used up to 10% less fuel than the leading competitors;

View specifications >

H80-120FT Pneumatic Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Powertrain combinations include GM 4.3L V6 and Kubota 3.8L LPG or turbo diesel engines;

View specifications >

Hand Winch Lift Trucks



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

A-LIFT-R Capacity (lbs): 500; A-LIFT-R Lowered Height: 3½"/23½".

View specifications >

Material Handling / Product selection

Heavy Duty Precision Turret Bearings



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PTB-19, PTB-24, PTB-32, PTB-40 and additional configurations; PTB-19 Diameter: 19".

View specifications >

Heavy-Duty King Pin Carousel



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CA-KP-3636-4, CA-KP-3636-6, CA-KP-4848-4, CA-KP-4848-6 and additional configurations; CA-KP-3636-4 Size (WxL): 36"x36".

View specifications >

Heavy-Duty Power Pack (hydraulic maintenance sets)



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: H-4, H-10; H-4 Case Size (WxLxH): 23"x13"x7".

View specifications >

Hefti-Lift



LISTED DETAILS

Chrome plated handle and supports / Removable solid platform

Listed models: HYD-3, HYD-5, HYD-10, HYD-15 and additional configurations; HYD-3 Platform: 23"x24".

View specifications >

Material Handling / Product selection

High Rise Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: HIPM-2772-DC, HIPM-2748-DC, HIPM-2048-DC, HIPM-2772-AC and additional configurations; HIPM-2772-DC Capacity: 2,500.

View specifications >

High Speed Strapping Machine



LISTED DETAILS

Dispenses 3/8" or 1/2" polypropylene strapping / Automatic strapping operation

Dispenses 3/8" or 1/2" polypropylene strapping; Up to 30 cycles per minute.

View specifications >

High Travel Double Pantograph Scissor Lift



LISTED DETAILS

ASTM - A36 - Structural Steel Standard / AWS D.1 - Welding Standards

Listed models: 54Q15, 54Q35, 54Q50, 62QS15 and additional configurations; 54Q15 Travel (inches): 54.

View specifications >

Hinge Tilt Model: EHTT



Model
EHTT Hinge Tilt

EHTT-L Platform Size (WxL): 48"x48"; EHTT-L Capacity (lbs.): 4,000.

View specifications >

Material Handling / Product selection

Hydraulic Box Dumper



LISTED DETAILS

Voltage - 208-230/460 Volt, 60 cycle, 3 phase. / 24 Volt, fused control circuit to protect operator.

Listed models: HBD-2-36, HBD-2-48, HBD-2-60, HBD-4-36 and additional configurations; HBD-2-36 Dump Height: 36".

View specifications >

Hydraulic Corner Tilters



LISTED DETAILS

Smaller items tend to move to corner / Makes many Packing jobs easier/faster

Listed models: EMC-4242-2, EMC-4242-4, EMC-4848-2, EMC-4848-4; EMC-4242-2 Description: Push Button Control.

View specifications >

Hydraulic Motorcycle Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: MOTO-LIFT-1100; MOTO-LIFT-1100 Overall Size (WxL): 35" x 108".

View specifications >

Hydraulic Post Tables



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Hydraulic Post Tables - Ergonomic Equipment.

View specifications >

Material Handling / Product selection

Hydraulic Stackers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: VWS-770-AA, VWS-770-FF, VHPS-2000-AA, VHPS-2000-AA-17 and additional configurations; VWS-770-AA Fork Length: 30".

View specifications >

Hydraulic Work Positioner - WT-2016-FP



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Hydraulic Work Positioner - WT-2016-FP - Ergonomic Equipment. Ideal for either sitting or standing applications at work assembly areas.

View specifications >

Lift & Tilt Scissor Tables



LISTED DETAILS

Steel Cradle is 12" high, open design allows loading/unloading from three sides. / Brass Velocity fuse in cylinder prevents drop of table in event of hydraulic failure.

Listed models: EHLTT-3648-1-47, EHLTT-4848-1-47, EHLTT-3648-2-47, EHLTT-4848-2-47 and additional configurations; EHLTT-3648-1-47 Platform size: 36"x48".

View specifications >

Lift & Tilt Workstation Tables



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models:

View specifications >

Material Handling / Product selection

Light Duty Ergonomic Stand - WT-2221



LISTED DETAILS

Capacity 150 lbs. / Overall height 30"

Capacity 150 lbs; Overall height 30".

View specifications >

Light Load Lifts



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: LLW-202058-FW*, LLW-242060-4SFL, LLH-202053-FW*, LLH-242056-4SFL and additional configurations; LLW-202058-FW* Platform Size (WxL): 20"x20".

View specifications >

Linear Actuated Adjustable Height Workstation



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Linear Actuated Adjustable Height Workstation - Ergonomic Equipment. Increase productivity by allowing the body to reposition.

View specifications >

Linearizer



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: WP-400-AC, WP-400-DC, WP-400-AIR; WP-400-AC Platform (WxL): 36"x24".

View specifications >

Material Handling / Product selection

Low Profile Pallet Trucks



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PM4-2048-LP*, PM4-2748-LP, PM4-3348-LP, PM4-2048-LP-6PKG* and additional configurations; PM4-2048-LP* Description: Low Profile.

View specifications >

Manual Carousels



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Manual Carousels - Ergonomic Equipment. The Manual Carousels rotate materials with the assistance of an operator.

View specifications >

Manual Tilt Master



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Manual Tilt Master - Ergonomic Equipment. Lift, tilt and transport crates, boxes and pallets with an open bottom.

View specifications >

Manual Trailer Movers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Manual Trailer Movers - Ergonomic Equipment. Perfect for boat utility, cargo, jet ski, or other small trailers.

View specifications >

Material Handling / Product selection

Manual Work Positioners



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: MWP-220, MWP-440; MWP-220 Platform Size (WxL): 23-3/4"x 18-½".

View specifications >

Massage & Heat Cushion



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

CUSH-M Seat Size (WxL): 20"x18"; CUSH-M Back Size (WxH): 20"x29".

View specifications >

Mechanically Actuated Horizontal Ball Screw Lift Table



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication / Ball screw actuator design is simple and easy to inspect and maintain.

Compare the listed model details and configuration options on the product page. Request a quote for your application.

View specifications >

Mobile Tilting Work Tables



Platform Size
24" wide x 24" long

Weight
88 lbs

Platform Size: 24" wide x 24" long; Weight: 88 lbs.

View specifications >

Material Handling / Product selection

Narrow Scissor Lift Tables



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: EHLT-N-1648-1-32, EHLT-N-1648-2-32; EHLT-N-1648-1-32 Platform Size: 16" x 48".

View specifications >

Opti Bench (Mechanical Work Tables)



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: ERG-3048-M, ERG-3060-M, ERG-3660-M, ERG-3672-M and additional configurations; ERG-3048-M Platform (WxL): 30"x48".

View specifications >

Pallet Inverter - PI-51 and PI-61 Models



LISTED DETAILS

Safety rails and guards standard / Control options range from standard pendant controls to fully automated systems.

Listed models: PI-51, PI-51-L, PI-61, PI-61-L; PI-51 Max. Load Size (WxL): 50"x50".

View specifications >

Pallet Server



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PMPS-50M, PMPS-50-AC, PMPS-50-AIR, PMPS-50-DC and additional configurations; PMPS-50M Capacity: 2,500.

View specifications >

Material Handling / Product selection

Pallet Truck with Hand Brake



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PM5-2748-HB, PM5-2748-DMHB; PM5-2748-HB Capacity (lbs): 5,500.

View specifications >

Pallet Trucks for Corrosive & Sanitary Environments



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PM5-2048-SS, PM5-2748-SS, PM5-2748-SFF, PM5-2748-S-Z and additional configurations; PM5-2048-SS Description: 304 Stainless Steel.

View specifications >

Plastic Floor Grid



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

F-GRID Overall Size (WxLxH): 11.8"23.6"x1"; F-GRID Capacity (lbs): 1,100.

View specifications >

Pneumatic Scissor Lift Table



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: AT-10; AT-10 Platform Size (WxL): 19-1/2"x39-1/2".

View specifications >

Material Handling / Product selection

Portable Aluminum Load Lifter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: PALL-200; PALL-200 Platform Size: 17"x14".

View specifications >

Portable Hand Winch Lifter



LISTED DETAILS

Model: HWL-330 / Overall Size (WxH): 22½"x 58-1/2"

Listed models: HWL-330, HWL-260; HWL-330 Overall Size: 22-1/4"x 58-1/2".

View specifications >

Portable Pallet Inverter



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PPI-90, PPI-150; PPI-90 Capacity (lbs): 2,000.

View specifications >

Portable Scissor Table



LISTED DETAILS

Electric pinch point guards / Upward travel limit switch

Heavy duty 12V DC power unit provides maximum torque for faster lift speeds and minimum amp draw; NEMA-4 pendant hand control has 8' coil cord.

View specifications >

Material Handling / Product selection

Portable Uni-Tilt



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: UNI-P-4848-4, UNI-P-5448-4; UNI-P-4848-4 Platform Size (WxL): 48"x48".

View specifications >

Posi-Crank



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: POS-3636, POS-3648, POS-3672, POS-3636-MAT and additional configurations; POS-3636 Platform (WxL): 36"x36".

View specifications >

Power Traction Drive System




SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

PTDS-E Description: Power Traction Drive System, 24V DC; PTDS-E Wt. (lbs): 600.

View specifications >

Powered Carousel



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: POW-CAR-50, POW-CAR-LP; POW-CAR-50 Carousel Diam: 50".

View specifications >

Material Handling / Product selection

Powered Turntables



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PT-100, PT-250, PT-750; PT-100 Diameter: 12".

View specifications >

PR4500 Rider Lift Truck



Capacity
3000 kg

Capacity: 3000 kg; Capacity: 3000 kg.

View specifications >

Quick Lift Pallet Trucks



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: PM5-2048-QL, PM5-2748-QL; PM5-2048-QL Uniform Capacity (lbs): 5,500.

View specifications >

Rotary Air/Hydraulic Scissor Lift Tables



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: AHLT-2448-3-43, AHLT-3060-3-43, AHLT-4048-3-43, AHLT-4848-3-43 and additional configurations; AHLT-2448-3-43 Platform Size (WxL): 24"x48".

View specifications >

Material Handling / Product selection

RT4000 Rider Lift Truck



Capacity
2000 kg

Capacity: 2000 kg; Capacity: 2000 kg.

View specifications >

Semi-Automatic Pallet Probe Strapping Machine



LISTED DETAILS

User Friendly / Tension up to 175lbs.

Listed models: S-2001; S-2001 Overall Dimensions: 35-1/2"Wx23"Lx30"H.

View specifications >

Series 200 (45º Tilt)



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: EM1-200-4250-2, EM1-200-4848-2, EM1-200-6050-2, EM1-200-4250-4 and additional configurations; EM1-200-4250-2 Platform (WxL): 42"x50".

View specifications >

Series 35 Double High Scissor Lift Tables



LISTED DETAILS

Double set of scissors legs provides added load stability and worker safety. / ASTM - A36 - Structural Steel Standard

Listed models: 24S25DH, 24S40DH, 24S60DH, 24S80DH and additional configurations; 24S25DH Travel (inches): 48.

View specifications >

Material Handling / Product selection

Series 35 Extra Wide Scissor Lift Table



LISTED DETAILS

Lubricated-for-life composite bearings on all pivot points / Maintenance free bearings, no greasing required

Factory tested to 110% of capacity; Lubricated-for-life composite bearings on all pivot points.

View specifications >

Series 35 Low Profile Work Station Scissors Lift Table



LISTED DETAILS

Lubricated-for-life composite bearings on all pivot points / Maintenance free bearings, no greasing required

Factory tested to 110% of capacity; Lubricated-for-life composite bearings on all pivot points.

View specifications >

Series 500 (90º Tilt)



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: EM1-500-4250-2, EM1-500-4848-2, EM1-500-6050-2, EM1-500-4250-4 and additional configurations; EM1-500-4250-2 Useable Size (WxL): 42"x50".

View specifications >

Shorty Scissor Lift Tables



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Shorty Scissor Lift Tables - Ergonomic Equipment. Shorty Scissor Lift Shorty Scissor Lift Tables Built with the same quality as all our lift tables, the EHLTS and EHLTSD maximize safety and durability.

View specifications >

Material Handling / Product selection

Single Arm Scissors Lift Table



Lift Travel
36 in
Lowered Height
8 in
Raised Height
44 in

S-36-040 and S-36-060 single-arm scissor-lift table models with 36-inch travel and listed capacities of 4,000 and 6,000 lb respectively. Compare each model separately.

View specifications >

Single Scissor Lift & Tilt Table



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: UNI-2448-2, UNI-3648-2, UNI-4048-2, UNI-4848-2 and additional configurations; UNI-2448-2 Platform size (WxL): 24"x48".

View specifications >

Skid Adaptor for Pallet Trucks



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PM5-20SA, PM5-27SA; PM5-20SA Accommodates Fork Dimensions: 20"W x 48"L.

View specifications >

Sliding Tilt Model: EHTT-L



Model
EHTT-L Sliding Tilt

EHTT-L Platform Size (WxL): 48"x48"; EHTT-L Capacity (lbs.): 4,000.

View specifications >

Material Handling / Product selection

Spring Self-Elevating Table



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: ETS-230, ETS-460, ETS-840-30, ETS-1120-18 and additional configurations; ETS-230 Platform WxL: 20"x20".

View specifications >

Steel Quick-Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: PEL-88, PEL-100, PEL-400-57, PEL-400-72; PEL-88 Platform: 23.5"x18.5".

View specifications >

Super Titan Double Long Heavy Duty Scissor Lifts



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient and highly serviceable hydraulic power unit.

Joints, the most critical wear points in the lift, feature chrome-plated, 100,000 psi, Minimum 3:1 structural factor of safety makes these lifts the most structurally sound lift in the industry.

View specifications >

Super Titan Double Wide Heavy Duty Scissor Lifts



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient and highly serviceable hydraulic power unit.

Joints, the most critical wear points in the lift, feature chrome-plated, 100,000 psi, Minimum 3:1 structural factor of safety makes these lifts the most structurally sound lift in the industry.

View specifications >

Material Handling / Product selection

Super Titan Quad Heavy Duty Scissor Lifts



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient and highly serviceable hydraulic power unit.

Joints, the most critical wear points in the lift, feature chrome-plated, 100,000 psi, Minimum 3:1 structural factor of safety makes these lifts the most structurally sound lift in the industry.

View specifications >

Thin Spin Carousel



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: LP-4000T, LP-4000T-45, LP-4000T-39, LP-4000T-SS and additional configurations; LP-4000T Description: 51" Usable Diameter (59-11/16" Overall Diameter).

View specifications >

Tiller®



Lift Capacity
165 lbs

Overall Height
61"

Overall Width
20-½"

Overall Depth
24-¾"

Listed models: TILL-43; TILL-43 Overall Size (WxDxH): 20-1/2"x24-3/4"x61".

View specifications >

Tilt Trucks



LISTED DETAILS

Strong one-piece molded polyethylene body / Easy-to-clean interior that will not dent or corrode

Listed models: TDT-50-LD-(Color), TDT-100-LD-(Color), TDT-50-MD-(Color), TDT-100-MD-(Color) and additional configurations; TDT-50-LD-(Color) Overall Size (LxWxH): 62"x40"x35".

View specifications >

Material Handling / Product selection

Tork Heavy Duty Scissor Lift Table



LISTED DETAILS

Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / ASTM - A36 - Structural Steel Standard

Compare the listed model details and configuration options on the product page. Request a quote for your application.

View specifications >

TorkLift T2 Heavy Duty Scissor Lift



LISTED DETAILS

Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / ASTM - A36 - Structural Steel Standard

Listed models: T2-036-020, T2-060-020, T2-060-040, T2-072-020 and additional configurations; T2-036-020 Travel (inches): 36.

View specifications >

TorkLift T3 Heavy Duty Scissors Lift



LISTED DETAILS

Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / ASTM - A36 - Structural Steel Standard

Compare the listed model details and configuration options on the product page. Request a quote for your application.

View specifications >

Tote Lifters



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: L-220-HD, L-270-HD, L-270-HD-SS, L-270-DP-HD and additional configurations; L-220-HD Operation: Hand Pump.

View specifications >

Material Handling / Product selection

Tote-A-Load



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: TAL-220-HD, TAL-260-HD, TAL-220-DC, TAL-260-DC and additional configurations; TAL-220-HD Description: Foot Pump.

View specifications >

Turntables with Powered Height Adjustment



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: TT-18-LA, TT-N-24-LA, TT-N-30-LA; TT-18-LA Diameter: 18".

View specifications >

Versatile Quicklifts



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: PEL-33, PEL-S, PEL-DS; PEL-33 Platform: 20-1/2"x17-5/8".

View specifications >

XLR Hydraulic Scissor Lift Table



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Vertically-mounted cylinders are easily accessed for inspection and maintenance.

Listed models: 36XLR5248-20, 36XLR5248-40, 48XLR5264-20, 48XLR5264-40; 36XLR5248-20 Travel (inches): 36.

View specifications >

Material Handling / Product selection

Zero Lift & Tilt Table



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: ZLTT-4452-2-36, ZLTT-4452-4-36, ZLTT-5252-2-36, ZLTT-5252-4-36 and additional configurations; ZLTT-4452-2-36 Platform size: 44"x52".

View specifications >

Flammable Safety Cabinets



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Flammable Safety Cabinets - Flammable Safety Cabinets. All welded double wall 18 gauge inside construction, 14 gauge outside construction with 1½" insulating air space.

View specifications >

Floor-Mounted Jib Crane

Catalog ref: 6168



LISTED DETAILS

Ideal when overhead cranes are not practical

Ideal when overhead cranes are not practical.

View specifications >

Folding Container



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Folding Container - Folding Container. Folding Container requires minimum storage space when not in use.

View specifications >

Material Handling / Product selection

Folding Security Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Folding Security Carts - Folding Container. This portable cart is designed to safely hold your valuable equipment.

View specifications >

Adjustable Height Aluminum Gantry Cranes



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Adjustable Height Aluminum Gantry Cranes - Gantry Cranes & Jibs. The Adjustable Height Aluminum Gantry Crane combines lightweight and rigid, sturdy construction into one unit.

View specifications >

Air Balance Jib Lifter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: DSJ-300, DSL-300, DSC-300, DSJ-300-P and additional configurations; DSJ-300 Stroke: 57-1/2".

View specifications >

Counter Balanced Floor Cranes



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CBFC-500, CBFC-1000, CBFC-2000, CBFC-500-DC and additional configurations; CBFC-500 Max. Uniform: 500lbs.

View specifications >

Material Handling / Product selection

Electric Powered Floor Cranes



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: EPFC-25, EPFC-25-AA, EPFC-CB-15, EPFC-HC; EPFC-25 Capacity: 600.

View specifications >

Extra Travel Tri-Post Jibs



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: TJIB-3, TJIB-6, TJIB-10, TJIB-20; TJIB-3 Under I-Beam To Ground: 76-1/2".

View specifications >

Floor Mounted Jibs



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: JIB-FM-3, JIB-FM-6, JIB-FM-10, JIB-FM-20 and additional configurations; JIB-FM-3 Under I-Beam Floor: 99-1/4".

View specifications >

Hitch Mounted Truck Jib Crane



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

WTJ-HITCH Max. Boom: 84-5/8"; WTJ-HITCH Boom: 47-1/2".

View specifications >

Material Handling / Product selection

Lifter Jibs



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

VAN-J Overall Cable: 10'; VAN-J Capacity: 400.

View specifications >

Mini Overhead Cantilever Jibs



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CJIB-3, CJIB-6, CJIB-10, CJIB-20; CJIB-3 Under: 84".

View specifications >

Multi-Station Transportable Jib Cranes



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: JIB-P-10-6-6, JIB-P-10-6-8, JIB-P-10-6-10, JIB-P-10-8-6 and additional configurations; JIB-P-10-6-6 Overall: 72".

View specifications >

Portable Jib Crane



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: JIB-CB-25-8-10, JIB-CB-25-10-10, JIB-CB-50-8-10, JIB-CB-50-10-10 and additional configurations; JIB-CB-25-8-10 I-Beam: 4".

View specifications >

Material Handling / Product selection

Portable Offset Jib Cranes



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: JIB-CBX-25-8-10, JIB-CBX-25-10-10, JIB-CBX-50-8-10, JIB-CBX-50-10-10 and additional configurations; JIB-CBX-25-8-10 Uniform: 250.

View specifications >

Power Lift Jib Cranes



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Power Lift Jib Cranes - Gantry Cranes & Jibs. The Power Lift Jib Cranes are designed for material handling applications on docks, in warehouses or in truck beds.

View specifications >

Self Supporting Bridge Cranes



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: B1020-(capacity), B1030-(capacity), B1520-(capacity), B1530-(capacity) and additional configurations; B1020-(capacity) Runway: 20.

View specifications >

Steel Gantry Crane



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Steel Gantry Crane - Gantry Cranes & Jibs. Industrial Steel Gantry Cranes are designed for transporting and positioning materials along the beam's length.

View specifications >

Material Handling / Product selection

Tie Rod Jibs (for high ceilings)



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: JIB-HC-3, JIB-HC-6, JIB-HC-10, JIB-HC-20; JIB-HC-3 Overall Length: 86".

View specifications >

Wall Jibs (for low ceilings)



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: JIB-LC-3, JIB-LC-6, JIB-LC-10, JIB-LC-20; JIB-LC-3 Under I-Beam: 57".

View specifications >

Winch Operated Truck Jib Crane



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Winch Operated Truck Jib Crane - Gantry Cranes & Jibs. Installed in your pick-up truck bed, this winch operated jib crane will help lift loads up to 1,000 pounds.

View specifications >

Work Area Portable Gantry Cranes



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: FPG-3, FPG-6, FPG-10, FPG-20; FPG-3 Under I-Beam: 90".

View specifications >

Material Handling / Product selection

Compressed Gas Security Cage

Catalog ref: 40704



Weight
470 lbs
Capacity
16 ea

Weight: 470 lbs; Capacity: 16 ea.

View specifications >

Cylinder Storage Pallet Box

Catalog ref: 40710



Weight
618 lbs

Weight: 618 lbs; Weight: 618 lbs.

View specifications >

Gas Cylinder Caged Cabinet

Catalog ref: 5888



LISTED DETAILS

12 gauge steel construction / Expanded metal see-through sides

12 gauge steel construction; Expanded metal see-through sides.

View specifications >

Propane Cages

Catalog ref: 40715



Weight
135 lbs
Capacity
4 ea

Weight: 135 lbs; Capacity: 4 ea.

View specifications >

Material Handling / Product selection

Propane Island Cage

Catalog ref: 40707



Weight
230 lbs
Capacity
12 ea

Weight: 230 lbs; Capacity: 12 ea.

View specifications >

STS-12 Cylinder Cage

Catalog ref: 40690



Weight
494 lbs
Capacity
12 ea

Weight: 494 lbs; Capacity: 12 ea.

View specifications >

STS-12-FW-2 Cylinder Cage

Catalog ref: 40693



Weight
663 lbs. Cylinder

Weight: 663 lbs. Cylinder.

View specifications >

STS-20 Cylinder Cage

Catalog ref: 40697



Weight
692 lbs
Capacity
20 ea

Weight: 692 lbs; Capacity: 20 ea.

View specifications >

Material Handling / Product selection

STS-20-FW-2 Cylinder Cage

Catalog ref: 40700



Weight
950 lbs

Weight: 950 lbs; Weight: 950 lbs.

View specifications >

STS-9 Cylinder Cage

Catalog ref: 40684



Weight
429 lbs

Capacity
9 ea

Weight: 429 lbs; Capacity: 9 ea.

View specifications >

All Terrain Gas Powered Traction Drive Pallet Truck

Catalog ref: 5938



LISTED DETAILS

Handle with variable speed forward / reverse control and safety kill switch / Hydrostatic transmission with hand-operated, Forward and Reverse control

Listed models: ALL-T-2-GPT, ALL-T-2-GPT-L, ALL-T-4-GPT, ALL-T-4-GPT-L; ALL-T-2-GPT Overall Length: 78".

View specifications >

All Terrain Pallet Truck

Catalog ref: 5930



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: ALL-T-2, ALL-T-2-48, ALL-T-HD; ALL-T-2 Overall Size (WxLxH): 63-3/4"x49"x51".

View specifications >

Material Handling / Product selection

Big Wheel Pallet Truck

Catalog ref: 5929



LISTED DETAILS

77/8" x 2" Poly-on-Steel / Load Rollers are 3" x 3."

BW-PJ Overall Fork Size (WxL): 26-3/4"x51-1/2"; BW-PJ Service Range: 5-1/2" to 15-1/4".

View specifications >

Ergonomic Pallet Truck with Power Assist

Catalog ref: 5933



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Ergonomic Pallet Truck with Power Assist - Hand Pallet Trucks. Anyone who has operated a fully loaded pallet truck knows the most strenuous part is starting the wheels rolling.

View specifications >

Full Featured Ergonomic Pallet Truck

Catalog ref: 5927



LISTED DETAILS

Sloped and rounded fork nose design / User friendly entry and exit rollers

Listed models: PM5-2748, PM5-2048, PM5-2036, PM6-2748 and additional configurations; PM5-2748 Capacity (lbs): 5,500.

View specifications >

Fully Powered Electric Pallet Truck

Catalog ref: 5939



LISTED DETAILS

Units run off 24V batteries with battery charger standard. / The 3,000 pound capacity models use two 12V batteries with 70Ah rating.

Units run off 24V batteries with battery charger standard; The 3,000 pound capacity models use two 12V batteries with 70Ah rating.

View specifications >

Material Handling / Product selection

Low Profile Pallet Truck

Catalog ref: 5928



LISTED DETAILS

These pallet trucks are ideal for skids and low profile pallets.

Listed models: PM4-2048-LP, PM4-2748-LP, PM4-3348-LP, PM2-2044-SLP and additional configurations; PM4-2048-LP Description: Low Profile.

View specifications >

Pallet Truck with Scale

Catalog ref: 5932



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pallet Truck with Scale - Hand Pallet Trucks. The Pallet Truck with Digital Scale allows you to weigh your load on the spot for maximum efficiency.

View specifications >

Roll Pallet Truck

Catalog ref: 5937



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PM4-3348-RL, PM4-4048-RL, PM4-4548-RL; PM4-3348-RL Fork Size (WxL): 33"x48".

View specifications >

Side Winder Pallet Truck

Catalog ref: 5935



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

SW-PJ Capacity (lbs): 3,000; SW-PJ Fork Dim.: 27"Wx48"L.

View specifications >

Material Handling / Product selection

Standard Pallet Truck

Catalog ref: 5936



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Standard Pallet Truck - Hand Pallet Trucks. The Standard Pallet Truck has a proven ergonomic design has been time-tested for providing years of reliable usable.

View specifications >

Wheel Nose Pallet Truck

Catalog ref: 5934



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PM5-2038-WN, PM5-2738-WN; PM5-2038-WN Description: Wheel Nose.

View specifications >

Heavy Duty Manual Turntables



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Heavy Duty Manual Turntables - Heavy Duty Manual Turntables. The Heavy-Duty Manual Turntable maximizes workspace and minimizes wasteful motion.

View specifications >

Heavy Duty Reversible Boom Crane

Catalog ref: 6175



LISTED DETAILS

Manual hydraulic lifting cylinder is standard. / Electric, either battery (battery not included) or 110 volt a.c.

Electric, either battery (battery not included) or 110 volt a.c; Manual hydraulic lifting cylinder is standard.

View specifications >

Material Handling / Product selection

HT25KX Truck-Mounted Cranes 5,000lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

HT25KX Truck-Mounted Cranes 5,000lbs Lifting Capacity - Hydraulic Cranes.

View specifications >

HT30KX Truck-Mounted Crane 5000lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

HT30KX Truck-Mounted Crane 5000lbs Lifting Capacity - Hydraulic Cranes.

View specifications >

HT40KX Truck-Mounted Crane 6000lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

HT40KX Truck-Mounted Crane 6000lbs Lifting Capacity - Hydraulic Cranes.

View specifications >

HT40KX-25 Truck-Mounted Crane 6000lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

HT40KX-25 Truck-Mounted Crane 6000lbs Lifting Capacity - Hydraulic Cranes.

View specifications >

Material Handling / Product selection

HT50KX Truck-Mounted Crane 8000lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

HT50KX Truck-Mounted Crane 8000lbs Lifting Capacity - Hydraulic Cranes.

View specifications >

HT50KX-25 Truck-Mounted Crane 8000lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

HT50KX-25 Truck-Mounted Crane 8000lbs Lifting Capacity - Hydraulic Cranes.

View specifications >

HT66KX Truck-Mounted Crane 11000lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

HT66KX Truck-Mounted Crane 11000lbs Lifting Capacity - Hydraulic Cranes. HT66KX Truck-Mounted Crane 11000lbs Lifting Capacity is one of the largest telescopic crane.

View specifications >

2006 Kenworth T300 HT50KX Service Crane & Body



LISTED DETAILS

Vanair I300 All In One Compressor, / Generator, Welder, Hydraulic Pump,

Vanair I300 All In One Compressor,; Caterpillar C7 Turbo Diesel Engine With 250HP,.

View specifications >

Material Handling / Product selection

2015 F-750 Service Truck HT66KX



LISTED DETAILS

11,000 lbs. lifting capacity from planetary winch / 66,000 ft.-lbs. crane moment rating

11,000 lbs. lifting capacity from planetary winch; 66,000 ft.-lbs. crane moment rating.

View specifications >

2016 F-350 Truck Mounted Electric Crane ET8KX



LISTED DETAILS

2016 Ford F350 Super cab 4×4 XL trim / 6.2L v8 Gas Automatic / White / Power windows/locks/mirrors

2016 Ford F350 Super cab 4×4 XL trim / 6.2L v8 Gas Automatic; Reading CM-3 98FALS Utility bed w/ headache rack/work lights/Hose reel/wired for a compressor/additional leaf springs.

View specifications >

Crane Body Accessories



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Crane Body Accessories - Industrial Cranes. : We offer a variety of accessories for our crane bodies.

View specifications >

Crane Mounting Pedestals



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Crane Mounting Pedestals - Industrial Cranes.

View specifications >

Material Handling / Product selection

Drawer Units



LISTED DETAILS

Drawer Sub-Divider System (For 3″ & 5″ Drawers) / Riser Channels

Drawer Sub-Divider System (For 3″ & 5″ Drawers); Riser Channels.

View specifications >

Fast Assemble Tower Crane



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Tower-crane quotation reference for site-specific lifting plans. Specify the required load at radius, operating height and available installation space.

View specifications >

Fast Assemble Tower Crane IMLTC20



LISTED DETAILS

Overall haulage with only a 5 ton vehicle for whole machine transportation. / Haulage size can smoothly pass all standard bridge and culvert.

Overall haulage with only a 5 ton vehicle for whole machine transportation; Overall haulage bridge can be easily altered into a transport tow (10t).

View specifications >

Husky-Master Mobile Hydraulic Floor Cranes

Catalog ref: 6161



LISTED DETAILS

Ruggedly-constructed; will give dependable, long-lasting use. / Standard hand-pump hydraulic lift cylinder

Electric (either battery or 110 volt AC) and air power cylinder lift are available; Ruggedly-constructed; will give dependable, long-lasting use.

View specifications >

Material Handling / Product selection

Jib-Master Forklift Cranes

Catalog ref: 6172



LISTED DETAILS

Can be permanently or temporarily mounted with a pedestal on truck bed.

Listed models: JB-1, JB-2, JB-4, JB-PB6 and additional configurations; JB-1 Description: 3,000 lbs. cap. 144" reach, telescopic boom action, no boom lift.

View specifications >

Port-O-Giant Hydraulic Floor Crane

Catalog ref: 6165



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

80 in. width provides maximum stability; 60 in. intermediate width; 34 in. minimum width enables crane to pass through doorways or move material down narrow aisles.

View specifications >

Reversible Boom Crane

Catalog ref: 6159



LISTED DETAILS

Manual hydraulic lifting cylinder is standard. / Electric, either battery (battery not included) or 110 volt a.c.

Electric, either battery (battery not included) or 110 volt a.c; Manual hydraulic lifting cylinder is standard.

View specifications >

Service Cranes Radio Remotes



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Service Cranes Radio Remotes - Industrial Cranes.

View specifications >

Material Handling / Product selection

Super-Master Mobile Hydraulic Floor Cranes

Catalog ref: 6160



LISTED DETAILS

(standard controls are mast-mounted hand valves)

The heavy-duty hydraulic lifting cylinder on a standard Super-Master is hand-pump operated. Optional battery or 110 volt AC power is available;

View specifications >

Tele-Mast Straddle Crane

Catalog ref: 6171



LISTED DETAILS

Handling shipping containers / Loading and unloading trucks

Handling shipping containers; Loading and unloading trucks.

View specifications >

Telescopic Mast Jib Crane

Catalog ref: 6169



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Unit can rotate under obstructions or reach into a cavity to pick up the load, then rotate and raise to a higher level over the obstruction below.

View specifications >

Truck-Mounted Crane Boom Rests



Part References

20381-1 / 20381-2

Listed Adjustment Range

18-26 in

Adjustable truck-mounted crane boom-rest references 20381-1 and 20381-2, listed with an 18-26-inch adjustment range. Confirm the crane and vehicle-body configuration.

View specifications >

Material Handling / Product selection

Truck-Mounted Foldable Hydraulic Crane

Catalog ref: 6164



LISTED DETAILS

Can be powered either by battery or plug-in 110 volt AC

Can be powered either by battery or plug-in 110 volt AC; Boom lowers to vertical position enabling crane to be carried by two people; has built-in carrying handles.

View specifications >

Truck-Mounted Knuckle Krane

Catalog ref: 6162



LISTED DETAILS

2,000, 4,000, & 6,000 lbs. capacities. / Lift height up to 18 feet

2,000, 4,000, & 6,000 lbs. capacities; Lift height up to 18 feet.

View specifications >

Truck-Mounted Pick-Up Cranes

Catalog ref: 6163



LISTED DETAILS

Same crane can be easily used in various locations.

Crane includes boom, manual winch, and mast insert assembly. Ideal for mounting on pick-up truck or as a portable shop crane; Same crane can be easily used in various locations.

View specifications >

Universal-Lift

Catalog ref: 6174



LISTED DETAILS

Hydraulic system is equipped with a pressure relief valve to prevent overloading / Remote control available so operator can control safely from various locations

Hydraulic system is equipped with a pressure relief valve to prevent overloading; Remote control available so operator can control safely from various locations.

View specifications >

Material Handling / Product selection

V-Master Mobile Hydraulic Floor Cranes

Catalog ref: 6166



LISTED DETAILS

Wide-Legged Wheelbase / 54 in. wide ideal when wide loads must be straddled; also good for added stability.

54 in. wide ideal when wide loads must be straddled; also good for added stability; 32 in. wide design for travel in narrow aisles, passageways and through standard doorways.

View specifications >

VC500FB Van Service Crane 500lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

VC500FB Van Service Crane 500lbs Lifting Capacity - Industrial Cranes. The VC500FB van crane includes a 2 ft, 6 in boom length with a maximum capacity of 500 lbs.

View specifications >

Aluminum Storage Cases



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Aluminum Storage Cases - Industrial Storage Solutions. These nestable Aluminum Storage Cases keeps the contents clean and dry.

View specifications >

Aluminum Tool Case



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CASE-1814, CASE-1814-FM; CASE-1814 Description: Aluminum tool case.

View specifications >

Material Handling / Product selection

Bicycle Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Bicycle Racks - Industrial Storage Solutions. Our Bike Racks make it easy to store bikes where space is at a premium.

View specifications >

Bin Storage Cabinets



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Bin Storage Cabinets - Industrial Storage Solutions. The Bin Storage Cabinets are designed for high density storage and organization of parts.

View specifications >

Carton Flow Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: FLOW-3-3, FLOW-3-4, FLOW-3-5, FLOW-4-3 and additional configurations; FLOW-3-3 Width of: 96".

View specifications >

Coil Racks

Catalog ref: 41027



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Coil Racks - Industrial Storage Solutions. Description: IML Coil Racks ensure easy and economical storage & handling of strip coil and wire, no matter what the size.

View specifications >

Material Handling / Product selection

Collapsible Bulk Storage Containers




SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Collapsible Bulk Storage Containers - Industrial Storage Solutions. These rugged containers will fold flat for storage when not needed.

View specifications >

Crown Pallet Rack Decking



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: SWMD-4246, SWMD-4252, SWMD-4258; SWMD-4246 Decking Depth: 42".

View specifications >

Cylinder Storage Cabinet

Catalog ref: 6094



LISTED DETAILS

HCC models provide horizontal storage for 4 to 16 tanks weighing up to 46 lbs. each. / Painted Safety Yellow with NO SMOKING warnings, per regulations.

Listed models: HCC04, HCC08, HCC12, HCC16 and additional configurations; HCC04 W: 30.

View specifications >

Cylinder Storage Cabinets



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Cylinder Storage Cabinets - Industrial Storage Solutions. Steel cabinets for storage of cylinders.

View specifications >

Material Handling / Product selection

Deluxe Smoking Shelters



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: SSH-7939-80; SSH-7939-80 Usable Size (W x D x H): 69-3/4”x37-1/2”x77-9/16”.

View specifications >

Die Shelves for Pallet Rack Beams

Catalog ref: 41030



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Die Shelves for Pallet Rack Beams - Industrial Storage Solutions. Description: IML Die Shelves feature solid sheet steel decks that increase the strength and utility of your existing pallet rack locations.

View specifications >

Double-Sided Horizontal Bar Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: DSHZ-4; DSHZ-4 Overall Width: 30".

View specifications >

Dunnage Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: DRP-V-3624, DRP-V-3636, DRP-V-4824, DRP-V-6624 and additional configurations; DRP-V-3624 Description: Vented Top.

View specifications >

Material Handling / Product selection

Economic Material Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Economic Material Racks - Industrial Storage Solutions. Wall mounted unit with dual 60" high supports.

View specifications >

Expandable Vertical Bar Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Expandable Vertical Bar Rack - Industrial Storage Solutions. Designed to be placed up against a wall.

View specifications >

Fiberglass Storage Cases



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Fiberglass Storage Cases - Industrial Storage Solutions. These lockable Fiberglass Storage Cases are constructed of heavy-duty white fiberglass with an off-white interior finish.

View specifications >

Foldable/Nestable Roller Containers



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: ROL-1834-3, ROL-3143-2, ROL-3143-1, ROL-55 and additional configurations; ROL-1834-3 # Of Shelves: 3.

View specifications >

Material Handling / Product selection

Fork Extension Storage Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Fork Extension Storage Rack - Industrial Storage Solutions. Install or remove fork extensions without lifting, pushing or getting off the fork truck.

View specifications >

Galvanized Storage Cabinets



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Galvanized Storage Cabinets - Industrial Storage Solutions. Galvanized Storage Cabinets are manufactured from high-quality galvanized steel.

View specifications >

Heavy-Duty Cantilever Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Heavy-Duty Cantilever Racks - Industrial Storage Solutions. Heavy-Duty Cantilever Racks are completely adjustable cantilever rack eliminates storage problems.

View specifications >

Horizontal Sheet Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Horizontal Sheet Rack - Industrial Storage Solutions. Designed for storage of sheet goods and similar materials.

View specifications >

Material Handling / Product selection

Internestable Portable Stackable Rack Systems



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Internestable Portable Stackable Rack Systems - Industrial Storage Solutions. Unique transport and storage racks will stack and nest for maximum versatility.

View specifications >

Internestable Stackable Racks




SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Internestable Stackable Racks - Industrial Storage Solutions. Space saving storage is what this rack is all about.

View specifications >

Long Bar Pigeon Hole Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Long Bar Pigeon Hole Rack - Industrial Storage Solutions. Ideal for mixed storage of long items.

View specifications >

Medium-Duty Cantilever Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Medium-Duty Cantilever Racks - Industrial Storage Solutions. Cantilever Rack Systems offer flexibility to custom-fit individual applications.

View specifications >

Material Handling / Product selection

Modular Storage Buildings



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: STOR-96-G-W-1RH, STOR-912-G-W-1RH; STOR-96-G-W-1RH Description: Single Depth.

View specifications >

Molded Bulk Containers - MHBC Series



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Molded Bulk Containers - MHBC Series - Industrial Storage Solutions. Bulk Containers Bulk Containers This rugged container maximizes shipping, handling and storage efficiencies.

View specifications >

Multi-Duty Sheds



LISTED DETAILS

Steel construction for maximum protection and strength / Each shed is 9ft wide x 6ft deep x 88" high overall

Listed models: MDS-96-DR, MDS-96-SM, MDS-96-BK, AS-125 and additional configurations; MDS-96-DR Description: Shelter with doors.

View specifications >

Multi-Duty Storage Buildings



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Multi-Duty Storage Buildings - Industrial Storage Solutions. Constructed of heavy duty steel these Multi-Duty Storage Buildings stand up in multiple weather conditions; rain, sleet and snow.

View specifications >

Material Handling / Product selection

Multi-Height Container



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Multi-Height Container - Industrial Storage Solutions. Increase flexibility and accessibility with Multi-Height Container.

View specifications >

Nylon Pallet Rack Netting



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Nylon Pallet Rack Netting - Industrial Storage Solutions. Minimize the potential of racked products falling off the back of pallet racks.

View specifications >

Open Area Rack Decking



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PCH-96, PCH-108, PCH-120; PCH-96 Beam Length: 96".

View specifications >

Pallet Rack and Flow Rack Label Holders



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: RPI-1-5, RPE-1-5, RPI-1-25, RPE-1-25 and additional configurations; RPI-1-5 Specs: 1"x100' roll.

View specifications >

Material Handling / Product selection

Pallet Rack Back Guards



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Pallet Rack Back Guards - Industrial Storage Solutions. Contain and minimize the potential hazard of falling items with Pallet Rack Back Guards.

View specifications >

Pallet Rack Bay Dividers

Catalog ref: 6096



LISTED DETAILS

Available for 36-, 42-, and 48-inch deep pallet racks. / Fastens to back beams on 54" centers.

Listed models: B054-36, B054-42, B054-48; B054-36 Dimensions: 36x54BD.

View specifications >

Pallet Rack Lifting Dolly



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Pallet Rack Lifting Dolly - Industrial Storage Solutions. Designed for moving empty fully-assembled pallet racking.

View specifications >

Pallet Rack Sump



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Pallet Rack Sump - Industrial Storage Solutions. Polyethylene Pallet Rack containment sump keeps dangerous and costly spills off floors, equipment and inventory.

View specifications >

Material Handling / Product selection

Pallet Rack Wire Decking



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Pallet Rack Wire Decking - Industrial Storage Solutions. Provide maximum support at minimum cost.

View specifications >

Pallet Racking



LISTED DETAILS

Scratch and Rust Resistance / Surface Features Powder Coat Finish

Listed models: PRTD-10-42-19, PRTD-10-42-24, PRTD-12-42-19, PRTD-12-42-24 and additional configurations; PRTD-10-42-19 Frame Height: 120".

View specifications >

Pallet Racking Trash Bags



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PRTD-TB-BK, PRTD-TB-BK-5PK; PRTD-TB-BK Bag Size At Top (WxH): 37"x40".

View specifications >

Pallet Support Bar



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PSB-42, SSB-42; PSB-42 Width: 3".

View specifications >

Material Handling / Product selection

Plastic Bulk Shelving & Storage



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Plastic Bulk Shelving & Storage - Industrial Storage Solutions. Largest all-purpose industrial-grade plastic shelving system in the industry.

View specifications >

Portable Parts Bin



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PBIN-19; PBIN-19 Diameter: 19-1/2".

View specifications >

Portable Stackable Vertical Sheet Rack



SELECTION CHECKS


Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Portable Stackable Vertical Sheet Rack - Industrial Storage Solutions.

View specifications >

Portable Stacking Racks

Catalog ref: 6098



LISTED DETAILS

Standard target is 4" square tube and mounted on removable stacking posts. / Standard plug is base mounted.

Welded tubular and structural steel construction provides superior load-carrying strength, up to 2,000 lbs. (standard duty) or 4,000 lbs. (heavy-duty);

View specifications >

Material Handling / Product selection

Portable Storage U-Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Portable Storage U-Rack - Industrial Storage Solutions. These Storage Racks can be stacked up to four units high.

View specifications >

PVC Plywood Storage Cases



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

PVC Plywood Storage Cases - Industrial Storage Solutions. These dark blue Storage Cases are constructed from PVC laminated plywood for strength and durability, with aluminum edging.

View specifications >

Rugged Aluminum Storage Container



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Rugged Aluminum Storage Container - Industrial Storage Solutions. Rugged aluminum storage containers are constructed out of 100% aluminum.

View specifications >

Security Cabinets



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: VLPSC-4030-6, VLPSC-4030-8, VLPSC-8030-6, VLPSC-8030-8 and additional configurations; VLPSC-4030-6 Description: Hinge Single Door.

View specifications >

Material Handling / Product selection

Shop Desks




SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

SHOP-DO Overall Size (WxDxH): 36-7/8"x 29-15/16"x 54-3/4"; SHOP-DO Wt. (lbs): 120.

View specifications >

Single Dual Sided Bar Stock Trees



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: BAR-R-84-S, BAR-R-84-D, BAR-A-84-S, BAR-A-84-D; BAR-R-84-S Style: Single Sided.

View specifications >

Smoking Shelter/ Bus Stop



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Smoking Shelter/ Bus Stop - Industrial Storage Solutions. Shelters feature rugged welded steel construction for strength and durability.

View specifications >

Stackable Steel Bulk Containers

Catalog ref: 41009



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Stackable Steel Bulk Containers - Industrial Storage Solutions. Bulk Containers Bulk Containers Description: No more looking up at racks and trying to guess what's inside.

View specifications >

Material Handling / Product selection

Stainless Steel Shelving



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Stainless Steel Shelving - Industrial Storage Solutions. Provide easy access to stored items from all sides.

View specifications >

Stainless Steel Solid Rivet Shelving



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: LWSS-1836, LWSS-1848, LWSS-2436, LWSS-2448; LWSS-1836 Shelf Size: 18" x 36".

View specifications >

Standard Sheet Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Standard Sheet Rack - Industrial Storage Solutions. Designed for the vertical storage of sheet goods.

View specifications >

Steel Bulk Containers

Catalog ref: 6099



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Steel Bulk Containers - Industrial Storage Solutions.

View specifications >

Material Handling / Product selection

Steel Storage Sheds



LISTED DETAILS

Utility steel storage shed for holding all kinds of things / Hinged door provides access to shed

Listed models: SHED-5932, SHED-5932-F, SHED-118; SHED-5932 Overall Size (WxDxH): 59"x32"x75".

View specifications >

Storage Cases



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Storage Cases - Industrial Storage Solutions. These Storage Cases are ideal for a variety of applications.

View specifications >

Storage Lockers



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Storage Lockers - Industrial Storage Solutions.

View specifications >

Structural Cantilever Racking



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Structural Cantilever Racking - Industrial Storage Solutions. Cantilever Rack Systems offer flexibility to custom-fit individual applications.

View specifications >

Material Handling / Product selection

Variable Height Sheet Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Variable Height Sheet Rack - Industrial Storage Solutions. Store various sizes of sheet goods in the vertical position for easy viewing of stock.

View specifications >

Versa Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: V-1, V-2, V-3, V-4 and additional configurations; V-1 Description: Base W/Non-removable Posts.

View specifications >

Vertical Bar Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Vertical Bar Rack - Industrial Storage Solutions. Designed for storage of long parts close to the worksite.

View specifications >

Vertical Storage Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Vertical Storage Rack - Industrial Storage Solutions. Designed for vertical storage of tubing, pipe, and other types of similar materials.

View specifications >

Material Handling / Product selection

Visibility Storage Lockers



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Visibility Storage Lockers - Industrial Storage Solutions. Visibility lockers provide secure and visible storage for equipment, tools, and other valuable items.

View specifications >

Toyota Forklift 3000 lbs Capacity 8FGCU15

Catalog ref: 4352



LISTED DETAILS

Dash mounted instrument display / 11.8" diameter two-spoke steering wheel

11.8" diameter two-spoke steering wheel; 12" long dual operator assist grips.

View specifications >

Toyota Forklift 3500 lbs Capacity 8FGCU18

Catalog ref: 4364



LISTED DETAILS

Dash mounted instrument display / 11.8" diameter two-spoke steering wheel

11.8" diameter two-spoke steering wheel; 12" long dual operator assist grips.

View specifications >

Toyota Lift Truck 10000 lbs Capacity 8FGC45U

Catalog ref: 4181



LISTED DETAILS

11.8 diameter two spoke steering wheel provides greater legroom for operator / Diesel engine based cylinder block provides thicker walls to increase durability

11.8 diameter two spoke steering wheel provides greater legroom for operator; 12-inch long dual operator assist grips have been designed to meet the needs of varying operator sizes.

View specifications >

Material Handling / Product selection

Toyota Lift Truck 12000 lbs Capacity 8FGC55U

Catalog ref: 4187



LISTED DETAILS

11.8 diameter two spoke steering wheel provides greater legroom for operator / Diesel engine based cylinder block provides thicker walls to increase durability

11.8 diameter two spoke steering wheel provides greater legroom for operator; 12-inch long dual operator assist grips have been designed to meet the needs of varying operator sizes.

View specifications >

Toyota Lift Truck 13500 lbs Capacity 8FGC60U

Catalog ref: 4190



LISTED DETAILS

11.8 diameter two spoke steering wheel provides greater legroom for operator / Diesel engine based cylinder block provides thicker walls to increase durability

11.8 diameter two spoke steering wheel provides greater legroom for operator; 12-inch long dual operator assist grips have been designed to meet the needs of varying operator sizes.

View specifications >

Toyota Lift Truck 15500 lbs Capacity 8FGC70U

Catalog ref: 4195



LISTED DETAILS

11.8 diameter two spoke steering wheel provides greater legroom for operator / Diesel engine based cylinder block provides thicker walls to increase durability

11.8 diameter two spoke steering wheel provides greater legroom for operator; 12-inch long dual operator assist grips have been designed to meet the needs of varying operator sizes.

View specifications >

Toyota Lift Truck 8000 lbs Capacity 8FGC35U

Catalog ref: 4176



LISTED DETAILS

11.8 diameter two spoke steering wheel provides greater legroom for operator / Diesel engine based cylinder block provides thicker walls to increase durability

11.8 diameter two spoke steering wheel provides greater legroom for operator; 12-inch long dual operator assist grips have been designed to meet the needs of varying operator sizes.

View specifications >

Material Handling / Product selection

Manual Stackers

Catalog ref: 5987



LISTED DETAILS

Capacities up to 2,000 lbs. / Lifting Heights from 50" - 78"

Capacities up to 2,000 lbs; Lifting Heights from 50" - 78".

View specifications >

Super Titan Heavy Duty Scissor Lift Tables



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient and highly serviceable hydraulic power unit.

Listed models: 12K18, 12L23, 12M27, 12K28 and additional configurations; 12K18 Travel (inches): 12.

View specifications >

Titan Heavy Duty Scissor Lift Tables



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient and highly serviceable hydraulic power unit.

Listed models: 13A3E15, 13A2D25, 13B3E30EXW, 13B3E35 and additional configurations; 13A3E15 Travel (inches): 13.

View specifications >

Compact Scissor Lift Table - Captured-Roller Design



LISTED DETAILS

Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / ASTM - A36 - Structural Steel Standard

Compare the listed model details and configuration options on the product page. Request a quote for your application.

View specifications >

Material Handling / Product selection

Corrosive & Sanitary Environment Pallet Truck

Catalog ref: 5931



LISTED DETAILS

Corrosive Material Handling / Adjustable Solid Push Rods

Listed models: PM5-2048-SS, PM5-2748-SS, PM5-2748-SFF, PM5-2748-S-Z and additional configurations; PM5-2048-SS Description: 304 Stainless Steel.

View specifications >

Ergonomic Power Assist Pallet Truck



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PM5-2748-PA-Y, PM5-2748-ER-Y; PM5-2748-PA-Y Capacity (lbs): 5,000.

View specifications >

Material Handler-Track Guided 3-Axis



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Material Handler-Track Guided 3-Axis - Material Handling Equipment. Description: For dedicated stock picking applications we have designed and manufactured a 3-Axis material picking system.

View specifications >

Material Handling / Material Picking Lifts



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Material Handling / Material Picking Lifts - Material Handling Equipment.

View specifications >

Material Handling / Product selection

Pallet Inverter - PI-E Models

Catalog ref: 6154



LISTED DETAILS

Also used to invert stacks of sheets, paper boards and rolls rather than one by one.

Listed models: PI-23636E, PI-24242E, PI-24848E, PI-44848E and additional configurations; PI-23636E Capacity lb.: 2,000.

View specifications >

Pallet Stackers

Catalog ref: 5985



LISTED DETAILS

1,500 and 2,700 pound capacities / 24" load centers

Listed models: PS262, PS274, PS286, PS2762 and additional configurations; PS262 Load Capacity: 2000 lbs.

View specifications >

PowerStak Stacker

Catalog ref: 5980



LISTED DETAILS

Loading Docks / Light Assembly Work Cells

Loading Docks; Light Assembly Work Cells.

View specifications >

Straddle Stackers

Catalog ref: 5984



LISTED DETAILS

20" load centers / Solid steel, adjustable width forks

20" load centers; 5" per second lifting speed.

View specifications >

Material Handling / Product selection

Trucks Dollies Carts

Catalog ref: 6100



LISTED DETAILS

1,000, 2,500, and 3,200 lbs. capacities. / 14 gauge deck and shelving standard.

1,000, 2,500, and 3,200 lbs. capacities; 14 gauge deck and shelving standard.

View specifications >

Upender Inverter

Catalog ref: 6155



LISTED DETAILS

Driven by a powered gearbox for reduced speed / Comes standard with a 3HP 220/440V 3-phase power system (upgrades available).

Listed models: UI-24848E, UI-24872E, UI-25496E, UI-44848E and additional configurations; UI-24848E Capacity (lbs.): 2,000.

View specifications >

V10 HYDRAULIC TOE JACK

Catalog ref: 10182



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

V10 HYDRAULIC TOE JACK - Material Handling Equipment.

View specifications >

V15 HYDRAULIC TOE JACK

Catalog ref: 10183



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

V15 HYDRAULIC TOE JACK - Material Handling Equipment. PRODUCT DESCRIPTION: Factories and workshops with heavy lifting needs require extremely sturdy, heavy-duty floor jacks.

View specifications >

Material Handling / Product selection

V20 HYDRAULIC TOE JACK

Catalog ref: 10184



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

V20 HYDRAULIC TOE JACK - Material Handling Equipment.

View specifications >

V5 HYDRAULIC TOE JACK

Catalog ref: 10181



LISTED DETAILS

The original adjustable toe jack / Simplified Design-less parts means less problems

The original adjustable toe jack; Simplified Design-less parts means less problems.

View specifications >

Vertical Reciprocating Conveyor



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Vertical Reciprocating Conveyor - Material Handling Equipment. Description: The Vertical Reciprocating Conveyor provides a means of transporting material to a second floor storage location.

View specifications >

Warehouse Material Handling Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Heavy-Duty Construction: Built with robust materials to handle heavy loads, ensuring long-term durability and consistent operation;

View specifications >

Material Handling / Product selection

Wide Base Standard Duty Scissor Lift Table

Catalog ref: 5989



liftTableColor
Red
liftTableVerticalTravelOptions
24", 36", 48", 60"
liftTableMaterial
Steel

liftTableVerticalTravelOptions: 24", 36", 48", 60"; Wide Base Design: Offers a full 12 inches of extra width at the base, making it extremely stable even with oversized platforms.

View specifications >

Castor Oil Cake Extraction Machine



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Castor Oil Cake Extraction Machine - Oil Extraction.

View specifications >

Coconut Oil Cake Extraction Machine



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Coconut Oil Cake Extraction Machine - Oil Extraction. Oil extraction plant designed by Our Company mainly contains Rotocel extractor, Loop type extractor and Twoline extractor.

View specifications >

DTDC Steamed Off-line



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DTDC Steamed Off-line - Oil Extraction. Passivation and broken the urease, trypsin and other anti nutrition ingredients,etc.

View specifications >

Material Handling / Product selection

Fodder Expander



LISTED DETAILS

Main bearing box structure adopts special technical design, with SKF bearing inside. / Electric cabinet equipped.

The pellet size is about Φ0.6-16MM; Suitable for extruding of submersible/float aquatic feed, pet feed, ornamental fish feed and so on. The pellet size is about Φ0.6-16MM.

View specifications >

Miscella Distillation



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

The purpose of distillation is to thermally separate the miscella into a liquid oil fraction and solvent vapour fraction.

View specifications >

Miscella Vacuum Evaporation



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Miscella Vacuum Evaporation - Oil Extraction. The liquid from the extractor is the miscella containing grease and oil, which can be separated out according their different vaporization temperatures.

View specifications >

Paraffin Oil Recovery Machinery - Efficient Industrial Oil Purification System



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Paraffin Oil Recovery Machinery - Efficient Industrial Oil Purification System - Oil Extraction.

View specifications >

Material Handling / Product selection

Peanut Oil Cake Extraction Machine



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Peanut Oil Cake Extraction Machine - Oil Extraction.

View specifications >

Plate Dryer



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

After extrusion, usually the oilseeds contain massive moisture. So there must be certain method for drying, so as to make it reach the optimal moisture content before goes to solvent extraction process.

View specifications >

Rapeseed Oil Cake Extraction



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Rapeseed Oil Cake Extraction - Oil Extraction.

View specifications >

RotoCel Extraction System - High-Efficiency Continuous Oil Extraction



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

RotoCel Extraction System - High-Efficiency Continuous Oil Extraction - Oil Extraction.

View specifications >

Material Handling / Product selection

Solvent Condensation & Recovery



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Solvent Condensation & Recovery - Oil Extraction.

View specifications >

Wet Extruder HP162



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Wet Extruder HP162 - Oil Extraction.

View specifications >

Wet Meal Desolventizing



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Wet Meal Desolventizing - Oil Extraction. Our company adopts the new high efficiency DTDC series desolventizer toaster.

View specifications >

Plastic Work Bench



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: WBT-S-3624, WBT-S-4824, WBT-S-6624, WBT-S-9624 and additional configurations; WBT-S-3624 Description: Solid Top/Solid Lower.

View specifications >

Material Handling / Product selection

Powder Coated Boltless Shelving



LISTED DETAILS

Each model includes five adjustable shelves / Capacity is 600 lbs. / shelf on 18” wide models & 450 lbs. / shelf on 24” wide models

Listed models: PCBS-1836, PCBS-1848, PCBS-2436, PCBS2448; PCBS-1836 Shelf Size (WxL): 18"x36".

View specifications >

Self Propelled Zero-Low Scissors Lift Table

Catalog ref: 6158



LISTED DETAILS

Load at ground level and transport effortlessly to anywhere in your plant.

Listed models: OZLC-5048SPB, OZLC-3466SPB, OZLC-5072SPB, OZLD-5048SPB and additional configurations; OZLC-5048SPB Capacity (lbs): 1000.

View specifications >

Warehouse Dollies, Trucks and Carts

Catalog ref: 41016



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Warehouse Dollies, Trucks and Carts - Stackers.

View specifications >

Series 35 Manual Turntable



LISTED DETAILS

1/2-inch-thick steel platform minimizes deck deflection and maximizes load stability. / Maintenance-free bearings at pivot points require no lubrication.

Listed models: SR4-3636-025, SR4-4242-025, SR4-4248-025, SR4-4848-025 and additional configurations; SR4-3636-025 Capacity (lbs#): 2500.

View specifications >

Aviation & Ground Support

Aviation & Ground Support

Aircraft maintenance access, towbars and ground support.

BEFORE YOU COMPARE

Identify the exact aircraft and service point. Confirm attachment interfaces, approach clearances and the applicable aircraft and equipment operating procedures.



Cessna 100 Universal Towbar TH-5

Equipment shown is a catalog example. Open the product page to confirm its exact configuration.

Aviation & Ground Support / Product selection

Universal Helicopter Maintenance Platform Model#: ME-201 Light/Medium Helicopter Types

PHOTO PENDING

Exact model image not available

LISTED DETAILS

Bell 206 A/B/L / Bell 204 / 205

Bell 206 A/B/L; Bell 204 / 205.

View specifications >

300 Series Helicopter Work Stand

Catalog ref: 5965



Series
300

Overall Height
112 in

Overall Width
36 in

Overall Length
72 in

300 Series helicopter work stand with a listed 70-inch deck and 112 × 36 × 72-inch overall dimensions. Specify the aircraft and required service position.

View specifications >

200 Series Helicopter Maintenance Platform

Catalog ref: 5974



Series
200

Overall Height
94 in

Overall Width
54 in

Overall Length
62 in

200 Series helicopter work platform with a listed 42-inch deck height and 94 × 54 × 62-inch overall dimensions. Confirm the aircraft-specific configuration.

View specifications >

Portable Helicopter Maintenance Deck - ME-251

Catalog ref: ME-251



LISTED DETAILS

Provides safe working area on the top deck of the helicopter / Non-slip deck surface and removable hand rails

Platform is attached to the helicopter at three points: at the skid gear and on a pair of step/handles; Provides safe working area on the top deck of the helicopter.

View specifications >

Aviation & Ground Support / Product selection

Aircraft Utility Maintenance Platform

Catalog ref: 5999



LISTED DETAILS

Variable height platform with self-leveling stairs. / 500 lb. capacity.

500 lb. capacity; 4 x 4 platform has a slip-resistant surface.

View specifications >

B-1 Maintenance Stand

Catalog ref: 5995



LISTED DETAILS

Variable height platform with self-leveling stairs. / 500 lb. capacity.

500 lb. capacity; 4 x 4 platform has a slip-resistant surface.

View specifications >

B-1 Maintenance Stands

Catalog ref: 4891



LISTED DETAILS

Variable height platform with self-leveling stairs. / 500 lb. capacity.

500 lb. capacity; 4’ x 4’ platform has a slip-resistant surface.

View specifications >

B7 Maintenance Platform NSN 1730-01-009-0446

Catalog ref: 5953



Platform Height
7' to 15'

Platform Height: 7' to 15'; Platform Height: 7' to 15'.

View specifications >

Aviation & Ground Support / Product selection

Helicopter Maintenance Stand



LISTED DETAILS

Knock down construction for shipping / Special height guardrails do not contact rotors

Knock down construction for shipping; Special height guardrails do not contact rotors.

View specifications >

AW119 Helicopter Maintenance Platform

Catalog ref: 40921

LISTED DETAILS

Choice of Welded or Bolted Stand* / Available in Steel or Aluminum

Overall Dimensions (In Inches) - Length 65" x Width 36" x Height 102"; Top Deck - 50".

View specifications >

AW139 Helicopter Maintenance Platform 800 Series

Catalog ref: 5876



LISTED DETAILS

AGUSTAWESTLAND, AW139 / HEIGHT: 132" WIDTH: 71" LENGTH: 152"

AGUSTAWESTLAND, AW139; HEIGHT: 132" WIDTH: 71" LENGTH: 152".

View specifications >

Airbus Ladder ABL-8 Series

Catalog ref: 6000



LISTED DETAILS

Heavy-duty rail rubber bumper pads help protect fuselage and hatch from damage. / 1-1/4" slip-resistant ribbed rungs.

Lightweight 6000 series aluminum alloy construction for maximum strength with minimum weight; 1-1/4" slip-resistant ribbed rungs.

View specifications >

Aviation & Ground Support / Product selection

Helicopter Maintenance Canopy

Catalog ref: 40847



LISTED DETAILS

1 Quadrant (Canopy) / 1 Receiver sleeve with tie downs built-in

1 Quadrant (Canopy); 1 Receiver sleeve with tie downs built-in.

View specifications >

All-Purpose Aviation Maintenance Ladder

Catalog ref: 5996



LISTED DETAILS

4" deep slip-resistant ribbed steps add comfort and safety. / Can be customized for a particular aircraft.

Large 1-1/2" wide aluminum angled feet have heavy-duty skid-resistant rubber treads to keep ladder in place; 4" deep slip-resistant ribbed steps add comfort and safety.

View specifications >

Aluminum All-Purpose Aircraft Ladders

Catalog ref: 4886



LISTED DETAILS

4" deep slip-resistant ribbed steps add comfort and safety. / Can be customized for a particular aircraft.

Large 1-1/2" wide aluminum angled feet have heavy-duty skid-resistant rubber treads to keep ladder in place; 4" deep slip-resistant ribbed steps add comfort and safety.

View specifications >

B300-2 Crew Access Stand

Catalog ref: 5997



LISTED DETAILS

Steel construction with safety yellow finish. / 42" handrails on platform with angled rear handrails for a close fit to the aircraft.

42" handrails on platform with angled rear handrails for a close fit to the aircraft; 45-degree staircase slope.

View specifications >

Aviation & Ground Support / Product selection

C1 Maintenance Platform NSN 1730-00-395-2781

Catalog ref: 6110



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

C1 Maintenance Platform NSN 1730-00-395-2781 - Aircraft Ladders. PART IS FACTORY NEW WITH OEM CERTIFICATION 2.

View specifications >

Engine Access Maintenance Ladder



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Non-Slip Platform: The ladder includes a non-slip platform that provides a secure footing for technicians, reducing the risk of slips and falls during engine maintenance;

View specifications >

Gulfstream Fuselage Ladder

Catalog ref: 5957



LISTED DETAILS

Supported Cantilever ladder with upper curved portion to fit flush with fuselage / Carbon steel with 450 lbs. capacity

Carbon steel with 450 lbs. capacity; 126" (10 1/2 feet) platform height.

View specifications >

McDonnell Douglas MD-80 De-Icing Ladders

Catalog ref: 6001



LISTED DETAILS

Heavy-duty rail rubber bumper pads help protect fuselage and hatch from damage. / 4" deep slip-resistant ribbed steps for a more comfortable work surface.

Lightweight 6000 series aluminum alloy construction for maximum strength with minimum weight; 4" deep slip-resistant ribbed steps for a more comfortable work surface.

View specifications >

Aviation & Ground Support / Product selection

Telescoping Ladder



LISTED DETAILS

Telescoping Ladders are ideal when storage space is limited. / The lightweight and low profile design allows for storage in closets or tight spaces.

These ladders extend in 12" increments; Telescoping Ladders are ideal when storage space is limited.

View specifications >

Aircraft Engine Access Maintenance Platform



LISTED DETAILS

Heavy-duty design will support you and your tools all day long / Shelves are interchangeable from right to left side

Large 19" x 36" deck area allows you to move and work comfortably; 2" x 2" square tube construction.

View specifications >

Aircraft Wing Access Stand

Catalog ref: 5998



LISTED DETAILS

Height adjustment from 162" to 168" / 30" x 72" top platform

Height adjustment from 162" to 168"; 30" x 72" top platform.

View specifications >

B1 Maintenance Stand NSN 1730-00-390-5618

Catalog ref: 5949



LISTED DETAILS

Adjustable to any height within its 3' to 12' platform floor range / 500 lb capacity

Adjustable to any height within its 3' to 12' platform floor range; 500 lb capacity.

View specifications >

Aviation & Ground Support / Product selection

B2 Maintenance Stand (NSN 1730-00-390-5620)

Catalog ref: 5950



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

B2 Maintenance Stand (NSN 1730-00-390-5620) - Aircraft Maintenance Platforms. Elevate your aircraft maintenance operations with the B2 Maintenance Stand.

View specifications >

B4 Maintenance Platform NSN 1730-01-596-9017

Catalog ref: 5951



LISTED DETAILS

It features a self-contained hydraulic system that can be operated manually / Capacity - 500 lbs.

Capacity - 500 lbs; The top platform of size 36″ x 82″ with diamond plate surface that is large enough to suit your requirements.

View specifications >

B5 Maintenance Stand (NSN 1730-00-294-8884)

Catalog ref: 5952



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Multi-Functional Design: The B5 Maintenance Stand is suitable for a variety of maintenance tasks, including aircraft, vehicle, and equipment servicing, making it a versatile tool in any workshop.

View specifications >

B717 Tail Dock System



LISTED DETAILS

Full access to the tail section of Boeing 717 aircraft / Lightweight, durable materials with non-slip surfaces

Full access to the tail section of Boeing 717 aircraft; Lightweight, durable materials with non-slip surfaces.

View specifications >

Aviation & Ground Support / Product selection

B737 Fuselage Docking System



LISTED DETAILS

Full fuselage access for B737 aircraft / Customizable configurations for MRO operations

Full fuselage access for B737 aircraft; Customizable configurations for MRO operations.

View specifications >

B737 Nose Dock Platform



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

B737 Nose Dock Platform - Aircraft Maintenance Platforms. This is a 2 piece dock, both which are mounted on 4 x 300 mm directional Locking & braked Castors.

View specifications >

B737 Tail Dock



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Perfect Fit for Boeing 737: Specifically designed for the Boeing 737 series, ensuring a custom fit that enhances maintenance efficiency;

View specifications >

B757-767 Aircraft Maintenance Docking System



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Custom Fit: Designed specifically for B757 and B767 aircraft, ensuring precise alignment and optimal access to all critical maintenance areas;

View specifications >

Aviation & Ground Support / Product selection

B767 Cantilever Tail Dock System



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Optimized Access: The cantilever design of the dock system allows unobstructed access to the tail section of the B767, enabling your maintenance team to work with greater precision and efficiency.

View specifications >

B767/B777 Fuselage and Wing Dock



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

B767/B777 fuselage and wing docking access. Request a layout for the aircraft variant, maintenance zones and available hangar space.

View specifications >

Boeing 737 Maintenance Tail Dock

Catalog ref: 6108



LISTED DETAILS

Airbus' A300 series / Boeing P-8A Poseidon

Airbus' A300 series; Boeing P-8A Poseidon.

View specifications >

Boeing 737 Nose Gear Stand



LISTED DETAILS

Custom Platform / Provides Safe Access

Custom Platform; Provides Safe Access.

View specifications >

Aviation & Ground Support / Product selection

C-130 Aircraft Maintenance Exterior Access Stands

Catalog ref: 6003



LISTED DETAILS


All steel construction / Yellow Powder coated finish

10 Poly on aluminum caster with face brake; 50º forward descent staircases on each half.

View specifications >

C-130 Aircraft Maintenance Full Docking Platform System

Catalog ref: 6002



LISTED DETAILS

Aluminum/Steel hybrid construction / Tow bars for moving the units far distances

12 person capacity (6 person per level); 50º forward descent staircases at multiple access points.

View specifications >

C-130 Aircraft Wing Stands

Catalog ref: 5954

IMAGE COMING SOON

LISTED DETAILS

Two piece modular design / 36" Guardrails w/mid-rail and 4" Toe boards

Platform 8' High x 35' Long x 16' Wide; with 2' 2-1/2" rear stairway landing platforms; 36" Guardrails w/mid-rail and 4" Toe boards.

View specifications >

C5M Aircraft Engine Work Stand

Catalog ref: 4927



LISTED DETAILS

C5M Aircraft Engine Work Stand. hand rails can be adjusted to half height. / Small to large deck space, for one or several persons.

C5M Aircraft Engine Work Stand. hand rails can be adjusted to half height; Main deck lowest setting can be as low as 4’ 6” (highest setting depends on the unit size).

View specifications >

Aviation & Ground Support / Product selection

Casa 235 Aircraft Complete Maintenance Stand System

Catalog ref: 5920



LISTED DETAILS

Can be connected end-to-end or face-to-face to provide additional length or width / Staircases easily detach for storage or when used in conjunction with other stands

Can be connected end-to-end or face-to-face to provide additional length or width; Sections of railing can be lowered or completely removed to allow conformation to the aircraft body and components.

View specifications >

Crew Access Stands

Catalog ref: 4889



LISTED DETAILS

Steel construction with safety yellow finish. / 42" handrails on platform with angled rear handrails for a close fit to the aircraft.

42" handrails on platform with angled rear handrails for a close fit to the aircraft; 45-degree staircase slope.

View specifications >

CRJ 200 Engine Maintenance Stand

Catalog ref: 6084



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

CRJ 200 Engine Maintenance Stand - Aircraft Maintenance Platforms.

View specifications >

CRJ 200 Tail Dock System

Catalog ref: 6112



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Tailored for CRJ 200 Aircraft: Specifically engineered for the CRJ 200, this dock system ensures a perfect fit, optimizing maintenance workflows and reducing downtime;

View specifications >

Aviation & Ground Support / Product selection

CRJ700 Engine Maintenance Stand

Catalog ref: 6107



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

CRJ700 Engine Maintenance Stand - Aircraft Maintenance Platforms. Our CRJ700 Engine Maintenance Stand is made with vertical tubing that is one of the industries strongest aluminum.

View specifications >

Engine Access Work Platform



LISTED DETAILS

Removable Guardrails / Rolalift Lifting Device

Removable Guardrails; Rolalift Lifting Device.

View specifications >

G450 Gulfstream Tail Dock System

Catalog ref: 5956



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Custom Fit for Gulfstream G450: Tailored specifically for the G450 model, ensuring a perfect fit and maximum efficiency during maintenance tasks;

View specifications >

Global 5000 Engine Stand

Catalog ref: 5964



LISTED DETAILS

Custom-fit for Bombardier Global 5000 engines / High-grade, durable materials for long-term use

Custom-fit for Bombardier Global 5000 engines; Allows for secure handling of Global 5000 engines during repairs or storage.

View specifications >

Aviation & Ground Support / Product selection

Gulfstream Engine Stand

Catalog ref: 5955



LISTED DETAILS

Portable platforms used to roll up against aircraft engine pods on either side / Allows personnel to access aircraft engine at a safe working height

42" guardrails with mid-rails and 4" kick plates; Platform is 8' high x 27' long.

View specifications >

Hercules C-130 Aircraft Complete Maintenance Stand System

Catalog ref: 5926



LISTED DETAILS

Can be connected end-to-end or face-to-face to provide additional length or width / Staircases easily detach for storage or when used in conjunction with other stands

Can be connected end-to-end or face-to-face to provide additional length or width; Sections of railing can be lowered or completely removed to allow conformation to the aircraft body and components.

View specifications >

Industrial Work Stand 3 Step 18 inch Platform

Catalog ref: 4939



Weight
43 lbs

Weight: 43 lbs; Deck Size: 48" X 18".

View specifications >

Industrial Work Stand 3 Step 36 inch Platform

Catalog ref: 4978



LISTED DETAILS

This model comes standard with a modular wrap around handrail. / The deck is 48” x 36” and can adjust in height from 3’8” to 18”.

The deck is 48” x 36” and can adjust in height from 3’8” to 18”; 4000 lbs capacity!.

View specifications >

Aviation & Ground Support / Product selection

Industrial Work Stand 4 Step 18 inch Platform

Catalog ref: 4950



LISTED DETAILS

2000 lbs capacity! / Lightweight and Portable

2000 lbs capacity!; 30 day money back guarantee!.

View specifications >

Industrial Work Stand 4 Step 36 inch Platform

Catalog ref: 4981



LISTED DETAILS

The Industrial Work Stand 4 Step 36 inch Platform is the widest we build. / It can be used as a portable stage.

The Industrial Work Stand 4 Step 36 inch Platform is the widest we build; It is height adjustable from 2.5 feet to just under 5 feet.

View specifications >

Industrial Work Stand 5 Step 18 inch Platform

Catalog ref: 4953



LISTED DETAILS

2000 lbs capacity! / Lightweight and Portable

2000 lbs capacity!; 30 day money back guarantee!.

View specifications >

Industrial Work Stand 5 Step 36 inch Platform

Catalog ref: 4984



LISTED DETAILS

It is height adjustable from 2.5 feet to just under 6 feet. / 4000 lbs capacity!

This is the largest Industrial Work Stand 5 Step 36 inch Platform we build. It can be used as a portable stage; It is height adjustable from 2.5 feet to just under 6 feet.

View specifications >

Aviation & Ground Support / Product selection

Industrial Work Stand 6 Step 18 inch Platform

Catalog ref: 4975



LISTED DETAILS

2000 lbs capacity! / Lightweight and Portable

2000 lbs capacity!; 30 day money back guarantee!.

View specifications >

Industrial Work Stand 6 Step 36 inch Platform

Catalog ref: 4987



LISTED DETAILS

Our biggest and best model. Large enough to comfortably fit 4 to 6 guys on the deck. / Height adjustable up to 7 feet.

Our biggest and best model. Large enough to comfortably fit 4 to 6 guys on the deck; Height adjustable up to 7 feet.

View specifications >

KC135 Aircraft Maintenance Platform Full Docking System



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Tailored Design: Specifically crafted for KC135 aircraft, offering precise alignment and comprehensive access to all critical maintenance zones;

View specifications >

MD80 Cantilever Tail Dock



LISTED DETAILS

Full access to the MD80 tail section for inspections and repairs / Durable, lightweight construction with non-slip surfaces

Full access to the MD80 tail section for inspections and repairs; Durable, lightweight construction with non-slip surfaces.

View specifications >

Aviation & Ground Support / Product selection

Military Aircraft Systems

Catalog ref: 4894



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Durable Steel Construction: Built to withstand the harsh demands of military environments, the system ensures long-lasting reliability and performance;

View specifications >

Single Pallet Aircraft Engine Maintenance Stand

Catalog ref: 4921



Weight
2,200 lbs

Weight: 2,200 lbs; Single Pallet Aircraft Engine Maintenance Stand Work Deck - Height range 6' to 10' with manual crank (electric powered lift option).

View specifications >

Universal B Maintenance Platform

Catalog ref: 4915



LISTED DETAILS

Extension Planks, Straight or Curved Ladders, Work trays, Stabilizing Jacks. / Customizable Working heights range of 4-15 ft

Customizable Working heights range of 4-15 ft; Streamline design The ‘Universal B Maintenance Platform’ is only 5 feet wide!!.

View specifications >

Scorpion Aircraft Tug

Catalog ref: 6156



LISTED DETAILS

Tow aircraft up to 15,000 pounds gross weight / Lift arm capacity 1,000 pounds, lift up to 2 feet high

Tow aircraft up to 15,000 pounds gross weight; Lift arm capacity 1,000 pounds, lift up to 2 feet high.

View specifications >

Aviation & Ground Support / Product selection

115V Connector with LED Switch



LISTED DETAILS

Housing provides for greater resistance to abrasion from ramp surfaces and Jet A1. / push-button switches.

Housing provides for greater resistance to abrasion from ramp surfaces and Jet A1; 6 PIN Plugs, Performance and dimensions to ISO 461 (BS4G173:1985) and appropriate MOD (Air) and NSN Standards.

View specifications >

12V Piper Plug



LISTED DETAILS

Mates with 11041 socket. / With ground return terminal. Single pole.

Mates with 11041 socket; Cable clamp holds wires firmly in place. Diecast housing. Accepts up to 0AWG cable.

View specifications >

28 VDC Connector with Double Inlet Cable



LISTED DETAILS

IML are robust and durable in a high usage market place. / Sleeves are solid copper, silver plated.

IML are robust and durable in a high usage market place; Sleeves are solid copper, silver plated.

View specifications >

28VDC 3 Pins Connectors



LISTED DETAILS

IML are robust and durable in a high usage market place. / Sleeves are solid copper, silver plated.

IML are robust and durable in a high usage market place; Sleeves are solid copper, silver plated.

View specifications >

Aviation & Ground Support / Product selection

3 Pole DC Connector



LISTED DETAILS

IML are robust and durable in a high usage market place. / Sleeves are solid copper, silver plated.

IML are robust and durable in a high usage market place; Sleeves are solid copper, silver plated.

View specifications >

400 Hz 115 Volt | 6 Pins Receptable



LISTED DETAILS

Solutions for 115V, 200V, 240V, 416V, and 480V applications. / Receptacle options include: shields, replaceable contacts, and spring-loaded covers.

Solutions for 115V, 200V, 240V, 416V, and 480V applications;

View specifications >

400 Hz Connector



LISTED DETAILS

IML are robust and durable in a high usage market place. / Sleeves are solid copper, silver plated. With solenoid pin.

IML are robust and durable in a high usage market place; Sleeves are solid copper, silver plated. With solenoid pin.

View specifications >

400 HZ Receptable



LISTED DETAILS

400 Hz, 115 V , electrical power receptacle. / Chemically Surface Treated (Green) per MIL-C-5541.

400 Hz, 115 V , electrical power receptacle; Chemically Surface Treated (Green) per MIL-C-5541.

View specifications >

Aviation & Ground Support / Product selection

6 Pins Rubber Connector | 400 HZ 115 Volt



LISTED DETAILS

Construction screws together in minutes. / Sleeves are solid copper, silver plated. With solenoid pin.

6 PIN Plugs, Performance and dimensions to ISO 461 (BS4G173:1985) and appropriate MOD (Air) and NSN Standards. Plug according to MS25486;

View specifications >

AC/DC Load Banks



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

AC/DC Load Banks - Aircraft Plugs. Our load banks can be engineered to meet your custom requirements.

View specifications >

Aircraft Battery Quick-Disconnect Connectors



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Aircraft Battery Quick-Disconnect Connectors - Aircraft Plugs.

View specifications >

AN2551 Aircraft Plug



LISTED DETAILS

3 PIN NATO AN2551 standard plugs are made of strong polycarbonate. / Patented plug.

3 PIN NATO AN2551 standard plugs are made of strong polycarbonate; Mates with AN2552-3A external power receptacle.

View specifications >

Aviation & Ground Support / Product selection

AN2552 Receptable



LISTED DETAILS

AN2552 , electrical power receptacle. / Chemically Surface Treated (Green) per MIL-C-5541.

AN2552 , electrical power receptacle; Chemically Surface Treated (Green) per MIL-C-5541.

View specifications >

AN2552A-3A Receptable



LISTED DETAILS

AN2552 , electrical power receptacle. / Chemically Surface Treated (Green) per MIL-C-5541

AN2552 , electrical power receptacle; Chemically Surface Treated (Green) per MIL-C-5541.

View specifications >

Battery Connector



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Three-pole DC battery connector reference. Confirm the mating connector, pin arrangement and electrical rating for the required assembly.

View specifications >

Battery High Current Switch



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Battery High Current Switch - Aircraft Plugs.

View specifications >

Aviation & Ground Support / Product selection

Cable Assembly Harnesses



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Aviation cable-assembly and wiring-harness inquiries. Supply drawings, connector references, pinouts and finished lengths for a configuration-specific quote.

View specifications >

Cable Assembly Sets



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Cable Assembly Sets - Aircraft Plugs. Any cable assembly possible on customers request.

View specifications >

Cable Epoxy Adhesive Tape



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Cable Epoxy Adhesive Tape - Aircraft Plugs. It can also be used for holding in fractional horsepower motors, arbor-wound coils and wire harnesses.

View specifications >

Cable Guidance



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Cable Guidance - Aircraft Plugs. Different lengths , cable diameters.

View specifications >

Aviation & Ground Support / Product selection

Cable Identification Labels



LISTED DETAILS

This product is a great all-in-one addition to your tools.

The need for identifying bundles is present constantly in the electrical and networking fields; This product is a great all-in-one addition to your tools.

View specifications >

Crimb Tools



LISTED DETAILS

Reliable hydraulic crimp tool / Pressure relief valve for overload protection.

Reliable hydraulic crimp tool; Pressure relief valve for overload protection.

View specifications >

Crocodile System



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Crocodile System - Aircraft Plugs. 60Hz in America power when they are parked at an airport apron stand.

View specifications >

DC Battery Connector



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

DC Battery Connector - Aircraft Plugs. Each color will mate only with another connector of the same color and size.

View specifications >

Aviation & Ground Support / Product selection

DC External Receptable



LISTED DETAILS

Patented plug. / Aircraft and Helicopter

Hardness 13800psi; Glass transition temperature of about 150 °C.

View specifications >

Detachable 400HZ Connector Head



LISTED DETAILS

Housing provides for greater resistance to abrasion from ramp surfaces and Jet A1. / push-button switches.

Housing provides for greater resistance to abrasion from ramp surfaces and Jet A1; 6 PIN Plugs, Performance and dimensions to ISO 461 (BS4G173:1985) and appropriate MOD (Air) and NSN Standards.

View specifications >

Digital Newton Pin Testers



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Digital Newton Pin Testers - Aircraft Plugs. The digital force gauge is basically a handheld instrument that contains a load cell, electronic part, software and a display.

View specifications >

Dust cover 28VDC - 400 Hz



LISTED DETAILS

Strong rubber dustcap fits securely onto the 28VDC or 400 Hz connector. / Ensures that debris, water and dust do not pose a hazard to personnel or equipment

Strong rubber dustcap fits securely onto the 28VDC or 400 Hz connector; Performance and dimensions to ISO 461 (BS4G173:1985) and appropriate MOD (Air) and NSN Standards.

View specifications >

Aviation & Ground Support / Product selection

Electric Cable Ties



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Electric Cable Ties - Aircraft Plugs. Because of their low cost and ease of use tie-wraps are ubiquitous, finding use in a wide range of other application.

View specifications >

Electric Cables



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Flexible aviation power cables described for 28 V DC and 400 Hz AC applications, with listed conductor-size options. Specify the complete cable assembly and connector requirements.

View specifications >

External Cable Strap



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Retention strap for an external aircraft power connector and cable. Match the strap arrangement to the connector, cable support and aircraft interface.

View specifications >

Floor Cord Covers



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Compare the listed model details and configuration options on the product page. Request a quote for your application.

View specifications >

Aviation & Ground Support / Product selection

GA Cable Set



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

GA Cable Set - Aircraft Plugs. Any cable assembly possible on customers request.

View specifications >

Gate Boxes



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Gate box/LDC equipment for centralized aircraft ground power. The catalog describes 575 VAC, 400 Hz input and 200/115 V aircraft power.

View specifications >

Heavy Cable Shrink Houses



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Heavy Cable Shrink Houses - Aircraft Plugs.

View specifications >

Isolated Battery Connectors



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Battery-pack connector options for removable batteries and space-constrained assemblies. Match the connector interface and mounting arrangement to the application.

View specifications >

Aviation & Ground Support / Product selection

Loadbanks/Switch Boards



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Loadbanks/Switch Boards - Aircraft Plugs. Our load banks can be engineered to meet your custom requirements.

View specifications >

Military Derivative Circular Connectors



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Military Derivative Circular Connectors - Aircraft Plugs.

View specifications >

Mold on Type



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Mold on Type - Aircraft Plugs. IML AC Plug Assembly is made to Mil-C-7974 standards using Mil-C-5756 electrical cable therefore meeting the MS90328 specifications.

View specifications >

NATO Aviation Battery Power Connectors



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

NATO Aviation Battery Power Connectors - Aircraft Plugs.

View specifications >

Aviation & Ground Support / Product selection

Pin Tester




SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Pin Tester - Aircraft Plugs. The digital force gauge is basically a handheld instrument that contains a load cell, electronic part, software and a display.

View specifications >

Pop-Up Pits System



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Pop-Up Pits System - Aircraft Plugs. The pit system is used for storing for example 400Hz, PCA hoses, potable water hoses, technical services.

View specifications >

Portable Receptable



LISTED DETAILS

Extra Rugged design proven over many years of service / Affordable-make your own or repair cable assemblies on line.

Silver plated quad beam copper contacts 1,2, 3, 4 are precisely set to insure consistent mating forces over thousands of cycles;

View specifications >

Portable Receptable 6 Poles



LISTED DETAILS

Extra Rugged design proven over many years of service / Affordable-make your own or repair cable assemblies on line.

Silver plated quad beam copper contacts 1,2, 3, 4 are precisely set to insure consistent mating forces over thousands of cycles;

View specifications >

Aviation & Ground Support / Product selection

Power Units



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Power Units - Aircraft Plugs. 400 Hz power converters | battery start units | power supplies 12V 24V 28V.

View specifications >

Protection Cable Rays



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Cable-routing channels and distribution attachments for 400 Hz and DC aviation power cables. Specify the route, cable bundle and attachment arrangement.

View specifications >

Receptable Housing



LISTED DETAILS

Solutions for 115V, 200V, 240V, 416V, and 480V applications. / Receptacle options include: shields, replaceable contacts, and spring-loaded covers.

Solutions for 115V, 200V, 240V, 416V, and 480V applications;

View specifications >

Receptable Pin Tester



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Receptable Pin Tester - Aircraft Plugs. The digital force gauge is basically a handheld instrument that contains a load cell, electronic part, software and a display.

View specifications >

Aviation & Ground Support / Product selection

Receptacle Battery Connector



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Receptacle Battery Connector - Aircraft Plugs.

View specifications >

Spare Parts Connectors



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Replacement connector components including housings, screws, LEDs, switches and thermal-protection parts. Identify the existing connector before requesting replacements.

View specifications >

Spare Parts Receptacles



LISTED DETAILS

Any new housing , connectors , screws , led , switches or thermal protection needed.

Any new housing , connectors , screws , led , switches or thermal protection needed.

View specifications >

Special Connectors



LISTED DETAILS

We develop, test and manufacture.

We develop, test and manufacture; Any color is possible any shape. We produce housing rubber, plastic, polycarbonate and produce connectors. Inhouse testing.

View specifications >

Aviation & Ground Support / Product selection

450TB-Airbus A300 Tow Bar Assembly

Catalog ref: 6136

LISTED DETAILS



Hydraulic/Spring Retractable Undercarriage / One set of spare Shear Bolts

3.0" to 3.25" diameter Lunette Eye; Hydraulic/Spring Retractable Undercarriage.

View specifications >

450TB-Airbus A310 Tow Bar Assembly

Catalog ref: 6137

LISTED DETAILS



Hydraulic/Spring Retractable Undercarriage / One set of spare Shear Bolts

3.0" to 3.25" diameter Lunette Eye; Hydraulic/Spring Retractable Undercarriage.

View specifications >

Aerospatiale Fixed Wing Towbar

Catalog ref: 6176



Finish


POWDER COAT YELLOW

WEIGHT = 15 LBS; SHIPPING DIM. = 15" X 13" X 10".

View specifications >

Aerospatiale Multi-Link Towbar TY-TB75-15

Catalog ref: 6177



Material

ALUM. 3" I.D. TUBE

Color

YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Aviation & Ground Support / Product selection

Aerostar Universal Towbar TH-5

Catalog ref: 6180



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Aerostar Universal Towbar TH-53

Catalog ref: 6179



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Aerostar Universal Towbar TR-34

Catalog ref: 6178



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

AG-CAT Custom Towbar TR-6

Catalog ref: 6181



LISTED DETAILS

Length: 12 ft. / Spread: 12 ft.

Length: 12 ft; Spread: 12 ft.

View specifications >

Aviation & Ground Support / Product selection

Agusta/Westland Fixed Wing Towbar Multi-Link Head TY-CH149-S




Finish
POWDER COAT YELLOW

APPLICABLE A/C=EH101, US101 & CH-149 CORMORANT; WEIGHT = 35 LBS.

View specifications >

Agusta/Westland Multi-Link Towbar TY-TB75-15

Catalog ref: 6191



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Air Tractor Custom Towbar TR-6

Catalog ref: 6182



LISTED DETAILS

Length: 12 ft. / Spread: 12 ft.

Length: 12 ft; Spread: 12 ft.

View specifications >

Airbus A300 Fly-Away Towbar (TOWA310-C-8)

Catalog ref: 4590



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Airbus A300 Towbar Head (TOWHEAD-1D)

Catalog ref: 4595



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Airbus A310 Fly-Away Towbar (TOWA310-C-8)

Catalog ref: 4593



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A310 Towbar Head (TOWHEAD-1D)

Catalog ref: 4597



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Airbus A318 Fly-Away Towbar (TOWA320-C-1+8)

Catalog ref: 4627



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

View specifications >

Aviation & Ground Support / Product selection

Airbus A318 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4503



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A318 Towbar (TOWA320-C)

Catalog ref: 4618



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A318 Towbar Head (TOWHEAD-2C)

Catalog ref: 4633



LISTED DETAILS

Only for use with TOWMULTI-2

Only for use with TOWMULTI-2; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Airbus A318 Universal Towbar (TOWUNIV-3)

Catalog ref: 4326



LISTED DETAILS

Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Airbus A319 Fly-Away Towbar (TOWA320-C-1+8)

Catalog ref: 4628



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

View specifications >

Airbus A319 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4505



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A319 Towbar (TOWA320-C)

Catalog ref: 4620



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A319 Towbar Head (TOWHEAD-2C)

Catalog ref: 4635



LISTED DETAILS

Only for use with TOWMULTI-2

Only for use with TOWMULTI-2; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Airbus A319 Universal Towbar (TOWUNIV-3)

Catalog ref: 4330



LISTED DETAILS

Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A320 Fly-Away Towbar (TOWA320-C-1+8)

Catalog ref: 4631



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

View specifications >

Airbus A320 Towbar Head (TOWHEAD-2C)

Catalog ref: 4638



LISTED DETAILS

Only for use with TOWMULTI-2

Only for use with TOWMULTI-2; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Airbus A320 Universal Towbar (TOWUNIV-3)

Catalog ref: 4333



LISTED DETAILS

Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Airbus A321 Fly-Away Towbar (TOWA320-C-1+8)

Catalog ref: 4632



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

View specifications >

Airbus A321 Towbar (TOWA320-C)

Catalog ref: 4625



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A321 Towbar Head (TOWHEAD-2C)

Catalog ref: 4640



LISTED DETAILS

Only for use with TOWMULTI-2

Only for use with TOWMULTI-2; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Airbus A330 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4458



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Airbus A330 Towbar Head (TOWHEAD-1A)

Catalog ref: 4383



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Airbus A330 Towbar Head (TOWHEAD-1B)

Catalog ref: 4397



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Revolving towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Airbus A330 Towbar Head (TOWHEAD-1I)

Catalog ref: 4609



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Airbus A330-200 Fly-Away Towbar (TOWA330-C-8)

Catalog ref: 4698



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Airbus A330-200 Towbar (TOWA330-C)

Catalog ref: 4685



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A330-200 Universal Towbar (TOWUNIV-1)

Catalog ref: 4182



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A330-200 Universal Towbar (TOWUNIV-2)

Catalog ref: 4207



LISTED DETAILS

Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A330-200F Fly-Away Towbar (TOWA330-C-8)

Catalog ref: 4700



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Airbus A330-200F Towbar (TOWA330-C)

Catalog ref: 4687



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A330-200F Universal Towbar (TOWUNIV-1)

Catalog ref: 4185



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A330-200F Universal Towbar (TOWUNIV-2)

Catalog ref: 4209



LISTED DETAILS

Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A330-300 Fly-Away Towbar (TOWA330-C-8)

Catalog ref: 4703



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Airbus A330-300 Towbar (TOWA330-C)

Catalog ref: 4691



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A330-300 Universal Towbar (TOWUNIV-1)

Catalog ref: 4188



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A330-300 Universal Towbar (TOWUNIV-2)

Catalog ref: 4212



LISTED DETAILS

Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A340 Towbar Head (TOWHEAD-1B)

Catalog ref: 4399



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Revolving towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Airbus A340-200 Fly-Away Towbar (TOWA330-C-8)

Catalog ref: 4706



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A340-200 Towbar (TOWA330-C)

Catalog ref: 4694



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A340-200 Towbar Head (TOWHEAD-1I)

Catalog ref: 4610



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Airbus A340-200 Universal Towbar (TOWUNIV-2)

Catalog ref: 4214



LISTED DETAILS

Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Airbus A340-300 Fly-Away Towbar (TOWA330-C-8)

Catalog ref: 4708



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A340-300 Towbar (TOWA330-C)

Catalog ref: 4696



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A340-300 Towbar Head (TOWHEAD-1I)

Catalog ref: 4611



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Airbus A340-300 Universal Towbar (TOWUNIV-2)

Catalog ref: 4217



LISTED DETAILS

Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)


Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Airbus A340-500 Towbar Head (TOWHEAD-1K)

Catalog ref: 4102



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Airbus A340-600 Fly-Away Towbar (TOWA345-C-8)

Catalog ref: 4100



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Airbus A340-600 Towbar Head (TOWHEAD-1K)

Catalog ref: 4104



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Airbus A380 Fly-Away Towbar (TOWA380-C-1+4+8)

Catalog ref: 4674



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Airbus A380 Towbar (TOWA380-C)

Catalog ref: 4675



LISTED DETAILS

Tube made of high strenth steel, welded flash version / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

American Champion TWA-10-A Adapters

Catalog ref: 6183



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

American Champion TWA-10-A Adapters - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

View specifications >

American Champion Universal Towbar TH-5

Catalog ref: 6186



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

American Champion Universal Towbar TH-53

Catalog ref: 6185



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Aviation & Ground Support / Product selection

American Champion Universal Towbar TR-34

Catalog ref: 6184



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

American General Universal Towbar TH-5

Catalog ref: 6189



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

American General Universal Towbar TH-53

Catalog ref: 6188



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

American General Universal Towbar TR-34

Catalog ref: 6187



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Aviation & Ground Support / Product selection

Antonov AN-12 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4511



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Antonov AN-12 Towbar Head (TOWHEAD-2G)

Catalog ref: 4107



LISTED DETAILS

Only for use with TowMULTI-2

Only for use with TowMULTI-2; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Antonov AN-124 Towbar (TOWAN124-L-6)

Catalog ref: 4616



LISTED DETAILS

Tube made of high strength steel / Revolving towbar eye diameter 3,5 inches (90 mm)

Revolving towbar eye diameter 3,5 inches (90 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Antonov AN-148 Towbar (TOWAN148-C)

Catalog ref: 4666



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Antonov AN-24 Towbar (TOWAN26-L)

Catalog ref: 4109



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Antonov AN-26 Towbar (TOWAN26-L)

Catalog ref: 4111



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Antonov AN-70 Towbar (TOWAN74-L)

Catalog ref: 4115



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Antonov AN-72 Towbar (TOWAN74-L)

Catalog ref: 4117



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Antonov AN-74 Towbar (TOWAN74-L)

Catalog ref: 4119



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

ATR ATR 42 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4718



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

ATR ATR 42 Towbar (TOWATRA-C)

Catalog ref: 4602



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

ATR ATR 72 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4721



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Aviation & Ground Support / Product selection

ATR ATR 72 Towbar (TOWATRA-C)

Catalog ref: 4604



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

AVCRAFT Fixed Wing Towbar Multi-Link Head TY-GAL2

Catalog ref: 6192



Finish


POWDER COAT YELLOW

APPLICABLE A/C = GULFSTREAM / GALAXY G150, G200, G280 AND FAIRCHILD DORNIER 32; WEIGHT = 13 lbs.

View specifications >

AVCRAFT Multi-Link Towbar TY-TB75

Catalog ref: 6193



Material

ALUM. 3" I.D. TUBE

Color

YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Aviat Universal Adapter TWA-10A

Catalog ref: 6194



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Aviat Universal Adapter TWA-10A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

View specifications >

Aviation & Ground Support / Product selection

Aviat Universal Towbar TH-5

Catalog ref: 6197



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Aviat Universal Towbar TH-53

Catalog ref: 6196



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Aviat Universal Towbar TR-34

Catalog ref: 6195



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Ayres Thrush Custom Towbar TR-6

Catalog ref: 6198



LISTED DETAILS

Length: 12 ft. / Spread: 12 ft.

Length: 12 ft; Spread: 12 ft.

View specifications >

Aviation & Ground Support / Product selection

BAe Jetstream J41 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4529



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

BAe Jetstream J41 Towbar Head (TOWHEAD-3Y)

Catalog ref: 4168



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

BAe systems (HS) 748 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4531



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

BAe systems (HS) 748 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4727



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Aviation & Ground Support / Product selection

BAE Systems (HS) 748 Towbar (TOWHEAD-31G)

Catalog ref: 4072



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Bae Systems HS 146 Towbar (TOWAVRO-C)

Catalog ref: 4128



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Bae Systems HS146 QT Towbar (TOWAVRO-C)

Catalog ref: 4130



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Bae Systems RJ-70 Towbar (TOWAVRO-C)

Catalog ref: 4123



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Bae Systems RJ100 Towbar (TOWAVRO-C)

Catalog ref: 4121



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Bae Systems RJ85 Towbar (TOWAVRO-C)

Catalog ref: 4126



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Beech-Hawker (Duke) Universal Towbar TH-53

Catalog ref: 6200



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Beech-Hawker (Raytheyon) Universal Towbar TR-34

Catalog ref: 6199



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Aviation & Ground Support / Product selection

Beech-Hawker Beechjet Fixed Wing Towbar Multi-Link Head TY-DBJ1

Catalog ref: 6206




Finish
POWDER COAT YELLOW

APPLICABLE A/C = BEECHJET 400, PREMIER 1; WEIGHT = 25 lbs.

View specifications >

Beech-Hawker Beechjet Multi-Link Towbar TY-TB75

Catalog ref: 6207



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Beech-Hawker Duchess Universal Adapter T-DEX

Catalog ref: 6203



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Beech-Hawker Duchess Universal Adapter T-DEX - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

View specifications >

Beech-Hawker Duchess Universal Towbar TH-53

Catalog ref: 6205



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Aviation & Ground Support / Product selection

Beech-Hawker Duchess Universal Towbar TR-34

Catalog ref: 6204



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Beech-Hawker Fixed Wing Towbar Multi-Link Head TY-HAW1

Catalog ref: 6208




Finish
POWDER COAT YELLOW

APPLICABLE A/C= HAWKER 400 to 1000, HS-125; WEIGHT = 16 lbs.

View specifications >

Beech-Hawker HS-125,400 TO 1000 Multi-LinkTowbar TY-TB75

Catalog ref: 6209



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Beech-Hawker Musketeer Fixed Wing Towbar TH-53

Catalog ref: 6218



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Aviation & Ground Support / Product selection

Beech-Hawker Musketeer Universal Towbar TH-5

Catalog ref: 6219



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Beech-Hawker Musketeer Universal Towbar TR-34

Catalog ref: 6217



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Beech-Hawker Premier Fixed Wing Towbar Multi-Link Head TY-DBJ1

Catalog ref: 6210




Finish
POWDER COAT YELLOW

APPLICABLE A/C = BEECHJET 400, PREMIER 1; WEIGHT = 25 lbs.

View specifications >

Beech-Hawker Premier Multi-Link Towbar TY-TB75

Catalog ref: 6211



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Aviation & Ground Support / Product selection

Beech-Hawker Queenair Fixed Wing Towbar Multi-Link Head TY-KQA1

Catalog ref: 6214




Finish
POWDER COAT YELLOW

APPLICABLE A/C = MERLIN, II, IV, SJ-30, KING AIR 350, 1900, STARSHIP, KING AIR 90/200, QUEENAIR, SJ-30, METRO; WEIGHT = 20 lbs.

View specifications >

Beech-Hawker Queenair Multi-Link Towbar TY-TB75

Catalog ref: 6215



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Beech-Hawker Queenair Universal Towbar TR-34

Catalog ref: 6216



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Beech-Hawker Starship Fixed Wing Towbar Multi-Link Head TY-KQA1

Catalog ref: 6212



Finish
POWDER COAT YELLOW


APPLICABLE A/C = MERLIN, II, IV, SJ-30, KING AIR 350, 1900, STARSHIP, KING AIR 90/200, QUEENAIR, SJ-30, METRO; WEIGHT = 20 lbs.

View specifications >

Aviation & Ground Support / Product selection

Beech-Hawker Starship Multi-Link Towbar TY-TB75

Catalog ref: 6213



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Beech-Hawker Twin Beech Custom Towbar TR-6

Catalog ref: 6220



LISTED DETAILS

Length: 12 ft. / Spread: 12 ft.

Length: 12 ft; Spread: 12 ft.

View specifications >

Beechcraft Hawker Fixed Wing Towbar Multi-Link HeadTY-CRJ2

Catalog ref: 6201




Finish
POWDER COAT YELLOW

WEIGHT = 54 LBS; SHIPPING DIM. = 34" X 25" X 8".

View specifications >

Beechcraft Hawker Multi-Link Towbar TY-TB75

Catalog ref: 6202



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Aviation & Ground Support / Product selection

Bell 205 212 412 Helicopter Towbar



LISTED DETAILS

Skid tube dia. 3 1/4" to 4 1/2" / Legs can be split into 4 pcs. of 5 1/2 ft. for easier transport

Skid tube dia. 3 1/4" to 4 1/2"; Legs can be split into 4 pcs. of 5 1/2 ft. for easier transport.

View specifications >

Bell AH-1 Helicopter Towbar



LISTED DETAILS

Skid tube dia. 3 1/4" to 4 1/2" / Legs can be split into 4 pcs. of 5 1/2 ft. for easier transport

Skid tube dia. 3 1/4" to 4 1/2"; Legs can be split into 4 pcs. of 5 1/2 ft. for easier transport.

View specifications >

BELL UH-1 Towbar



LISTED DETAILS

Skid tube dia. 3 1/4" to 4 1/2" / Legs can be split into 4 pcs. of 5 1/2 ft. for easier transport

Skid tube dia. 3 1/4" to 4 1/2"; Legs can be split into 4 pcs. of 5 1/2 ft. for easier transport.

View specifications >

Boeing B707 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4464



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Boeing B707 Towbar Head (TOWHEAD-1L)

Catalog ref: 4133



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Boeing B717-200 Towbar (TOWHEAD-1C)

Catalog ref: 4078



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Boeing B717-200 Towbar (TOWMD80-L)

Catalog ref: 4417



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Boeing B727 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4470



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Boeing B737 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4513



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Boeing B737-300 Universal Towbar (TOWUNIV-3)

Catalog ref: 4338



LISTED DETAILS

Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Boeing B737-400 Universal Towbar (TOWUNIV-3)

Catalog ref: 4340



LISTED DETAILS

Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Boeing B737-500 Universal Towbar (TOWUNIV-3)

Catalog ref: 4342



LISTED DETAILS

Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Boeing B737-600 Universal Towbar (TOWUNIV-3)

Catalog ref: 4344



LISTED DETAILS

Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Boeing B737-700 Universal Towbar (TOWUNIV-3)

Catalog ref: 4346



LISTED DETAILS

Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Boeing B737-800 Universal Towbar (TOWUNIV-3)

Catalog ref: 4348



LISTED DETAILS

Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Boeing B737-900 Universal Towbar (TOWUNIV-3)

Catalog ref: 4350



LISTED DETAILS

Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Boeing B747 Fly-Away Towbar (TOWB747-C-8)

Catalog ref: 4677



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Boeing B747 Towbar (TOWB747-L)

Catalog ref: 4679



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Boeing B747-300 Towbar Head (TOWHEAD-1E)

Catalog ref: 4710



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Boeing B747-400 Towbar Head (TOWHEAD-1E)

Catalog ref: 4713



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Boeing B747-800 Towbar Head (TOWHEAD-1E)

Catalog ref: 4716



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Boeing B757 Fly-Away Towbar (TOWB757-C-8)

Catalog ref: 4449



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Boeing B757 Towbar Head (TOWHEAD-1F)

Catalog ref: 4499




LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Boeing B767 Fly-Away Towbar (TOWB767-C-8)



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Boeing B767 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4480



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Boeing B767 Towbar Head (TOWHEAD-1I)

Catalog ref: 4613



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Boeing B777 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4482



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Boeing B777 Towbar Head (TOWHEAD-1B)

Catalog ref: 4404



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Revolving towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Boeing B787 Towbar (TOWB787-C)

Catalog ref: 4614



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Boeing IL-62 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4484



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Bombardier Challenger Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4533



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Bombardier Challenger Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4730



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Aviation & Ground Support / Product selection

Bombardier Challenger Towbar Head (TOWHEAD-31L)

Catalog ref: 4255



LISTED DETAILS


Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Bombardier CRJ 100/200 Fly-Away Towbar (TOWREGI-L-1+8)

Catalog ref: 4377



LISTED DETAILS


Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

View specifications >

Bombardier CRJ 100/200 Towbar (TOWREGI-L)

Catalog ref: 4369



LISTED DETAILS


Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Bombardier CRJ 700 Fly-Away Towbar (TOWREGI-L-1+8)

Catalog ref: 4378



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)


Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

View specifications >

Aviation & Ground Support / Product selection

Bombardier CRJ 700 Towbar (TOWREGI-L)

Catalog ref: 4371



LISTED DETAILS


Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Bombardier CRJ 900 Fly-Away Towbar (TOWREGI-L-1+8)

Catalog ref: 4380



LISTED DETAILS


Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

View specifications >

Bombardier CRJ 900 Towbar (TOWREGI-L)

Catalog ref: 4375



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Bombardier Dash7 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4535



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Bombardier Dash7 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4732



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Bombardier Dash7 Towbar Head (TOWHEAD-31J)

Catalog ref: 4143



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Bombardier Dash8 Q400 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4540



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Bombardier Dash8 Q400 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4737



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Aviation & Ground Support / Product selection

Bombardier Dash8 Q400 Towbar Head (TOWHEAD-3B)

Catalog ref: 4672



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Bombardier Dash8 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4538



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Bombardier Dash8 Towbar Head (TOWHEAD-3A)

Catalog ref: 4600



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Bombardier Global Express Towbar (TOWGLOB-L)

Catalog ref: 4024



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Bombardier LearJet Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4542



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Bombardier LearJet Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4740



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Bombardier LearJet Towbar Head (TOWHEAD-3L)

Catalog ref: 4316



LISTED DETAILS


Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Bombardier(Canadair) 215 Multi-Link Towbar TY-TB75

Catalog ref: 6234



Material

ALUM. 3" I.D. TUBE

Color

YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Aviation & Ground Support / Product selection

Bombardier(Canadair) Challenger 300 Fixed Wing Towbar Multi-Link Head TY-CON1

Catalog ref: 6225




Finish
POWDER COAT YELLOW

APPLICABLE A/C = CHALLENGER 300 AND CONTINENTAL BD100; WEIGHT = 57 LBS.

View specifications >

Bombardier(Canadair) Challenger 300 Multi-Link Towbar TY-TB75

Catalog ref: 6226



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Bombardier(Canadair) Challenger 600 Fixed Wing Towbar Multi-Link Head TY-CHA1

Catalog ref: 6227




Finish
POWDER COAT YELLOW

APPLICABLE A/C = CHALLENGER 600; WEIGHT = 13 LBS.

View specifications >

Bombardier(Canadair) Challenger 600 Multi-Link Towbar TY-TB75

Catalog ref: 6228



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Aviation & Ground Support / Product selection

Bombardier(Canadair) Challenger 850 Fixed Wing Towbar Multi-Link Head TY-CRJ2

Catalog ref: 6229




Finish
POWDER COAT YELLOW

WEIGHT = 54 LBS; SHIPPING DIM. = 34" X 25" X 8".

View specifications >

Bombardier(Canadair) Challenger 850 Multi-Link Towbar TY-TB75

Catalog ref: 6230



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Bombardier(Canadair) Continental Fixed Wing Towbar Multi-Link HeadTY-CON1

Catalog ref: 6223




Finish
POWDER COAT YELLOW

APPLICABLE A/C = CHALLENGER 300 AND CONTINENTAL BD100; WEIGHT = 57 LBS.

View specifications >

Bombardier(Canadair) Continental Multi-Link Towbar TY-TB75

Catalog ref: 6224



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT


Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Aviation & Ground Support / Product selection

Bombardier(Canadair) CRJ 700 Fixed Wing Towbar Multi-Link Head TY-CRJ1

Catalog ref: 6231



Finish
POWDER COAT YELLOW

APPLICABLE A/C = CRJ 700/900; WEIGHT = 88 lbs.

View specifications >

Bombardier(Canadair) CRJ700 Multi-Link Towbar TY-TB125

Catalog ref: 6232



Material
ALUM. 4" TUBE


Color
YELLOW POWDER COAT

Material: ALUM. 4" TUBE; MATERIAL: ALUM. 4" TUBE.

View specifications >

Bombardier(Canadair) Dash 8 Multi-Link Towbar TY-TB75

Catalog ref: 6236



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Bombardier(Canadair) Dash8 Fixed Wing Towbar Multi-Link Head TY-D8-4

Catalog ref: 6235



Finish
POWDER COAT YELLOW


APPLICABLE A/C = DASH 8; WEIGHT = 25 LBS.

View specifications >

Aviation & Ground Support / Product selection

Bombardier(Canadair) Global Express Fixed Wing Towbar Multi-Link Head TY-GLO1

Catalog ref: 6221




Finish
POWDER COAT YELLOW

WEIGHT = 88 lbs; SHIPPING DIM. = 31" X 37" X 6".

View specifications >

Bombardier(Canadair) Lear Jet Multi-Link Towbar TY-TB75

Catalog ref: 6238



Material
ALUM. 3" I.D. TUBE


Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Bombardier(Canadair) LearJet Fixed Wing Towbar Multi-Link Head TY-CIT1

Catalog ref: 6237



Finish
POWDER COAT YELLOW

WEIGHT = 21 LBS; SHIPPING DIM. = 26" X 14" X 14".

View specifications >

Bombardier(Canadair) Multi-Link Towbar TY-TB125

Catalog ref: 6222



Material
ALUM. 4" TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 4" TUBE; MATERIAL: ALUM. 4" TUBE.

View specifications >

Aviation & Ground Support / Product selection

Bombardier(Canadair)215 Fixed Wing Towbar Multi-Link Head TY-CA415

Catalog ref: 6233



Finish
POWDER COAT YELLOW

APPLICABLE A/C=CL-215, 415; WEIGHT = 41 LBS.

View specifications >

British Aerospace ATP Fixed Wing Towbar Multi-Link Head TY-ATP1

Catalog ref: 6239




Finish
POWDER COAT YELLOW

WEIGHT = 15 LBS; SHIPPING DIM. = 15" X 13" X 10".

View specifications >

British Aerospace ATP Universal Towbar TY-TB75

Catalog ref: 6240



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

British Aerospace BAE 146 Fixed Wing Towbar Multi-Link Head TY-B125

Catalog ref: 6242



Material
ALUM. 4" TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 4" TUBE; MATERIAL: ALUM. 4" TUBE.

View specifications >

Aviation & Ground Support / Product selection

British Aerospace BAE 146 Fixed Wing Towbar Multi-Link Head TY-B146

Catalog ref: 6241



Finish
POWDER COAT YELLOW

APPLICABLE A/C=BAE146; WEIGHT = 31 LBS.

View specifications >

British Aerospace Jet Stream31 Fixed Wing Towbar Multi-Link Head TY-BJS1

Catalog ref: 6243




Finish
POWDER COAT YELLOW

APPLICABLE A/C=JETSTREAM 31; WEIGHT = 13 LBS.

View specifications >

British Aerospace Jetstream 31 Multi-Link Towbar TY-TB75

Catalog ref: 6244



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; Color: YELLOW POWDER COAT.

View specifications >

British Aerospace Jetstream 41 Fixed Wing Towbar Multi-Link Head TY-BJS2

Catalog ref: 6245



Finish
POWDER COAT YELLOW


APPLICABLE A/C=JETSTREAM 41; WEIGHT = 13 LBS.

View specifications >

Aviation & Ground Support / Product selection

British Aerospace Jetstream 41 Multi-Link Towbar TY-TB75

Catalog ref: 6246



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Casa 212 Multi-Link Head TY-CAS1

Catalog ref: 6267




Finish
POWDER COAT YELLOW

APPLICABLE A/C = 212; WEIGHT = 27 LBS.

View specifications >

Casa 212 Multi-Link Towbar TY-TB75

Catalog ref: 6268



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Cessna 100 Fixed Wing Towbar TH-53

Catalog ref: 6248



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Aviation & Ground Support / Product selection

Cessna 100 Universal Towbar TH-5

Catalog ref: 6249



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Cessna 100 Universal Towbar TR-34

Catalog ref: 6247



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Cessna 140 Fixed Wing Towbar TH-5

Catalog ref: 6253



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Cessna 140 Fixed Wing Towbar TH-53

Catalog ref: 6252



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Aviation & Ground Support / Product selection

Cessna 140 Universal Towbar Adapters

Catalog ref: 6250



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Cessna 140 Universal Towbar Adapters - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

View specifications >

Cessna 140 Universal Towbar TR-34

Catalog ref: 6251



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Cessna 195 Custom Towbar TR-73

Catalog ref: 6255

Weight
22 lbs



Weight: 22 lbs; Length: 8' 4".

View specifications >

Cessna 300 Series Universal Towbar TH-53

Catalog ref: 6258

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Aviation & Ground Support / Product selection

Cessna 300 Series Universal Towbar TR-34

Catalog ref: 6257



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Cessna 400 Light Twin Series Universal Towbar TR-34

Catalog ref: 6259



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Cessna 400 Universal Towbar TH-5

Catalog ref: 6262



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Cessna 400 Universal Towbar TH-53

Catalog ref: 6261



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Aviation & Ground Support / Product selection

Cessna 400 Universal Towbar TR-34

Catalog ref: 6260



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Cessna Caravan 208 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4544



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Cessna Caravan 208 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4742



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Cessna Caravan 208 Towbar Head (TOWHEAD-31S)

Catalog ref: 4267



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Cessna Caravan 406 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4744



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Cessna Caravan 406 Towbar Head (TOWHEAD-31S)

Catalog ref: 4270



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Cessna Caravan Universal Towbar TR-34

Catalog ref: 6256



Weight

14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Cessna Citation I Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4548



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Cessna Citation II Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4550



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Cessna Citation II Towbar Head (TOWHEAD-3L)

Catalog ref: 4320



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Cessna Citation III Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4558



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Cessna Citation III Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4759



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Aviation & Ground Support / Product selection

Cessna Citation Multi-Link Head TY-CIT1

Catalog ref: 6263




Finish
POWDER COAT YELLOW

WEIGHT = 21 LBS; SHIPPING DIM. = 26" X 14" X 14".

View specifications >

Cessna Citation Multi-Link Towbar TY-TB75

Catalog ref: 6264



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Cessna Citation VI Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4753



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Cessna Citation VI Towbar Head (TOWHEAD-3M)

Catalog ref: 4249



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Cessna Citation X Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4762



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Cessna Citation X Towbar Head (TOWHEAD-3M)

Catalog ref: 4251



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Cessna Citation XL Towbar Head (TOWHEAD-3M)

Catalog ref: 4253



LISTED DETAILS


Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Cessna Citation2 Multi-Link Towbar TY-TB75

Catalog ref: 6266



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT


Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Aviation & Ground Support / Product selection

Cessna Citation2 Towbar Multi-Link Head TY-CIT2

Catalog ref: 6265



Finish
POWDER COAT YELLOW

A/C MFG. = CESSNAAPPLICABLE A/C = CITATION III,VI,VII,X,XLWEIGHT = 21 LBS.SHIPPING DIM. = 26" X 14" X 14"FINISH: POWDER COAT YELLOW; WEIGHT = 21 LBS.

View specifications >

Cessna CitationJet 525 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4555



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Cessna CitationJet 525 Towbar Head (TOWHEAD-3L)

Catalog ref: 4324



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Cessna Fixed Wing Towbar TR-6

Catalog ref: 6254



LISTED DETAILS

Length: 12 ft. / Spread: 12 ft.

Length: 12 ft; Spread: 12 ft.

View specifications >

Aviation & Ground Support / Product selection

CH-47 Helicopter Towbar



Finish
POWDER COAT YELLOW

CENTERLINE BETWEEN WHEELS 134"; LENGTH 14.8 FT.

View specifications >

Cirrus SR20 Fixed Wing Universal Towbar TH-5

Catalog ref: 6272



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Cirrus SR20 Fixed Wing Universal Towbar TH-53

Catalog ref: 6271



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Cirrus SR20 Fixed Wing Universal Towbar TR-34

Catalog ref: 6270



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Aviation & Ground Support / Product selection

Cirrus SR20 Universal Adapter T-349A

Catalog ref: 6269



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Cirrus SR20 Universal Adapter T-349A - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

View specifications >

Commander 112 Universal Adapter T-750A

Catalog ref: 6273



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Commander 112 Universal Adapter T-750A - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

View specifications >

Commander 112 Universal Towbar TH-53

Catalog ref: 6275

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Commander 114 Universal Adapter TR-34

Catalog ref: 6274

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Aviation & Ground Support / Product selection

Dassault Falcon 10 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4564



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Dassault Falcon 10 Towbar Head (TOWHEAD-3R)

Catalog ref: 4237



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Dassault Falcon 100 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4568



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Dassault Falcon 100 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4770



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Aviation & Ground Support / Product selection

Dassault Falcon 100 Towbar Head (TOWHEAD-3R)

Catalog ref: 4243



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Dassault Falcon 20 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4566



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Dassault Falcon 20 Towbar Head (TOWHEAD-3R)

Catalog ref: 4241



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Dassault Falcon 200 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4774



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Aviation & Ground Support / Product selection

Dassault Falcon 200 Towbar Head (TOWHEAD-3R)

Catalog ref: 4245



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Dassault Falcon 2000 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4572



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Dassault Falcon 2000 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4776



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Dassault Falcon 2000 Towbar Head (TOWHEAD-3S)

Catalog ref: 4146



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Dassault Falcon 50 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4778



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Dassault Falcon 50 Towbar Head (TOWHEAD-3S)

Catalog ref: 4149



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Dassault Falcon 7X Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4783



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Dassault Falcon 900 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4781



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

View specifications >

Aviation & Ground Support / Product selection

Dassault Falcon 900 Towbar Head (TOWHEAD-3S)

Catalog ref: 4151



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

deHavilland Twin Otter Fixed Wing Towbar Multi-Link Head TY-MIT1

Catalog ref: 6276



Finish


POWDER COAT YELLOW

APPLICABLE A/C = MU-2, TWIN OTTER; WEIGHT = 27 lbs.

View specifications >

deHavilland Twin Otter Universal Towbar TY-TB75

Catalog ref: 6277



Material

ALUM. 3" I.D. TUBE

Color

YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Diamond DA20 Universal Adapter T-260A

Catalog ref: 6278



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Diamond DA20 Universal Adapter T-260A - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

View specifications >

Aviation & Ground Support / Product selection

Diamond DA20 Universal Towbar TH-5

Catalog ref: 6281



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Diamond DA20 Universal Towbar TH-53

Catalog ref: 6280



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Diamond DA20 Universal Towbar TR-34

Catalog ref: 6279



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Diamond DA40 Universal Adapter T-1500A

Catalog ref: 6282



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Diamond DA40 Universal Adapter T-1500A - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

View specifications >

Aviation & Ground Support / Product selection

Diamond DA40 Universal Towbar TH-5

Catalog ref: 6285



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Diamond DA40 Universal Towbar TH-53

Catalog ref: 6284



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Diamond DA40 Universal Towbar TR-34

Catalog ref: 6283



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Diamond DA42 Universal Adapter T-700A

Catalog ref: 6286



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Diamond DA42 Universal Adapter T-700A - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

View specifications >

Aviation & Ground Support / Product selection

Diamond DA42 Universal Towbar TH-5

Catalog ref: 6289



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Diamond DA42 Universal Towbar TH-53

Catalog ref: 6288



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Diamond DA42 Universal Towbar TR-34

Catalog ref: 6287



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

EADS CASA C-295 Towbar (TOWC295-L-001)

Catalog ref: 4671



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

EADS CASA CN-235 Towbar (TOWC235-L)

Catalog ref: 4670



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Eclipse 500 Fixed Wing Towbar TH-53

Catalog ref: 6292



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Eclipse 500 Universal Adapter T-750A

Catalog ref: 6290



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Eclipse 500 Universal Adapter T-750A - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

View specifications >

Eclipse 500 Universal Towbar TR-34

Catalog ref: 6291



Weight
14,000 lbs (6,350 kg)


Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Aviation & Ground Support / Product selection

Embraer 120 Fixed Wing Towbar Multi-Link Head TY-EMB2

Catalog ref: 6296



Finish
POWDER COAT YELLOW

APPLICABLE A/C = ERJ-120; WEIGHT = 41 LBS.

View specifications >

Embraer 120 Towbar Head (TOWHEAD-3K)

Catalog ref: 4020



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Embraer 125 Towbar (TOWE145-L)

Catalog ref: 4018



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Embraer 135 Fixed Wing Towbar Multi-Link Head TY-EMB1

Catalog ref: 6293



Finish
POWDER COAT YELLOW

WEIGHT = 35 LBS; SHIPPING DIM. = 34" X 25" X 8".

View specifications >

Aviation & Ground Support / Product selection

Embraer 170 Fixed Wing Towbar Multi-Link Head TY-EMB3

Catalog ref: 6297



Finish

NICKEL PLATE / POWDER COAT YELLOW

APPLICABLE A/C = ERJ-170, 190 & 195; WEIGHT = 58 LBS.

View specifications >

Embraer 170 Fly-Away Towbar (TOWE170-C-1+8)

Catalog ref: 4357



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

View specifications >

Embraer 170 Towbar (TOWE170-C-4)

Catalog ref: 4434



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Embraer 175 Fly-Away Towbar (TOWE170-C-1+8)

Catalog ref: 4358



LISTED DETAILS

Tube made of high strength aluminium, can be split into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be split into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

View specifications >

Aviation & Ground Support / Product selection

Embraer 175 Towbar (TOWE170-C-4)

Catalog ref: 4436



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Embraer 190 Fly-Away Towbar (TOWE170-C-1+8)

Catalog ref: 4360



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

View specifications >

Embraer 190 Towbar (TOWE170-C-4)

Catalog ref: 4439



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Embraer 195 Fly-Away Towbar (TOWE170-C-1+8)

Catalog ref: 4363



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

View specifications >

Aviation & Ground Support / Product selection

Embraer 195 Towbar (TOWE170-C-4)

Catalog ref: 4442



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Embraer CN-235 Towbar Head (TOWHEAD-31E)

Catalog ref: 4668



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Embraer ERJ-135 Towbar (TOWHEAD-3F)

Catalog ref: 4083



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Embraer ERJ-140 Towbar (TOWHEAD-3F)

Catalog ref: 4085



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Embraer ERJ-145 Towbar (TOWHEAD-3F)

Catalog ref: 4087



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Embraer Legacy Towbar (TOWHEAD-3F)

Catalog ref: 4089



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Embraer Phenom 300 Fixed Wing Towbar Multi-Link Head TY-PHE3

Catalog ref: 6301



Finish

POWDER COAT YELLOW

APPLICABLE A/C = PHENOM 300 WITHOUT NLG PROTECTION; WEIGHT = 15 lbs.

View specifications >

Embraer Phenom Fixed Wing Towbar Multi-Link Head TY-PHE2

Catalog ref: 6300



Finish

POWDER COAT BLACK

APPLICABLE A/C = PHENOM 100; WEIGHT = 9 lbs.

View specifications >

Aviation & Ground Support / Product selection

Embrear EMB-110 Towbar Head (TOWHEAD-31K)

Catalog ref: 4144



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

F-16 Aircraft Multi-Link Towbar TY-TB75

Catalog ref: 3801



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Fairchild Dornier Fixed Wing Towbar Multi-Link Head TY-GAL2

Catalog ref: 6303



Finish
POWDER COAT YELLOW

APPLICABLE A/C = GULFSTREAM / GALAXY G150, G200, G280 AND FAIRCHILD DORNIER 328; WEIGHT = 13 lbs.

View specifications >

Fairchild Merlin Fixed Wing Towbar Multi-Link Head TY-KQA1

Catalog ref: 6305



Finish
POWDER COAT YELLOW

APPLICABLE A/C = MERLIN, II, IV, SJ-30, KING AIR 350, 1900, STARSHIP, KING AIR 90/200, QUEENAIR, SJ-30, METRO; WEIGHT = 20 lbs.

View specifications >

Aviation & Ground Support / Product selection

Fairchild/Swearingen Merlin Towbar Head (TOWHEAD-31H)

Catalog ref: 4137



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Fairchild/Swearingen Metro III Towbar Head (TOWHEAD-31H)

Catalog ref: 4139



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Fairchild/Swearingen Metro IV Towbar Head (TOWHEAD-31H)

Catalog ref: 4142



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Falcon 10 Fixed Wing Towbar Multi-Link Head TY-FAL1

Catalog ref: 6307



Finish

POWDER COAT YELLOW

APPLICABLE A/C = 10, 20, 100, 200; WEIGHT = 25 LBS.

View specifications >

Aviation & Ground Support / Product selection

Falcon 50 Fixed Wing Towbar Multi-Link Head TY-FAL2

Catalog ref: 6309

Finish
POWDER COAT YELLOW



APPLICABLE A/C = 50, 900, 2000; WEIGHT = 24 lbs.

View specifications >

Falcon 7x Fixed Wing Towbar Multi-Link Head TY-FAL3

Catalog ref: 6311

Finish
POWDER COAT YELLOW



APPLICABLE A/C = 7X; WEIGHT = 24 lbs.

View specifications >

Fixed Wing Towbar Multi-Link Head TY-CHA1

Catalog ref: 3792

Finish
POWDER COAT YELLOW



A/C MFG. = BOMBARDIER (CANADAIR)APPLICABLE A/C = CHALLENGER 600WEIGHT = 13 LBS.SHIPPING DIM. = 15" X 13" X 10"FINISH: POWDER COAT YELLOW; APPLICABLE A/C = CHALLENGER 600.

View specifications >

Fixed Wing Towbar Multi-Link Head TY-F-16

Catalog ref: 3797

Finish
POWDER COAT YELLOW



APPLICABLE A/C = F16; WEIGHT = 38 lbs.

View specifications >

Aviation & Ground Support / Product selection

Fokker 100 Fixed Wing Towbar Multi-Link Head TY-FOK2

Catalog ref: 6315



Finish
POWDER COAT YELLOW

APPLICABLE A/C = 100; WEIGHT = 20 lbs.

View specifications >

Fokker 50 Fixed Wing Towbar Multi-Link Head TY-FOK1

Catalog ref: 6314



Finish
POWDER COAT YELLOW

APPLICABLE A/C = 50; WEIGHT = 21 lbs.

View specifications >

Fokker F-28 Towbar (TOWFO28-L)

Catalog ref: 4665



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Fokker F-7 Towbar (TOWFO27-L)

Catalog ref: 4022



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Fokker Fokker 50/60 Towbar (TOWFO50-C)

Catalog ref: 4663



LISTED DETAILS


Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Fokker Fokker 70/100 Fly-Away Towbar (TOWFO70-C-1+8)

Catalog ref: 4684



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

View specifications >

Fokker Towbar Head (TOWHEAD-3Q)

Catalog ref: 4016



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Galaxy Aerospace Business Fixed Wing Towbar Multi-Link Head TY-GAL1

Catalog ref: 6317



Finish

POWDER COAT YELLOW

WEIGHT = 25 lbs; SHIPPING DIM. = 71" X 8" X 8".

View specifications >

Aviation & Ground Support / Product selection

Galaxy Aerospace Business Fixed Wing Towbar Multi-Link Head TY-WES1

Catalog ref: 6318



Finish
POWDER COAT YELLOW

WEIGHT = 34 lbs; SHIPPING DIM. = 30" X 32" X 7".

View specifications >

Galaxy Aerospace Jet Commander Fixed Wing Towbar Multi-Link Head TY-WES1

Catalog ref: 6324



Finish
POWDER COAT YELLOW

WEIGHT = 34 lbs; SHIPPING DIM. = 30" X 32" X 7".

View specifications >

Galaxy Aerospace Westwind Fixed Wing Towbar Multi-Link Head TY-WES1

Catalog ref: 6322



Finish
POWDER COAT YELLOW

WEIGHT = 34 lbs; SHIPPING DIM. = 30" X 32" X 7".

View specifications >

Galaxy Astra Fixed Wing Towbar Multi-Link Head TY-WES1

Catalog ref: 6319



Finish
POWDER COAT YELLOW

WEIGHT = 34 lbs; SHIPPING DIM. = 30" X 32" X 7".

View specifications >

Aviation & Ground Support / Product selection

Grumman G-44 Fixed Wing Towbar Custom TR-14

Catalog ref: 6325



LISTED DETAILS

Length 12 1/2 feet / Spread = 60" to 100"

Length 12 1/2 feet; Spread = 60" to 100".

View specifications >

Gulfstream A4G400 Towbar (TOWHEAD-31B)

Catalog ref: 4049



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Gulfstream Aero Commander Towbar Head (TOWHEAD-3J)

Catalog ref: 4294



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Gulfstream Aerospace G1 Fixed Wing Towbar Multi-Link Head TY-GUL1

Catalog ref: 6327



Finish

POWDER COAT YELLOW

WEIGHT = 46 lbs; SHIPPING DIM. = 33" X 29" X 8".

View specifications >

Aviation & Ground Support / Product selection

Gulfstream Aerospace G100 Fixed Wing Towbar Multi-Link Head TY-WES1

Catalog ref: 6332



Finish
POWDER COAT YELLOW

SHIPPING DIM. = 30" X 32" X 7"; Finish: POWDER COAT YELLOW.

View specifications >

Gulfstream Aerospace G150 Fixed Wing Towbar Multi-Link Head TY-GAL2

Catalog ref: 6330



Finish
POWDER COAT YELLOW

APPLICABLE A/C = GULFSTREAM / GALAXY G150, G200, G280 AND FAIRCHILD DORNIER 328; WEIGHT = 13 lbs.

View specifications >

Gulfstream Aerospace GII Fixed Wing Towbar Multi-Link Head TY-GUL1

Catalog ref: 6329



Material
ALUM. 4" TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 4" TUBE; MATERIAL: ALUM. 4" TUBE.

View specifications >

Gulfstream Aerospace GII Fixed Wing Towbar Multi-Link Head TY-GUV1

Catalog ref: 6328



Finish
POWDER COAT YELLOW


APPLICABLE A/C = GII, III, IV, V, 350,450,500,550,650; WEIGHT = 69 lbs.

View specifications >

Aviation & Ground Support / Product selection

Gulfstream G1 Towbar (TOWHEAD-31B)

Catalog ref: 4054



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Gulfstream G11 Towbar (TOWHEAD-31B)

Catalog ref: 4056



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Gulfstream G111 Towbar (TOWHEAD-31B)

Catalog ref: 4058



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Gulfstream G200 Towbar Head (TOWHEAD-31P)

Catalog ref: 4263



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Gulfstream G300 Towbar (TOWHEAD-31B)

Catalog ref: 4037



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Gulfstream G350 Towbar (TOWHEAD-31B)

Catalog ref: 4039



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Gulfstream G350 Towbar Head (TOWHEAD-3G)

Catalog ref: 4285



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Gulfstream G450 Towbar Head (TOWHEAD-3G)

Catalog ref: 4288



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Gulfstream G500 Towbar Head (TOWHEAD-3G)

Catalog ref: 4290



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Gulfstream G550 Towbar Head (TOWHEAD-3G)

Catalog ref: 4292



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Gulfstream GIV Towbar (TOWHEAD-31B)

Catalog ref: 4060



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Gulfstream GIV-SP Towbar (TOWHEAD-31B)

Catalog ref: 4063



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Gulfstream GV Towbar Head (TOWHEAD-3G)

Catalog ref: 4282



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Gulfstream Turbo Commander Towbar Head (TOWHEAD-3J)

Catalog ref: 4297



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Hawker Beechcraft 125 Towbar (TOWHEAD-31A)

Catalog ref: 4035



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Hawker Beechcraft Beech 1900 Towbar Head (TOWHEAD-3T)

Catalog ref: 4156



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Hawker beechcraft Beech Premier Towbar Head (TOWHEAD-31X)

Catalog ref: 4276



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Hawker Beechcraft Beechjet 400 Towbar Head (TOWHEAD-31N)



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Hawker Beechcraft C-12 Towbar Head (TOWHEAD-3T)

Catalog ref: 4154



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Hawker Beechcraft King Air Towbar Head (TOWHEAD-3T)

Catalog ref: 4164



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Hawker Beechcraft Queen Air Towbar Head (TOWHEAD-3T)

Catalog ref: 4166



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Hawker Beechcraft Starship Towbar Head (TOWHEAD-3T)

Catalog ref: 4161



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Hawker Beechcraft T-44 Towbar Head (TOWHEAD-3T)

Catalog ref: 4159



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Honda R&D Fixed Wing Towbar Custom TR-HON

Catalog ref: 6333



Material
3 PIECE ALUMINUM

Weight
52 lbs

Finish
MIL YELLOW POWDER COAT

Material: 3 PIECE ALUMINUM; Weight: 52 lbs.

View specifications >

Aviation & Ground Support / Product selection

Ilyushin DC-10 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4488



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Ilyushin IL-62 Towbar (TOWHEAD-1H)

Catalog ref: 4027



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Ilyushin IL-76 Towbar (TOWIL76-L)

Catalog ref: 4171



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Ilyushin IL-86 Towbar (TOWIL86-L)

Catalog ref: 4173



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Ilyushin IL-96 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4486



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Ilyushin IL-96 Towbar (TOWIL96-C-8)

Catalog ref: 4180



LISTED DETAILS

Tube made of high strength steel, devided in two pieces / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); Corrosion protection: Skydrol resistant colour yellow RAL 1028.

View specifications >

Ilyushin IL-96 Towbar Head (TOWHEAD-1B)

Catalog ref: 4406



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Revolving towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Ilyushin IL-96 Universal Towbar (TOWUNIV-2)

Catalog ref: 4223



LISTED DETAILS

Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

L-1011 Aircraft Towbar Head (TOWHEAD-1A)

Catalog ref: 4395



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

L-1011 Aircraft Towbar Head (TOWHEAD-1B)

Catalog ref: 4408



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Revolving towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Lake LA-4 Multi-Link Towbar TR-34

Catalog ref: 3773



Weight

14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Lancair IV Multi-Link Towbar TH-5

Catalog ref: 3769



Weight

4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Aviation & Ground Support / Product selection

Lear 23 Fixed Wing Towbar Multi-Link Head TY-CIT1

Catalog ref: 3777



Finish
POWDER COAT YELLOW

WEIGHT = 21 LBS; SHIPPING DIM. = 26" X 14" X 14".

View specifications >

Lear 23 Multi-Link Towbar TY-TB75

Catalog ref: 3782



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Lear 25 Fixed Wing Towbar Multi-Link Head TY-CIT1

Catalog ref: 3785




Finish
POWDER COAT YELLOW

WEIGHT = 21 LBS; SHIPPING DIM. = 26" X 14" X 14".

View specifications >

Lear 25 Multi-Link Towbar TY-TB75

Catalog ref: 3789



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Aviation & Ground Support / Product selection

Maule All Fixed Wing Towbar Adapter TY-MAULE1

Catalog ref: 3804



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Maule All Fixed Wing Towbar Adapter TY-MAULE1 - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

View specifications >

Maule All Universal Towbar TH-5

Catalog ref: 3814



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Maule All Universal Towbar TH-53

Catalog ref: 3810



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Maule All Universal Towbar TR-34

Catalog ref: 3807



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Aviation & Ground Support / Product selection

MC Donnel Douglas DC-10 Towbar Head (TOWHEAD-1B)

Catalog ref: 4410



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Revolving towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

MC Donnel Douglas MD-11 Towbar Head (TOWHEAD-1B)

Catalog ref: 4415



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Revolving towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

MC Donnell Douglas DC-10 Universal Towbar (TOWUNIV-2)

Catalog ref: 4225



LISTED DETAILS

Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Mc Donnell Douglas DC-8 Towbar (TOWDC08-L)

Catalog ref: 4075



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

MC Donnell Douglas DC-9 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4515



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

MC Donnell Douglas DC-9 Towbar (TOWMD80-L)

Catalog ref: 4419



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

MC Donnell Douglas DC-9 Towbar Head (TOWHEAD-2D)

Catalog ref: 4425



LISTED DETAILS

Only for use with TOWMULTI-2

Only for use with TOWMULTI-2; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

MC Donnell Douglas MD-11 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4490



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

MC Donnell Douglas MD-11 Universal Towbar (TOWUNIV-2)

Catalog ref: 4227



LISTED DETAILS

Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

MC Donnell Douglas MD-80 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4517



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

MC Donnell Douglas MD-80 Towbar (TOWMD80-L)

Catalog ref: 4421



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

MC Donnell Douglas MD-80 Towbar Head (TOWHEAD-2D)

Catalog ref: 4428



LISTED DETAILS

Only for use with TOWMULTI-2

Only for use with TOWMULTI-2; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

MC Donnell Douglas MD-90 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4519



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

MC Donnell Douglas MD-90 Towbar Head (TOWHEAD-2D)

Catalog ref: 4430



LISTED DETAILS

Only for use with TOWMULTI-2

Only for use with TOWMULTI-2; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

MC Donnell Douglas MD90 Towbar (TOWMD80-L)

Catalog ref: 4423



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

MC Donnell Douglas TU-204 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4493



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Micco 26 Custom Towbar TR-15

Catalog ref: 3818



LISTED DETAILS

Length 12 1/2 feet / Spread = 72" to 102"

Length 12 1/2 feet; Spread = 72" to 102".

View specifications >

Mitsubishi MU-2 Fixed Wing Towbar Multi-Link Head TY-MIT1

Catalog ref: 3822




Finish
POWDER COAT YELLOW

APPLICABLE A/C = MU-2, TWIN OTTER; WEIGHT = 27 lbs.

View specifications >

Mitsubishi MU-2 Multi-Link Towbar TY-TB75

Catalog ref: 3825



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Mooney M20 Universal Towbar TH-5

Catalog ref: 3835



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Aviation & Ground Support / Product selection

Mooney M20 Universal Towbar TH-53

Catalog ref: 3831



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Mooney M20 Universal Towbar TR-34

Catalog ref: 3829




Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Multi-Link Aircraft Towbar TY-TB75

Catalog ref: 3795



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

North American AT-6 Custom Towbar TR-6

Catalog ref: 3838



LISTED DETAILS

Length: 12 ft. / Spread: 12 ft.

Length: 12 ft; Spread: 12 ft.

View specifications >

Aviation & Ground Support / Product selection

North American Navion Universal Towbar TH-5

Catalog ref: 3850



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

North American Navion Universal Towbar TH-53

Catalog ref: 3847



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

North American Navion Universal Towbar TR-34

Catalog ref: 3843



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

North American Sabreliner Fixed Wing Towbar Multi-Link Head TY-SAB1

Catalog ref: 3854



Finish
POWDER COAT YELLOW

WEIGHT = 14 lbs; SHIPPING DIM. = 15" X13" X 10".

View specifications >

Aviation & Ground Support / Product selection

North American Sabreliner Multi-Link Towbar TY-TB75

Catalog ref: 3858



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Piaggio Avanti Fixed Wing Towbar Multi-Link Head TR-PIA

Catalog ref: 3867



Finish
POWDER COAT YELLOW

Finish: POWDER COAT YELLOW.

View specifications >

Piaggio Avanti Fixed Wing Towbar Multi-Link Head TY-PIA

Catalog ref: 3861




Finish
POWDER COAT YELLOW

WEIGHT = 12 lbs; SHIPPING DIM. = 26" X 14" X 14".

View specifications >

Piaggio Avanti Multi-Link Towbar TY-TB75

Catalog ref: 3865



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Aviation & Ground Support / Product selection

Piaggio P180 Towbar Head (TOWHEAD-31T)

Catalog ref: 4272



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Pilatus PC-12 Custom Towbar TR-PC

Catalog ref: 3881



Weight
26 lbs

Finish
Powder coat orange

Weight: 26 lbs; Finish: Powder coat orange.

View specifications >

Pilatus PC-12 Custom Towbar TR-PCS

Catalog ref: 3878



Weight
19 lbs

Finish
Powder coat orange

Weight: 19 lbs; LENGTH: 10 ft.

View specifications >

Pilatus PC-12 Fixed Wing Towbar Adapter T-451A

Catalog ref: 3885



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Pilatus PC-12 Fixed Wing Towbar Adapter T-451A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

View specifications >

Aviation & Ground Support / Product selection

Pilatus PC-12 Fixed Wing Towbar Multi-Link Head TY-PIL1

Catalog ref: 3872



Finish
POWDER COAT YELLOW

APPLICABLE A/C = PC-12; WEIGHT = 15 lbs.

View specifications >

Pilatus PC-12 Multi-Link Towbar TY-TB75

Catalog ref: 3875



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Pilatus PC-12 Towbar Head (TOWHEAD-3X)

Catalog ref: 4580



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Pilatus PC-12 Universal Towbar TR-34L

Catalog ref: 3889



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Aviation & Ground Support / Product selection

Piper Apache Universal Towbar TR-34

Catalog ref: 3893



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Piper Aztec Universal Towbar TH-53

Catalog ref: 3897



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Piper Cheyenne 400LS Towbar Head (TOWHEAD-3J)

Catalog ref: 4308



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Piper Cheyenne I Towbar Head (TOWHEAD-3J)

Catalog ref: 4299



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Piper Cheyenne II Towbar Head (TOWHEAD-3J)

Catalog ref: 4302



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Piper Cheyenne III Towbar Head (TOWHEAD-3J)

Catalog ref: 4304



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Piper Cheyenne IIIA Towbar Head (TOWHEAD-3J)

Catalog ref: 4306



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Piper Cheyenne Universal Towbar TR-34

Catalog ref: 3901



Weight

14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Aviation & Ground Support / Product selection

Piper Chieftan Towbar Head (TOWHEAD-3J)

Catalog ref: 4310



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Piper Malibu Fixed Wing Towbar Adapter T-820A

Catalog ref: 3951



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Piper Malibu Fixed Wing Towbar Adapter T-820A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

View specifications >

Piper Malibu Universal Towbar TR-34

Catalog ref: 3955



Weight

14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Piper Mojave Towbar Head (TOWHEAD-3J)

Catalog ref: 4314



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Piper Navajo Towbar Head (TOWHEAD-3J)

Catalog ref: 4312



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Piper Navajo Universal Towbar TR-34

Catalog ref: 3905



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Piper PA-18 Fixed Wing Towbar Adapter TWA-10A

Catalog ref: 3909



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Piper PA-18 Fixed Wing Towbar Adapter TWA-10A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

View specifications >

Piper PA-18 UiversalTowbar TR-34

Catalog ref: 3913



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Aviation & Ground Support / Product selection

Piper PA-18 Universal Towbar TH-5

Catalog ref: 3921



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Piper PA-18 Universal Towbar TH-53

Catalog ref: 3917



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Piper PA-22 Fixed Wing Towbar Adapter T-P228A

Catalog ref: 3925



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Piper PA-22 Fixed Wing Towbar Adapter T-P228A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

View specifications >

Piper PA-22 Universal Towbar TH-5

Catalog ref: 3937



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Aviation & Ground Support / Product selection

Piper PA-22 Universal Towbar TH-53

Catalog ref: 3933

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Piper PA-22 Universal Towbar TR-34

Catalog ref: 3929



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Piper PA-24 Fixed Wing Towbar Adapter T-795A

Catalog ref: 3942



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Piper PA-24 Fixed Wing Towbar Adapter T-795A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

View specifications >

Piper PA-24 Universal Towbar TH-53

Catalog ref: 3948



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Aviation & Ground Support / Product selection

Piper PA-24 Universal Towbar TR-34

Catalog ref: 3945



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Piper Seneca Universal Towbar TH-53

Catalog ref: 3965



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Piper Seneca Universal Towbar TR-34

Catalog ref: 3959



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Republic RC3 Custom Towbar TR-14

Catalog ref: 3968



LISTED DETAILS

Length 12 1/2 feet / Spread = 60" to 100"

Length 12 1/2 feet; Spread = 60" to 100".

View specifications >

Aviation & Ground Support / Product selection

Saab 2000 Towbar Head (TOWHEAD-3D)

Catalog ref: 4280



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Saab 340 Fixed Wing Towbar Multi-Link Head TY-SAA1

Catalog ref: 3971



Finish

POWDER COAT YELLOW

APPLICABLE A/C = 340, 2000; WEIGHT = 34 lbs.

View specifications >

Saab 340 Multi-Link Towbar TY-TB75

Catalog ref: 3975



Material

ALUM. 3" I.D. TUBE

Color

YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Saab 340 Towbar Head (TOWHEAD-3D)

Catalog ref: 4278



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Aviation & Ground Support / Product selection

Short Brothers 330 Towbar (TOWHEAD-31C)

Catalog ref: 4068



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Short Brothers 360 Towbar (TOWHEAD-31C)

Catalog ref: 4070



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Short Brothers C23A Towbar (TOWHEAD-31C)

Catalog ref: 4066



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Sino Swearingen Fixed Wing Towbar Multi-Link Head TY-KQA1

Catalog ref: 4006



Finish

POWDER COAT YELLOW

APPLICABLE A/C = MERLIN, II, IV, SJ-30, KING AIR 350, 1900, STARSHIP, KING AIR 90/200, QUEENAIR, SJ-30, METRO; WEIGHT = 20 lbs.

View specifications >

Aviation & Ground Support / Product selection

Sino Swearingen Fixed Wing Towbar TY-TB75

Catalog ref: 4010



Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

View specifications >

Socata TB10 Universal Towbar TH-5

Catalog ref: 3985



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

View specifications >

Socata TB10 Universal Towbar TH-53

Catalog ref: 3981



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Socata TB10 Universal Towbar TR-34

Catalog ref: 3978



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Aviation & Ground Support / Product selection

Socata TBM700 Fixed Wing Towbar Head T-451A

Catalog ref: 3989



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Socata TBM700 Fixed Wing Towbar Head T-451A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

View specifications >

Socata TBM700 Towbar Head (TOWHEAD-31U)

Catalog ref: 4274



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Socata TBM700 Universal Towbar TR-34

Catalog ref: 3993



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Socata Trinidad Fixed Wing Towbar Adapter T-375A

Catalog ref: 3996



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Socata Trinidad Fixed Wing Towbar Adapter T-375A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

View specifications >

Aviation & Ground Support / Product selection

Socata Trinidad Universal Towbar TH-53

Catalog ref: 4003



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

View specifications >

Socata Trinidad Universal Towbar TR-34

Catalog ref: 3999



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

View specifications >

Sukhoi Superjet 100 Fly-Away Towbar (TOWRRJ-C-1+8)

Catalog ref: 4367



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

View specifications >

Sukhoi Superjet 100 Towbar (TOWRRJ-C-4)

Catalog ref: 4365



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

T-730A Towbar Adapter - Compatibility Confirmation Required

Catalog ref: 3766

PHOTO PENDING

Exact model image not available

Catalog Reference
T-730A

T-730A towbar adapter quote reference. Aircraft compatibility and the exact adapter identity must be confirmed before selection.

View specifications >

Tupolev Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4497



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Tupolev TU-134 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4521



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Tupolev TU-154 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4523



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Aviation & Ground Support / Product selection

Tupolev TU-204 Towbar Head (TOWHEAD-1G)

Catalog ref: 4658



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Tupolev TU-214 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4495



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Tupolev TU-214 Towbar Head (TOWHEAD-1G)

Catalog ref: 4660



LISTED DETAILS

Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

View specifications >

Waco UPF-7 Fixed Wing Towbar TR-71

Catalog ref: 4012

Weight
22 lbs



Weight: 22 lbs; Length: 8' 4".

View specifications >

Aviation & Ground Support / Product selection

Yakovlev Yak-40 Towbar Head (TOWHEAD-31M)

Catalog ref: 4259



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

View specifications >

Yakovlev Yak-42 Towbar (TOWYK42-L)

Catalog ref: 4235



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

View specifications >

Bell B206L-A Helicopter Maintenance Platform

Catalog ref: 5878

PHOTO PENDING

Exact model image not available

LISTED DETAILS

Fully welded, high strength, steel construction / Designed for easy maneuverability

Fully welded, high strength, steel construction; Designed for easy maneuverability.

View specifications >

Bell B206L-B Helicopter Maintenance Platform

Catalog ref: 5877

PHOTO PENDING

Exact model image not available

LISTED DETAILS

Deck height - 42" / Fully welded, high strength, steel construction

Deck height - 42"; Fully welded, high strength, steel construction.

View specifications >

Aviation & Ground Support / Product selection

Bell Boeing V-22 Osprey Helicopter Maintenance Platform

Catalog ref: 5023



LISTED DETAILS

Heavy duty casters for easy movability from job-to-job / Grip strut steps and platform stay parallel at any height position

500 lb capacity; Hydraulically elevates 10’ to 19’. Hand actuated hydraulic pump with two 2” dia. x 35” stroke lift cylinders. Air over hydraulic system.

View specifications >

CH47 CH54 Helicopter Maintenance Platform

Catalog ref: 5963



LISTED DETAILS

Travel Speed Proportional 0 3 mph (0 4.83 k/hr) / Travel Speed at Elevation Proportional 0 0.5 mph (0 0.80k/hr)

Travel Speed Proportional 0 3 mph (0 4.83 k/hr); Travel Speed at Elevation Proportional 0 0.5 mph (0 0.80k/hr).

View specifications >

Heavy Duty Helicopter Dolly Handler

Catalog ref: 40876



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Heavy Duty Helicopter Dolly Handler - Aviation Solutions. : Heavy Duty Helicopter Dolly Handler Heavy Duty Helicopter Dolly Handler weight capacity 9,500 Lbs.

View specifications >

Heavy Duty XL Helicopter Dolly Handler

Catalog ref: 40889



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Heavy Duty XL Helicopter Dolly Handler - Aviation Solutions.

View specifications >

Aviation & Ground Support / Product selection

Helicopter Maintenance Stand Extension

Catalog ref: 5889



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Helicopter Maintenance Stand Extension - Aviation Solutions.

View specifications >

LD3 Container Dolly IML-LD3-P011601



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

LD3 Container Dolly IML-LD3-P011601 - Aviation Solutions. LD3 Container Dolly Product name LD3 Container Dolly Item IML-LD3-P011601 Details Main Parameter: - Overall Dimension.

View specifications >

Mobile Belt Loader

Catalog ref: 5918



Weight
6,000 lbs

Color
Fleet white

Weight: 6,000 lbs; Transmission: Ford, C6, automatic.

View specifications >

S-76 Rotor and Tail Maintenance Stands

Catalog ref: 5976



Rotor Stand Model
SCS-8460

Tail Stand Model
SCS-9636

Material
Aluminum

Stairway Angle
45 degrees

S-76 maintenance stand family with separate SCS-8460 rotor and SCS-9636 tail configurations. Choose the service location before comparing platform layouts.

View specifications >

Aviation & Ground Support / Product selection

Standard Helicopter Dolly Handler

Catalog ref: 40872



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Standard Helicopter Dolly Handler - Aviation Solutions. Standard Helicopter Dolly Handler, weight capacity 3,800 Lbs.

View specifications >

Super Helicopter Dolly Handler

Catalog ref: 40894



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Super Helicopter Dolly Handler - Aviation Solutions. Super Helicopter Dolly Handler weight capacity 15,000 Lbs.

View specifications >

TC-888 Mobile Belt Loader

Catalog ref: 5919



LISTED DETAILS

All Aircraft having door sill heights ranging from 40.5" (1.03 m) to 168" (4.27 m). / Drive speed, gas/diesel....25 mph (40 kph) min

All Aircraft having door sill heights ranging from 40.5" (1.03 m) to 168" (4.27 m); Drive speed, gas/diesel....25 mph (40 kph) min.

View specifications >

Blackhawk Series Phase Maintenance Platform - Model ME-1001



LISTED DETAILS

S-70 Variants / Platform consists of two staircases; port, starboard, and forward decks

S-70 Variants; Platform consists of 5 main pieces, which are designed to form an “aircraft maintenance bay”.

View specifications >

Aviation & Ground Support / Product selection

Gimbal Install Removal Device (G.I.R.D.)

Catalog ref: 41050

PHOTO PENDING

Exact model image not available

LISTED DETAILS

Tilt down push handle / X/Y Tilt capable

The Gimbal Install Removal Device (G.I.R.D.) comes with x1 Lifting Jack and x1 Rotational Ride Plate and x2 Safety Straps; 360 rotating pump handle.

View specifications >

Cabinet Water Cart



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Cabinet Water Cart - Ground Support Equipment. CABINET: The cabinet utilizes a 2” X 2” stainless steel tube frame with an insulated double wall construction.

View specifications >

Lavatory Service Cart - 150 gal Waste / 100 gal Charge



LISTED DETAILS

galvanized towbar / 4"ball dump valve

4"ball dump valve; 1/2" exterior garde plywood tank cushion.

View specifications >

Lavatory Service Cart - 250 gal Waste / 150 gal Charge



LISTED DETAILS

Waste Tank: 250 Gallon / Charge Tank: 150 Gallon

Waste Tank: 250 Gallon; Charge Tank: 150 Gallon.

View specifications >

Aviation & Ground Support / Product selection

Lavatory Service Cart With 757 Platform

LISTED DETAILS



Waste Tank: 250 Gallon / Charge: 150 Gallon

Waste Tank: 250 Gallon; Charge: 150 Gallon.

View specifications >

Low Profile Lavatory Service Cart - 150 / 100 gal

LISTED DETAILS



Waste Tank: 150 Gallon / Charge: 100 Gallon

Waste Tank: 150 Gallon; Charge: 100 Gallon.

View specifications >

Low Profile Lavatory Service Cart - 50 / 50 gal

LISTED DETAILS



Waste: 50 Gallons / Charge: 50 Gallons

Waste: 50 Gallons; Charge: 50 Gallons.

View specifications >

Low Profile Lavatory Service Cart - 60 / 40 gal

LISTED DETAILS



Waste: 60 Gallons / Charge: 40 Gallons

Waste: 60 Gallons; Charge: 40 Gallons.

View specifications >

Aviation & Ground Support / Product selection

Low Profile Potable Water Cart 250 Gallon



LISTED DETAILS

Tanks: 250 Gallons / Low Profile Design

Tanks: 250 Gallons; 12" Hinged Inspection Cover.

View specifications >

Low Profile Potable Water Cart Fully Winterized



LISTED DETAILS

Tank: 100 Gallons / Removable spindles

Tank: 100 Gallons; Removable spindles.

View specifications >

Low Profile Potable Water Service Cart



LISTED DETAILS

Tank Volume: 100 Gallons / Stainless Steel Tank

Tank Volume: 100 Gallons; 10' Hose with Coupling.

View specifications >

M-602 Portable Inverter Water Cooling Fan



Weight
264lbs

Weight: 264lbs; Blade Size: 42".

View specifications >

Aviation & Ground Support / Product selection

M-702 Portable Inverter Water Cooling Fan



Weight
198lbs

Weight: 198lbs; Blade Size: 30".

View specifications >

M-703 Portable Inverter Water Cooling Fan



Weight
220lbs

Weight: 220lbs; Blade Size: 30".

View specifications >

M-802 Portable Inverter Water Cooling Fan



Weight
163lbs

Weight: 163lbs; Blade Size: 24".

View specifications >

M-902 Portable Inverter Water Cooling Fan



Weight
99lbs

Weight: 99lbs; Blade Size: 18".

View specifications >

Aviation & Ground Support / Product selection

Potable Water Service Cart - 250 gal



LISTED DETAILS

Tank: 250 Gallons / Galvanized Towbar

Tank: 250 Gallons; 1/2 " exterior grade plywood tank cushion.

View specifications >

Potable Water Service Cart - 400 gal



LISTED DETAILS

Tank: 400 Gallons / Bronze Water Pump

Tank: 400 Gallons; 12" hinged cleanout on top of tank.

View specifications >

Pratt & Whitney Governor Part #3039335 Propeller Overspeed

Catalog ref: 3039335



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Propeller overspeed governor quote reference 3039335. Confirm application, part-number match, condition and required release documentation.

View specifications >

TL1000PL Lavatory Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

TL1000PL Lavatory Service Truck - Ground Support Equipment. The TL1000PL Lavatory Service Truck is designed to service all sizes of commercial aircraft.

View specifications >

Aviation & Ground Support / Product selection

TL175 Lavatory Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

TL175 Lavatory Service Truck - Ground Support Equipment. TL175 lavatory service truck is designed to service commuter and narrow body, commercial aircraft.

View specifications >

TL600 Lavatory Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

TL600 Lavatory Service Truck - Ground Support Equipment. TL600 lavatory service truck is designed to service all sizes of commercial aircraft.

View specifications >

TL600-Military Lavatory Service Truck



LISTED DETAILS

Waste Tank: 360 Gallons / Flush Tank: 125 Gallons

Waste Tank: 360 Gallons; Flush Tank: 125 Gallons.

View specifications >

TL600-Platform Lavatory Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

TL600-Platform Lavatory Service Truck - Ground Support Equipment. The TL600 lavatory service truck is designed to service all sizes of commercial aircraft.

View specifications >

Aviation & Ground Support / Product selection

TL700 Lavatory Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

TL700 Lavatory Service Truck - Ground Support Equipment. The TL700 lavatory service truck is designed to service all sizes of commercial aircraft.

View specifications >

WT450 Water Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

WT450 Water Service Truck - Ground Support Equipment. The WT450 water service truck is designed to service all sizes of commercial aircraft.

View specifications >

WT600 Water Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

WT600 Water Service Truck - Ground Support Equipment. The WT600 water service truck is designed to service all sizes of commercial aircraft.

View specifications >

WT700 Water Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

WT700 Water Service Truck - Ground Support Equipment. The WT700 water service truck is designed to service all sizes of commercial aircraft.

View specifications >

Aviation & Ground Support / Product selection

UH-60 Tail Rotor Work Platform - Model ME-1010

Catalog ref: ME-1010



LISTED DETAILS

Designed for easy access to T/R and G/B areas / Adjustable panels provide added safety for personnel & protect the aircraft

2 staircases provide contoured fit to the aircraft tail section; Designed for easy access to T/R and G/B areas.

View specifications >

Adjustable Pylon Stand



LISTED DETAILS

Lightweight construction / All weather tread

Lightweight construction; All weather tread.

View specifications >

Aircraft Pylon Access Ladder



LISTED DETAILS

Minimum height - 7’6” / Maximum height - 9’6”

Minimum height - 7’6”; Maximum height - 9’6”.

View specifications >

Dock & Loading Equipment

Dock & Loading Equipment

Levelers, ramps, seals, shelters and loading-area equipment.

BEFORE YOU COMPARE

Record door, dock and vehicle dimensions, transfer equipment and combined loading requirements. Confirm mounting conditions and vehicle variation before selecting.



Mechanical Machinery Jacks

Equipment shown is a catalog example. Open the product page to confirm its exact configuration.

Dock & Loading Equipment / Product selection

CENTRAAIR® Series Air Powered Levelers



LISTED DETAILS

Electrical or pneumatic push button or lanyard control / Ideally suited for power starved applications

Standard operable range of 12” above dock level and 12” below dock level; Electrical or pneumatic push button or lanyard control.

View specifications >

“MA” Series Air Powered Levelers



LISTED DETAILS

Automatic lip extension with yieldable lip / Below dock end load capability

Single phase 115V motor with simple single button control; Standard operable range of 12” above dock level and 12” below dock level.

View specifications >

Protective Bollards



LISTED DETAILS

Protects dock doorways and building passages / Excellent for segregating vehicles from people

Listed models: B4SD, B6SD, B4HD, B6HD; B4SD
Description: 4” Standard duty 4” tubing.

View specifications >

TS103 Series Curtain Head



LISTED DETAILS

Head curtain accommodates high volume traffic with differing trailer heights / Tapered top is supported at front by tubular metal support inside curtain

Top of unit is sloped forward to promote water drainage & supported by wood 2"x 4" at wall; Head curtain drop of 24” over side pads.

View specifications >

Dock & Loading Equipment / Product selection

TS103L Series Curtain Head “L” Side Pad



LISTED DETAILS

Head curtain drop of 24” over “L” side pads / Split curtain with Velcro and pull ropes

Head curtain drop of 24” over “L” side pads; Standard “L” style side pad 14” projection with 4” dock bumper.

View specifications >

TS500 Series Counterweighted Adjustable Head



LISTED DETAILS

TS500-100 models side pads are 10’ high for up to 9’ high opening / TS500-116 models side pads are 11’-6” high for up to 10-’6” high opening

TS500-100 models side pads are 10’ high for up to 9’ high opening; TS500-116 models side pads are 11’-6” high for up to 10-’6” high opening.

View specifications >

Dock Seal and Shelter Combination - D-150/650 Series




SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: D-150/650-10, D-150/650-11, D-150/650-12, D-150/650-13 and additional configurations; D-150/650-10 Projection: 10".

View specifications >

Aluminum Dock Boards



LISTED DETAILS

Consistent on-time delivery ratings of 99% or higher / Aluminum Dockboards

Products listed will ship in 2 business days; Consistent on-time delivery ratings of 99% or higher.

View specifications >

Dock & Loading Equipment / Product selection

Aluminum Dock Plates



LISTED DETAILS

Consistent on-time delivery ratings of 99% or higher / Aluminum Dockplates

Products listed will ship in 2 business days; Consistent on-time delivery ratings of 99% or higher.

View specifications >

Aluminum Dockboard with Steel Curbs



LISTED DETAILS

Beveled Edges for Smooth Entry & Exit / Treadplate Design Ensures Positive Traction

Bend is 11° and 9" from Beveled Edge; Beveled Edges for Smooth Entry & Exit.

View specifications >

Aluminum Economizer Dockplates



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Aluminum Economizer Dockplates - Dock Boards & Plates. Economical way to speed up truck loading and unloading.

View specifications >

Aluminum Hand Truck Dockboard



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: AHTD-3036, AHTD-3048, AHTD-3648, AHTD-3660 and additional configurations; AHTD-3036 Overall Width: 31-1/4".

View specifications >

Dock & Loading Equipment / Product selection

Aluminum Hand Truck Dockplates



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Aluminum Hand Truck Dockplates - Dock Boards & Plates. Designed for use with two wheel hand trucks.

View specifications >

Aluminum Mini Dockplates



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: AMD-2418, AMD-3018, AMD-3618; AMD-2418 Overall Width: 24".

View specifications >

Formed Aluminum Dockboards



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Formed Aluminum Dockboards - Dock Boards & Plates. Unique design includes formed aluminum side curbs.

View specifications >

Steel Dockboard



LISTED DETAILS

Constructed of high strength (55,000 PSI) Steel for long life. / Beveled edges on both ends permit smooth entry and exit.

Listed models: TS-25-7260, TS-25-7272; TS-25-7260 Width x Length: 60.

View specifications >

Dock & Loading Equipment / Product selection

Steel Dockboards



LISTED DETAILS

Consistent on-time delivery ratings of 99% or higher / All steel construction

Products listed will ship in 2 business days; Consistent on-time delivery ratings of 99% or higher.

View specifications >

Steel Dockplates



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Steel Dockplates - Dock Boards & Plates. The Steel Truck Dockplate is constructed of high strength INX-55 (55,000 psi) steel.

View specifications >

Steel Rail Dockboards - RS Series



LISTED DETAILS

Auto Drop Locks (adds 13" to overall width)** / Pop-up Fork Lift Loops

Auto Drop Locks (adds 13" to overall width)**; Safety Curbs are 4" High.

View specifications >

"H" Series Autodok® Heavy Duty Hydraulic



LISTED DETAILS

Positive lip extension and retraction with true regenerative hydraulic control / Below dock end load capability with fully yieldable lip

4-way high tensile 50,000 minimum yield A572 safety tread plate for deck and lip; Velocity fuse hydraulic fail safe stops platform within 1” to 3” in free fall situation.

View specifications >

Dock & Loading Equipment / Product selection

2-post Cantilevered Mechanical Vertical Conveyor



LISTED DETAILS

Heavy duty SEW Eurodrive gear motor requires minimal service and maintenance. / Maintenance-free carriage rollers require no lubrication.

Listed models: FLMC-1, FLMC-2, FLMC-3, FLMC-4 and additional configurations; FLMC-1 Travel (inches): 1200.

View specifications >

Aluminum Grip-Strut Walk Ramps



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Aluminum Grip-Strut Walk Ramps - Dock Equipment. Load and unload trucks when docks are unavailable.

View specifications >

Aluminum Pallets



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: AP-4048-4W, AP-4048, AP-4248-4W, AP-4248 and additional configurations; AP-4048-4W Description: Alum 4 way Pallet.

View specifications >

Aluminum Treadplate Tool Box



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Aluminum Treadplate Tool Box - Dock Equipment. Secure your tools and other belongings from theft with our Portable Tool Boxes.

View specifications >

Dock & Loading Equipment / Product selection

Aluminum Truck Mounted Walk Ramps



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: AWR-TM-28-12A, AWR-TM-28-14A, AWR-TM-28-16A; AWR-TM-28-12A Height Range: 6"-46".

View specifications >

Aluminum Vehicle Twin Ramps



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: VTR-7-14-8, VTR-5.5-14-10, VTR-7-14-12, VTR-6-14-14 and additional configurations; VTR-7-14-8 Load Capacity Per Pair (lbs.): 7,000.

View specifications >

Aluminum Walk ramp Handrail Options



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Aluminum Walk ramp Handrail Options - Dock Equipment. Aluminum Walk Ramp Handrail gives ramp users more stability and security.

View specifications >

Aluminum Walk Ramps



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Aluminum Walk Ramps - Dock Equipment. The Aluminum Walk Ramp enables delivery men, shippers, and receivers to load and unload trucks when docks are unavailable.

View specifications >

Dock & Loading Equipment / Product selection

Aluminum Wheel Chocks



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: EALUM-7, EALUM-7-HNDG, EALUM-YEL, EALUM-7-H and additional configurations; EALUM-7 TYPE: A.

View specifications >

Aluminum Wheel Risers



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Aluminum Wheel Risers - Dock Equipment. Elevate semi-trailers to loading docks for maximum serviceability during loading and unloading operations.

View specifications >

Aluminum Yard Ramps



LISTED DETAILS

Aluminum or Steel Grating / Pneumatic Tires (Changes Service Range to 40" to 66")

Pneumatic Tires (Changes Service Range to 40" to 66"); Aluminum or Steel Grating.

View specifications >

Bar Lift Barrier



LISTED DETAILS

Easy push button activation / A standard 1.5 HP self-contained power unit, 115 volt single phase standard

A standard 1.5 HP self-contained power unit, 115 volt single phase standard; Rated to withstand impacts by a 10,000 lb. load moving at 4 mph.

View specifications >

Dock & Loading Equipment / Product selection

Barrier Lip



LISTED DETAILS

Smooth transition between the leveler platform and lip / 5” high standard barrier on deck edge with 7” high optional

5” high standard barrier on deck edge with 7” high optional; Rated to withstand being impacted by a 10,000 lb load moving at 4 m.p.h.

View specifications >

Big Foot Jacks BFSJ-2748



LISTED DETAILS

80,000 lb. static capacity / 40,000 lb. lifting capacity

80,000 lb. static capacity; 40,000 lb. lifting capacity.

View specifications >

Big Foot: BFSJ-2748



LISTED DETAILS

80,000 lb. static capacity / 40,000 lb. lifting capacity

80,000 lb. static capacity; 40,000 lb. lifting capacity.

View specifications >

Cargo Bars



LISTED DETAILS

Keep trailer contents in place -- eliminate damaged goods / Simple mechanical lock - will not vibrate loose

Listed models: CB-5, CB-7, EB-96, EB-102 and additional configurations; CB-5 Description: One Piece Aluminum (Round Tube).

View specifications >

Dock & Loading Equipment / Product selection

Commercial Belt Drive Portable Blower



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: DDB-C-42; DDB-C-42 Blade Diameter: 42".

View specifications >

Commercial Circulator Fans



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: CCRF-24-P, CCRF-24-W, CCRF-30-P, CCRF-30-W; CCRF-24-P Blade Diameter: 25".

View specifications >

Commercial Direct Drive Blower



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: DDB-C-42; DDB-C-42 Blade Diameter: 42".

View specifications >

Commercial Floor Fan



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: FF-C-12, FF-C-20; FF-C-12 Blade Diameter: 12".

View specifications >

Dock & Loading Equipment / Product selection

Construction Chutes



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Construction Chutes - Dock Equipment. Polyethylene trash chutes are the choice of suppliers & contractors throughout North America.

View specifications >

Container unloading Platform



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: CUP-3131; CUP-3131 Lower Platform: 30.9375" x 30.9375".

View specifications >

Direct Drive Portable Blower



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: DDB-36; DDB-36 Blade Size: 36".

View specifications >

Dock Barricade



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: DJG-100, DJG-100-10, DJG-100MW; DJG-100 Operation: Electric.

View specifications >

Dock & Loading Equipment / Product selection

Dock Bug Screen Doors



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: DBS-88-H, DBS-810-H, DBS-1010-H, DBS-88-W and additional configurations; DBS-88-H Operation: Sliding.

View specifications >

Dock Bug Wire Mesh Door



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: DWM-88-ITM-W, DWM-810-ITM-W, DWM-1010-ITM-W; DWM-88-ITM-W Description: In Tube Motorized.

View specifications >

Dock Chain Barrier Bollard System



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: DCBB-42-4.5, DCBB-42.5.5; DCBB-42-4.5 Overall Height: 42".

View specifications >

Dock Loading Lights



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Dock Loading Lights - Dock Equipment. Lights minimize freight damage while expediting loading and unloading operations.

View specifications >

Dock & Loading Equipment / Product selection

Dock Seal Draft Blockers



LISTED DETAILS

Top carrying handles for easy removal / Heavy duty vinyl construction

Listed models: DRAFT-18, DRAFT-24, DRAFT-36; DRAFT-18 Overall Size (WxLxH): 18"x12"x9".

View specifications >

Dock Seal Shelter Combinations

Catalog ref: 5922



LISTED DETAILS

For use with an 8'W x 10'H door. / Header measures 114"W with a 30" drop curtain.

Listed models: D-150/650-10, D-150/650-11, D-150/650-12, D-150/650-13 and additional configurations; D-150/650-10 Projection: 10".

View specifications >

Dock Seal/Shelter Combinations



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Dock Seal/Shelter Combinations - Dock Equipment. Top (header) is constructed of wolmanized lumber and is built with a slope to allow for water run-off.

View specifications >

Dock Seals

Catalog ref: 5921



LISTED DETAILS

Chemically sealed ends prevent moisture infiltration. / Through the wall installation kits included.

Three-piece dock seals for listed 8 × 8 ft or 8 × 9 ft door openings, with nylon-reinforced vinyl facing and chemically sealed ends. Match projection to the dock and vehicle interface.

View specifications >

Dock & Loading Equipment / Product selection

Dock Shelter

Catalog ref: 5923



LISTED DETAILS

Fiberglass staves are sewn into the flaps. / Supporting structure is made of 2 x 4 wolmanized lumber.

Listed models: D-750-18, D-750-24, D-750-30, D-750-36; D-750-18 Projection: 18".

View specifications >

Dock Shelters



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: D-750-18, D-750-24, D-750-30, D-750-36; D-750-18 Projection: 18".

View specifications >

Dock Traffic Systems



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: DTS-10, DTS-5, DTS-5-LED; DTS-10 Description: Aluminum Housing.

View specifications >

Dock-Pro



LISTED DETAILS

Adjustable to Any Dock Height / Adaptable to Most Forklifts

Listed models: DP-3896-15; DP-3896-15 Overall Size (WxLxH): 41-1/4"x143"x40".

View specifications >

Dock & Loading Equipment / Product selection

Dockleveler Insulation Blankets



LISTED DETAILS

Size is 90” wide X 96” long / Aluminum extrusion and anchors provided

Listed models: DIB-96; DIB-96 Size: 90" x 96".

View specifications >

Economical Portable Loading Platform



LISTED DETAILS

Platform Size 54" x54" / 12" Long Beveled Lip

Listed models: FTLP-5454, FTLP-5454-HR*; FTLP-5454 Platform Size: 54" x 54".

View specifications >

Economical Safety Swing Gate



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: SSG-9, SSG-11; SSG-9 Opening: 108".

View specifications >

Economy Stabilizing Jack



LISTED DETAILS

Heavy duty dome shaped, 14 inch diameter base for maximum leveling stability. / 3" heavy duty steel tube welded to top of base.

Heavy duty dome shaped, 14 inch diameter base for maximum leveling stability; 3" heavy duty steel tube welded to top of base.

View specifications >

Dock & Loading Equipment / Product selection

Economy Stabilizing Jack SJ-35



LISTED DETAILS

Heavy duty dome shaped, 14 inch diameter base for maximum leveling stability. / 3" heavy duty steel tube welded to top of base.

Heavy duty dome shaped, 14 inch diameter base for maximum leveling stability; 3" heavy duty steel tube welded to top of base.

View specifications >

Economy Trailer King Pin Lock



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

E-TKPL Height: 3.25"; E-TKPL Inside Diameter: 3".

View specifications >

Electric Hydraulic Dockleveler



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Electric Hydraulic Dockleveler - Dock Equipment. The Electric Hydraulic Dock Leveler is ideal for high usage dock areas.

View specifications >

Electric Hydraulic Edge-O-Dock



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: PE-1572-36*, PE-2066, PE-2072, PE-2566 and additional configurations; PE-1572-36* Description: Electric.

View specifications >

Dock & Loading Equipment / Product selection

Extruded Bumper Stops



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: BS-12, BS-18, BS-24, BS-36 and additional configurations; BS-12 Description: 5.5"Wx12"Hx1.25"P.

View specifications >

Extruded Rubber Bumper



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Extruded Rubber Bumper - Dock Equipment. Made of all weather and abrasion resistant rubber.

View specifications >

Fabricated Aluminum Hose & Cable Bridges



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: FHCR-24-36-4, FHCR-24-36-4-4H, FHCR-24-40-8, FHCR-24-40-8-4H and additional configurations; FHCR-24-36-4 Overall Size (WxL): 24"x36".

View specifications >

Fiberglass Autoloader



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: FAL-3610-50, FAL-3612-50, FAL-3614-50, FAL-3616-50; FAL-3610-50 Overall Width: 36".

View specifications >

Dock & Loading Equipment / Product selection

Flexible Gooseneck Dock Lights



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: LL-GN-27, LL-GN-LED-27; LL-GN-27 Description: Flexible Gooseneck Dock Light, Incandescent.

View specifications >

Floor Tape Applicators



LISTED DETAILS

Apply Marking Tape Accurately & Securely to Floors

Listed models: TPA-10, TPA-20, YB-282-R, YB-382-R; TPA-10 Description: Economy Floor Tape Applicator.

View specifications >

Fold-A-Way Ramp



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: D-FAR-120; D-FAR-120 Dimensions (WxL): 12-1/16"x124".

View specifications >

Folding Bulk Crate



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: CBC-4048-M, CBC-4048-S; CBC-4048-M Style: Open Mesh Sides.

View specifications >

Dock & Loading Equipment / Product selection

Galvanized Welded Wire Pallets



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Galvanized Welded Wire Pallets - Dock Equipment. Welded wire pallets will stand up to heavy-duty use.

View specifications >

Grate Ramp



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: D-AW-88, D-AW-132, D-AW-168; D-AW-88 Dimensions (WxL): 36"x88".

View specifications >

Guard Rail Systems



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Guard Rail Systems - Dock Equipment. Protect personnel and equipment both visually and physically with our Guard Rail Systems.

View specifications >

Halogen Work Lights



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

HLGN-FWL Light Bulbs: 500 Watt; Listed models: HLGN-FWL, HLGN-PWL.

View specifications >

Dock & Loading Equipment / Product selection

Hand Pump Hydraulic (series PP)



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: PP-1572-36*, PP-2066, PP-2072, PP-2566 and additional configurations; PP-1572-36* Type: Hand Pump.

View specifications >

Hand-Crank Trailer Stabilizing Jack - CJ-BEAM-PN



Models
CJ-BEAM-PN

Uniform Static Capacity
100,000 lb

Uniform Lifting Capacity
50,000 lb

CJ-BEAM-PN hand-crank trailer stabilizing jack reference. The manufacturer lists 100,000 lb static and 50,000 lb lifting capacities.

View specifications >

Hand-Crank Trailer Stabilizing Jack - CJ-BEAM-SN / CJ-BEAM-PN



Models
CJ-BEAM-SN / CJ-BEAM-PN

Uniform Static Capacity
100,000 lb

Uniform Lifting Capacity
50,000 lb

CJ-BEAM-SN / CJ-BEAM-PN hand-crank trailer stabilizing jack reference. The manufacturer lists 100,000 lb static and 50,000 lb lifting capacities.

View specifications >

Hanging Magnetic Sweepers



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Hanging Magnetic Sweepers - Dock Equipment. Hanging Magnetic Sweepers are ideal for cleaning industrial settings, parking lots, and loading areas.

View specifications >

Dock & Loading Equipment / Product selection

Hardened Molded Bumpers



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: DBE-10-1, DBE-20-1, DBE-30-1, AS-346 and additional configurations; DBE-10-1 Description: 4.5"Wx10"Lx3"P.

View specifications >

Heavy Duty Air Curtains



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: ACURT-36, ACURT-48, ACURT-60, ACURT-72 and additional configurations; ACURT-36 Description: 3/4 HP Heavy Duty Air Curtain.

View specifications >

Heavy Duty Farm Jacks



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: HDFJ-48, HDFJ-60; HDFJ-48 Capacity (Tons): 3.5.

View specifications >

Heavy Duty Guard Rail



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: HDGR-4-27, HDGR-4-36, HDGR-4-42, HDGR-6-27 and additional configurations; HDGR-4-27 Overall: 27".

View specifications >

Dock & Loading Equipment / Product selection

Heavy Duty LED Dock Loading Lights



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: LL-HD-LED-24, LL-HD-LED-40, LL-HD-LED-60, LL-HD-LED-90; LL-HD-LED-24 Description: LED, Heavy Duty dock light single arm.

View specifications >

Heavy Duty Portable Evaporator Cooler



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: TS-EVAP-16, TS-EVAP-36, TS-EVAP-48; TS-EVAP-16 Blade Size: 16".

View specifications >

Heavy Duty Swinging Traffic Door



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: HDSW-37, HDSW-57, HDSW-58, HDSW-67 and additional configurations; HDSW-37 Description: Single Door Panel.

View specifications >

Heavy Industrial Coil Handling Cars



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication / Easy replacement of high strength wheel pockets minimizes downtime.

Minimum 3:1 structural factor of safety makes these lifts the most structurally sound lift in the industry; ASTM - A36 - Structural Steel Standard.

View specifications >

Dock & Loading Equipment / Product selection

Heavy-Duty Fiberglass Walk Ramps



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: FWR-3010-50, FWR-3012-50, FWR-3610-50, FWR-3612-50 and additional configurations; FWR-3010-50 Overall Width: 30".

View specifications >

High Performance Circulator Fan



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: HPCR-30-P, HPCR-30-W, HPCR-30-I, HPCR-30-C; HPCR-30-P Blade Size: 30".

View specifications >

Hitch Lift



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: HL-55; HL-55 Platform Size (WxL): 28"x25".

View specifications >

Industrial Acrylic Convex Mirrors



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Industrial Acrylic Convex Mirrors - Dock Equipment. These Acrylic Convex Mirrors eliminate those blind spots and danger areas found in most industrial settings.

View specifications >

Dock & Loading Equipment / Product selection

Industrial Ceiling Fans



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: ICF-48, ICF-56, ICF-56R; ICF-48 Type: Down Draft.

View specifications >

Industrial Duty Circulator Fan



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: ICRF-24-P, ICRF-24-W, ICRF-30-P, ICRF-30-W and additional configurations; ICRF-24-P Blade Size: 24".

View specifications >

Industrial Sliding Doors



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: ISD-88, ISD-1010, ISD-1212; ISD-88 Description: Bi-Parting.

View specifications >

Laminated Dock Bumpers



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Laminated Dock Bumpers - Dock Equipment. Laminated style dock bumpers provide durable, economical protection for your loading dock and trailers.

View specifications >

Dock & Loading Equipment / Product selection

Light Communication System (LCS)



LISTED DETAILS

Shallow depth of unit reduces possible damage to LCS from incoming trailers / Complete with high visibility exterior caution signs

Yellow polypropylene light housing will not rust, pit or corrode like similar metal units; Shallow depth of unit reduces possible damage to LCS from incoming trailers.

View specifications >

Light Duty Swinging Traffic Door



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: LDSW-37, LDSW-57, LDSW-58, LDSW-67 and additional configurations; LDSW-37 Description: Single Door Panel.

View specifications >

Line Markers



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

LINE-SA Wt. (lbs): 4; Listed models: LINE-SA, LINE-SA-W.

View specifications >

Load Binders



LISTED DETAILS

Provides 5,400 lbs. working load limit

Listed models: LBDR-9-L, LBDR-13-L; LBDR-9-L Type: Lever.

View specifications >

Dock & Loading Equipment / Product selection

Long Extruded Rubber Cable Protectors



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: C-75-12, C-75-24, C-150-12; C-75-12 Width: 4".

View specifications >

Magnetic Catcher



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: MLM-20; MLM-20 Width: 3-13/16".

View specifications >

Magnetic Easy Lift



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: EASY-50; EASY-50 Width: 2-3/8".

View specifications >

Magnetic Lifters



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: ML-2, ML-6, ML-12; ML-2 Overall Size (WxDxH): 6-3/4"x5-3/32"x4-29/32".

View specifications >

Dock & Loading Equipment / Product selection

Magnetic Rail Car Wheel Chock - RC-WC



LISTED DETAILS

Polyurethane material designed for durability / Rail Track attaching magnets for extra grip

RC-WC Size (WxLxH): 2-1/4"x11"x3-5/8"; RC-WC Net Wt. (lbs.): 3.

View specifications >

Manual Push Sweeper



LISTED DETAILS

Commercial or Industrial Use / Heavy Duty All Steel Construction

JAN-II Overall Size (WxDxH): 29" x 48" x 37-7/8"; JAN-II Sweeping Area: 27".

View specifications >

Mechanical Docklevelers



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Mechanical Docklevelers - Dock Equipment. The Mechanical Dockleveler is constructed of heavy duty ." checkered plate deck (55,000 PSI) steel to support the understructure for long life.

View specifications >

Mechanical Edge-O-Dock (series FM)



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: FM-0648, FM-2066, FM-2072, FM-2078 and additional configurations; FM-0648 Type: Mechanical.

View specifications >

Dock & Loading Equipment / Product selection

Mechanical Machinery Jacks



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: MMJ-3, MMJ-6, MMJ-10; MMJ-3 Capacity (Tons): 1.5.

View specifications >

Mechanical Screw Jacks



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: MSJ-3, MSJ-5, MSJ-10, MSJ-20; MSJ-3 Capacity (Tons): 3.

View specifications >

Molded Rubber Hose & Cable Bridges



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: RHCB-12, RHCB-12A, MRBR-24; RHCB-12 Description: Molded Rubber.

View specifications >

Molded Urethane & Plastic Wheel Chocks



SELECTION CHECKS


Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: URWC-2*, URWC-8, URWC-8-HDL, URWC-15* and additional configurations; URWC-2* Description: Mini-urethane chock.

View specifications >

Dock & Loading Equipment / Product selection

Multi-Channel Cable Protectors



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: MCHC-3, MCHC-3L, MCHC-3R, MCHC-5 and additional configurations; MCHC-3 Description: 3-Channel Center Section.

View specifications >

Multi-Purpose Ramps



LISTED DETAILS

Holes located on each side to attach multiple units

Listed models: MPR-2310-G, MPR-2313-G, MPR-2410, MRR-2310; MPR-2310-G Material: Plastic.

View specifications >

Nestable Presswood Pallets



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: PWP-4840; PWP-4840 Size: 48"x40".

View specifications >

Pallet Buster



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: SKB-7, SKB-DLX; SKB-7 Description: Pallet Buster.

View specifications >

Dock & Loading Equipment / Product selection

Pallet Canopy



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Pallet Canopy - Dock Equipment. Unload pallets in the rain, snow or sleet.

View specifications >

Pallet Cargo Decking



LISTED DETAILS

Reduce Freight Damage / Increase Trailer Load Volume

Listed models: PCD-92, PCD-92D, PCD-92DS, PCD-92DSB; PCD-92 Description: Single Tier.

View specifications >

Pallet Puller



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: PAL-12, PAL-14, PAL-16, PAL-21 and additional configurations; PAL-12 Description: Single Scissor.

View specifications >

Pallet Washer



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: PPW-748, OEPW-1700; PPW-748 Opening: 7"Wx48"H.

View specifications >

Dock & Loading Equipment / Product selection

Pallet Wedge



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: PW-7200, PW-9200; PW-7200 Overall Size (WxDxH): 75"x64"x77".

View specifications >

Parking Stops with Raised Lettering



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Parking Stops with Raised Lettering - Dock Equipment.

View specifications >

Plastic Pallet/Skid



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: PLPS-4840, PLPS-H, PLPS-WD; PLPS-4840 Overall Size (W x D x H): 47-1/8" x 39-1/4" x 6-1/2".

View specifications >

Plastic Pallets and Skids



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Plastic Pallets and Skids - Dock Equipment. Made of virgin polyethylene for longer life.

View specifications >

Dock & Loading Equipment / Product selection

PLTC Dock Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient and highly serviceable hydraulic power unit.

Joints, the most critical wear points in the lift, feature chrome-plated, 100,000-psi, Minimum 3:1 structural factor of safety makes these lifts the most structurally sound lift in the industry.

View specifications >

Portable Electric Heater



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: FFH-118, CRFH-198, CFFH-240; FFH-118 Overall Size (WxDxH): 10"x9-1/2"x16".

View specifications >

Portable Electric Infrared Heat Panels



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: PIHP-4, PIHP-6, PIHP-11; PIHP-4 Overall Size (WxD): 44-5/8"x56-1/2".

View specifications >

Portable Electric Infrared Heaters



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: PIHP-4, PIHP-6, PIHP-11; PIHP-4 Overall Size (WxD): 44-5/8"x56-1/2".

View specifications >

Dock & Loading Equipment / Product selection

Portable Electric Salamander



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: PES-1520-3, PES-1524-1, PES-1524-3, PES-1548-3 and additional configurations; PES-1520-3 Overall Dimensions (HxWxD): 39"x23.25"x18".

View specifications >

Portable Infrared Heaters



LISTED DETAILS

Radiant heat can be adjusted in distance and height / Adjustable brightness for various applications

Listed models: HEAT-S, HEAT-S1, HEAT-S2; HEAT-S Max Power High: 2400W.

View specifications >

Portable Steel Yard Ramp



LISTED DETAILS

A tow clamp or fork clamp to permit easy transportation / Serrated bar grating to provide excellent traction and stop build up of debris

72" long level-off section allows for easy access for "end-loads"; High visibility 8" yellow run-off guards.

View specifications >

Portable Work Station Fan



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: PWSF-18H-TE; PWSF-18H-TE Blade: 18".

View specifications >

Dock & Loading Equipment / Product selection

Premium Truck Scissor Dock Lifts



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Premium Truck Scissor Dock Lifts - Dock Equipment. Save time and reduce man-hours where there are no docks with a Truck Scissor Dock Lift.

View specifications >

Protecting Cable Guards



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: MRHR-39, MRHR-39-YL, MRHR-39-BG; MRHR-39 Color: Black.

View specifications >

Quartz Infrared Spot Heater




SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: VCH-46C, VCH-57C, VCH-48-P; VCH-46C Watts: 1500.

View specifications >

Quilted Moving Pads



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: QPC-7280-VP, QPC-7280-UP, QPC-7280-UP-1PK, QPC-7280-UP-4PK and additional configurations; QPC-7280-VP Description: Heavy Duty Multi-Color One side cotton, one side polyester.

View specifications >

Dock & Loading Equipment / Product selection

Railroad Car Chocks



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: FRC-2, SRC-1; FRC-2 Description: Flag Rail chock w/adjustable height leg.

View specifications >

Ratchet Beam Jack LO-J-BEAM



LISTED DETAILS

Ratchet screw lift / Wheel barrel design for ease of positioning

6 inch beam distributes load across front of trailer; 40,000 lb. lifting capacity.

View specifications >

Ratchet-Top Jack SP-TOP-R



LISTED DETAILS

100,000 lb. Static capacity / 40,000 lb. Lifting capacity

100,000 lb. Static capacity; 40,000 lb. Lifting capacity.

View specifications >

RC200 Series Inflatable Rail



LISTED DETAILS


14 oz. Air Lite fabric Black only / One piece unitized construction

14 oz. Air Lite fabric Black only; Standard unit is 12’0” wide x 11’ high x 48” projection with for 10’W x 10’H opening.

View specifications >

Dock & Loading Equipment / Product selection

RC300 Series Flexible Frame Rail



LISTED DETAILS

3 sided frame/3 sided cover / 16 oz. Hypalon

3 sided frame/3 sided cover; 16 oz. Hypalon.

View specifications >

Recycled Plastic Parking Stops



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Recycled Plastic Parking Stops - Dock Equipment. Car Stops Car Stops Protecting people and property from drivers in dangerous areas.

View specifications >

Retractable Dock Shelter

Catalog ref: 5924



LISTED DETAILS

The design also eliminates the need for rigid steel guide protectors. / Overall size 132"W x 126"H x 24" projection.

Listed models: D-520-24; D-520-24 Door Size (WxL): 8'x8'-10'x10'.

View specifications >

Roll-O-Ramp



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Roll-O-Ramp - Dock Equipment. Roll-O-Ramp provides access over curbs.

View specifications >

Dock & Loading Equipment / Product selection

Roto Grip Magnets



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: ROTO-25, ROTO-50, ROTO-90; ROTO-25 Width: 2".

View specifications >

Rounded Dome Bumpers



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: RDB-075, RDB-125, RDB-200, RDB-250; RDB-075 Diameter: 3/4".

View specifications >

Rubber Ramps



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: RCR-23, RCR-35, RCR-C; RCR-23 Description: Rectangular Ramp.

View specifications >

Rubber Wedges



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: RBW-2, RBW-3, RBW-5, RBW-10; RBW-2 Width: 4".

View specifications >

Dock & Loading Equipment / Product selection

Rubber Wheel Chocks



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Rubber Wheel Chocks - Dock Equipment. Constructed of reinforced rubber to provide a sure grip on virtually any surface.

View specifications >

Safety Lift Gate



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: SLG-6, SLG-8, SLG-10; SLG-6 Length: 6'.

View specifications >

Security Seals



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: SECS-B9-BL, SECS-B9-RD, SECS-F7-BL, SECS-F7-RD and additional configurations; SECS-B9-BL Stamped Markings: Sealed -Do Not Remove.

View specifications >

Shutter Mounted Exhaust Fans



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: SME-12, SME-18, SME-24, SME-30; SME-12 Blade Size: 12".

View specifications >

Dock & Loading Equipment / Product selection

Sidewinder Cable Protector



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: SWCP-3-YB, SWCP-1X-YB, SWCP-3-BK, SWCP-1X-BK and additional configurations; SWCP-3-YB End Caps Included: Yes.

View specifications >

Solid Deck Steel Pallet



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: SDSP-4048; SDSP-4048 Overall Size (WxDxH): 47"x39-1/2"x6".

View specifications >

Specialty Molded Bumpers



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: T-22, B-1224-3, B-1224-6, B-1213-4 and additional configurations; T-22 Type: B.

View specifications >

Spin-Top Jack SP-TOP



LISTED DETAILS

100,000 lb. Static capacity / 40,000 lb. Lifting capacity

100,000 lb. Static capacity; 40,000 lb. Lifting capacity.

View specifications >

Dock & Loading Equipment / Product selection

Stainless Steel Flag Poles



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: FLP-20-SS, FLP-25-SS, AFL-20, AFL-25 and additional configurations; FLP-20-SS Top Dia.: 3".

View specifications >

Steel Container Ramps



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: SCR-72, SCR-84; SCR-72 Overall Width: 76-1/2".

View specifications >

Steel Pallets with Galvanized Finish



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Steel Pallets with Galvanized Finish - Dock Equipment. Heavy-duty non-reversible welded steel pallets.

View specifications >

Steel Wheel Alignment Curbs



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: SWAC-92, SWAC-144; SWAC-92 Height: 8-15/16".

View specifications >

Dock & Loading Equipment / Product selection

Steel Wheel Chocks



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: SWC-22, MS-15, SSC-17, FAB-8 and additional configurations; SWC-22 TYPE: A.

View specifications >

Steel Wheel Risers



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Steel Wheel Risers - Dock Equipment. The Steel Wheel Riser is equipped with fork slots for ease in fork truck transporting.

View specifications >

Steel Yard Ramps



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Steel Yard Ramps - Dock Equipment. Quickly load and unload trucks, trailers and rail cars from ground level when no freight dock exists.

View specifications >

Structural Guard Rail - drop-in and bolt-on style



SELECTION CHECKS


Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Structural Guard Rail - drop-in and bolt-on style - Dock Equipment.

View specifications >

Dock & Loading Equipment / Product selection

Structural Guard Rail Systems



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: ST-GR-4, ST-GR-6, ST-GR-8, ST-GR-10 and additional configurations; ST-GR-4 Description: Structural Guard Rail System.

View specifications >

Swivel Dock Gate



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: SDG-8, SDG-9, SDG-10; SDG-8 Door Size: 8'.

View specifications >

Tandem Traveler Locking Pin Locator



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Tandem Traveler Locking Pin Locator - Dock Equipment. The Locking Pin Locator is used to help the driver quickly line up the hole and pin when adjusting the rear axle tandem.

View specifications >

TC1000 Series Weather Sentry™



LISTED DETAILS

Rough Flex™ base with Max Flex™ reinforcement on header & “L” pads / Rough Flex™ base with max flex™ reinforcement on header

Standard complete unit for door openings 9’W x 10’H x 18” projection; Minimum of 4” dock bumper projection required for level approach with standard trailers.

View specifications >

Dock & Loading Equipment / Product selection

TC300 Series Flexible Steel Frame



LISTED DETAILS

Galvanized steel X arms and steel tube framework / 22 oz. vinyl base fabric

Standard unit is 11’6” wide x 11’ high x 24” projection with 36” curtain drop for 10’W x 10’H opening;

View specifications >

TC400 Series Rigid Wood Frame



LISTED DETAILS

22 oz. vinyl base fabric / One pair foam bottom draft pads & one pair of structural steel channel protectors

Standard unit is 11’6” wide x 11’ high x 24” projection with 36” curtain drop for up to 10’ x 10’ opening;

View specifications >

TC500 Series Flexible Wood Frame



LISTED DETAILS

Head curtain is split with touch and hold and has overlapping wear pleats each side / 22 oz. vinyl base fabric

Standard unit is 10’ wide x 10-6’ high x 18” projection with 36” curtain drop for 8’W x 10’H opening; Side curtains have closed cell neoprene sealing edge with reinforced 2 ply bottom panel.

View specifications >

TC900 Series Soft Sided



LISTED DETAILS

Structurally supported head canopy with translucent fiberglass / 22 oz. vinyl base fabric

Standard unit is 12’ wide x 11’ high x 18” projection with 36” curtain drop for 10’W x 10’H opening; Side curtains have closed cell neoprene sealing edge, bottom wear panels & fiberglass stays max 16” O.C.

View specifications >

Dock & Loading Equipment / Product selection

Telescopic Wheel Chair Ramp



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: D-TR-72, D-TR-88; D-TR-72 Dimensions (WxL): 9-7/16"x72".

View specifications >

Trailer Crane Bumpers



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: TB-10, TB-20, TB-70, TB-70-Y and additional configurations; TB-10 Width: 3".

View specifications >

Trailer Jacks



LISTED DETAILS

Use on lifting, levelizing and adjusting applications / Easy hitching and unhitching from loaded trailer

Listed models: TJ-06, TJ-F3, TJ-F1, TJ-F2 and additional configurations; TJ-06 Mount: Side Swivel/Wheel.

View specifications >

Trailer Lock Systems



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: TL-100-F, TL-100-F-S, TL-100-F-S-LED, TL-200-HP-F and additional configurations; TL-100-F Description: Electric Hydraulic, Aluminum Light Pkg. 115 V, 1 PH.

View specifications >

Dock & Loading Equipment / Product selection

Trailer Mover



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

PTM-GPT Service Range: 21.75" to 27"; PTM-GPT Pull Capacity (lbs): 12,000.

View specifications >

Truck Actuated Dockleveler



LISTED DETAILS

55,000 psi high strength checker plate deck / 12" long lip (extends 6½" into truck)

55,000 psi high strength checker plate deck; 12" long lip (extends 6½" into truck).

View specifications >

Truck Mounted Strap Winches



LISTED DETAILS

Tightens down loads to minimize shifting / Weld or bolt-on design

Listed models: SW-4-PSW*, SW-4-PSB*, SW-BAR, SW-BAR-PT and additional configurations; SW-4-PSW* Description: Weld On Winch.

View specifications >

Truck Scissor Dock Lift

Catalog ref: 5925



LISTED DETAILS

Hydraulic cylinders feature emergency velocity fuse if line breaks. / Complete with upper travel limit switch and overload relief valve.

Push-button control is 24V AC on a 20 foot long coil cord; The Truck Scissor Dock Lift has a checkered plate deck is made of heavy gauge steel for years of use.

View specifications >

Dock & Loading Equipment / Product selection

TS101 Series Fixed Head



LISTED DETAILS

Tightest possible seal between interior & exterior environments / Accommodates high volume traffic with consistent trailer widths & heights

10” projection with 4” dock bumper; 22 oz. vinyl base fabric.

View specifications >

TS101L Series Fixed Head “L” Side Pad



LISTED DETAILS

Standard “L” style side pad 14” projection with 4” dock bumper / 22 oz. vinyl base fabric

Head pad over “L” side pads - Standard head pad projection 10” (always 4” less than side pads); Standard “L” style side pad 14” projection with 4” dock bumper.

View specifications >

TS200 Series Inflatable Fixed Head



LISTED DETAILS

One piece unitized construction / 12” projection with 4” dock bumper - up to 22” projection available

12” projection with 4” dock bumper - up to 22” projection available; 22 oz. vinyl base fabric.

View specifications >

Urethane Hose & Cable Bridges



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: URTH-24, URTH-36, URTH-48; URTH-24 Overall Size (WxL): 23-1/4"x23-1/2".

View specifications >

Dock & Loading Equipment / Product selection

Vehicle Position Jacks



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: VPJ-9, VPJ-12, VPJ-DOL; VPJ-9 Max Tire Width: 9".

View specifications >

Vinyl Strip Doors



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Vinyl Strip Doors - Dock Equipment. Vinyl Strip Doors help control noise, dust, fumes and smoke while minimizing drafts, reducing illnesses and accidents.

View specifications >

Wheel Chock Accessories



LISTED DETAILS

Holds up to 40 pounds in a usable width of 10-3/4". / Steel construction for long life and durability

Holds up to 40 pounds in a usable width of 10-3/4"; Overall size is 12-7/8"W x 7-7/16"D x 6-7/16"H.

View specifications >

Work Station Fan



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Listed models: WSF-12, WSF-18, WSF-18-F; WSF-12 Blade Size: 12".

View specifications >

Dock & Loading Equipment / Product selection

“HED” Series Hydraulic Edge Of Dock Leveler



LISTED DETAILS

Cold rolled steel hinge pins and secondary gussets for added strength and longevity / Grease fittings throughout unit

Nema 4 single button control panel provides easy push button operation for smooth, consistent operation; High strength steel safety tread plate for deck and lip 55,000 lb yield tensile.

View specifications >

“HOLD-TITE®” Automatic Vehicle Restraint



LISTED DETAILS

Automatic light sequencing of inside/outside red/green lights / Low profile, non-impact design (wall or driveway mount)

Push button activation with PLC solid state controls (115 volt - single phase operation); Includes 3 position keyed override.

View specifications >

“HP” Series Standard Duty Hydraulic



LISTED DETAILS

Positive lip extension and retraction with true regenerative hydraulic control / Below dock end load capability with fully yieldable lip

4-way high tensile 50,000 minimum yield A572 safety tread plate for deck and lip; Velocity fuse hydraulic fail safe stops platform within 1” to 3” in free fall situation.

View specifications >

“MEDLF” Series Mechanical Edge Of Dock Lift FreeLeveler



LISTED DETAILS

Torsion spring easily adjustable operation / Cold rolled steel hinge pins and secondary gussets for added strength and longevity

High strength steel safety tread plate for deck and lip 55,000 lb yield tensile; Heavy duty bumper blocks with Tuf-Cord bumpers - projection of 15” from wall.

View specifications >

Dock & Loading Equipment / Product selection

“MP” Series Mechanical Leveler



LISTED DETAILS

Easy pull-chain activation with finger tip release / Positive lip extension with yieldable lip

Standard operable range of 12” above dock level and 12” below dock level; Simple operation with a cam and roller counterbalance system that assures smooth dependable walk down.

View specifications >

“RRH” Series Rail Ramp Hydraulic Leveler



LISTED DETAILS

Power-up and power-down control panel with constant pressure push buttons for safety / Dual maintenance struts included for added safety

Easy push button operation for smooth, consistent operation with a hydraulic system that provides for full float at all positions;

View specifications >

“STOP-TITE®” Automatic Vehicle Restraint



LISTED DETAILS

Low profile, non-impact design (wall or driveway mount) / Unique dual locking restraint arm to minimize “trailer creep”

Push button activation (115v single phase operation) with automatic light sequencing of inside/outside red/green lights; Designed to accommodate rear impact guard (RIG) outlined in 1998 NHTSA regulation.

View specifications >

“STOP-TITE®” Manual Vehicle Restraint Series



LISTED DETAILS

Manually activated restraint via an operate handle / Light Communication System with red/green inside/outside lights on MML and MAL

Designed to accommodate rear impact guard (RIG) outlined in 1998 NHTSA regulation; Manually activated restraint via an operate handle.

View specifications >

Dock & Loading Equipment / Product selection

“TPR™” Automatic Vehicle Restraint



LISTED DETAILS

Industry Proven Truck Positioned Restraint Mechanism / Advanced Three Light Communication System

Low Profile 9” Carriage - Service Range 9”to 27” Off Grade; Restraining Force In Excess of 30,000 lbs.

View specifications >

“VSH” Series Vertical Storing Hydraulic Leveler



LISTED DETAILS

Power-up and power-down control panel with constant pressure push buttons for safety / Below dock end load capability

4-way high tensile 50,000 minimum yield A572 safety tread plate for deck and lip; 3” high safety run-off guards are included on platform.

View specifications >

Corner Gard



LISTED DETAILS

Protects office and wall corners / Full gusset to withstand impact

Listed models: CG18; CG18 Description: 18” High.

View specifications >

M-502 Portable Inverter Water Cooling Fan



Weight
352lbs

Weight: 352lbs; Blade Size: 50".

View specifications >

Dock & Loading Equipment / Product selection

Post Guards



LISTED DETAILS

Welded for maximum strength / Provide greater safety for personnel

Listed models: P12SD, P12HD, P18HD, P24HD and additional configurations; P12SD Description: 12" high Std Duty - 3/16" steel.

View specifications >

SAF-T Header Banger Bar



LISTED DETAILS

Protects overhead mechanical lines and conveyors / "Banger Bar" warns operator

Listed models: STH10, STH12, STH16; STH10 Description: to 10' tall.

View specifications >

SAF-T Rail Protection System



LISTED DETAILS

10,000 lb. load at 4 mph rating / Simple layout with universal column

Listed models: C1, C2, C3, R10 and additional configurations; C1 Description: 18" Column - Single Rail Application.

View specifications >

SAF-T- Guard Handrail System



LISTED DETAILS


An economical and versatile handrail system for plants, warehouses, etc. / Quick, easy installation

Listed models: HR2C, HR2S, HR2E, HR2CE; HR2C Description: 4' X 4' Corner.

View specifications >

Dock & Loading Equipment / Product selection

Rack Guard



LISTED DETAILS

Protects vulnerable end- post from all directions / Simple installation to floor

Listed models: RG42, RG42L, RG42R, RG48 and additional configurations; RG42 Description: 42" Rack Guard - Single row, 42" upright depth.

View specifications >

Track Armor Door Protection



LISTED DETAILS

Unique formed design for strength and door track protection / Simple installation to floor and wall

Listed models: TA24HD, TA36HD, TA42SD, TA42HD and additional configurations; TA24HD Description: 24" heavy duty - Upright is 1/4" w/base plate.

View specifications >

Fuel Tank Steps



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Fuel Tank Steps - Truck & Trailer Access Equipment. DOT requirements encourage the use of self-cleaning steps.

View specifications >

Safe Access Ladders



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Safe Access Ladders - Truck & Trailer Access Equipment. Ideal for grain hauler, tanker and dump manufacturers.

View specifications >

Dock & Loading Equipment / Product selection

Standard Flip Up Step



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Standard Flip Up Step - Truck & Trailer Access Equipment. The step stores in a 90º, closed position.

View specifications >

Trailer Tuck Away Step



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Capacity: 350lbs. Part # Wt Width Depth Height DB0701 Steel 25 lbs 26" 15" 4-1/2" DE0701 Aluminum 9 lbs 26" 16" 4-1/2".

View specifications >

Truck Angled Slide Away Ladder



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Truck Angled Slide Away Ladder - Truck & Trailer Access Equipment. The Truck Angled Slide Away Ladder is the perfect solution for traditional straight ladders that easily get damaged.

View specifications >

Truck Frame Ladder



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Truck Frame Ladder - Truck & Trailer Access Equipment. Ideal for reaching refrigeration units, or for grain and tanker/dump operators.

View specifications >

Dock & Loading Equipment / Product selection

Truck Frame Step



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Truck Frame Step - Truck & Trailer Access Equipment. The ideal and economical step for dump operators.

View specifications >

Truck Slide Away Steps



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Truck Slide Away Steps - Truck & Trailer Access Equipment. Retractable Trailer Steps, Perfect for Side or Rear Door Access These retractable trailer steps are a must for any trailer.

View specifications >

Truck Straight Slide-Away Ladder



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

Truck Straight Slide-Away Ladder - Truck & Trailer Access Equipment. The Truck Straight Slide-Away Ladder is the perfect solution for traditional straight ladders that easily get damaged.

View specifications >

Truck Leveler - Low Profile



LISTED DETAILS

Double wire braided hydraulic hoses / Extended hose life for added safety

Low 5" silhouette on surface mount; Platform constructed of 4-way tread plate.

View specifications >

Scaffolding

Scaffolding

Aluminum scaffold components and access systems.

BEFORE YOU COMPARE

Confirm platform height, system compatibility, required bracing and stabilizers, floor conditions and assembly requirements for the complete configuration.



Aluminum Boiler Scaffold Part No.507

Equipment shown is a catalog example. Open the product page to confirm its exact configuration.

Scaffolding / Product selection

160 Mobile Tower



LISTED DETAILS

Versatile frame design - use as a base frame or as an upper frame / Aluminium edged platforms - with anti-slip plywood inners

Hard wearing 200mm lockable castors; Adjustable Leg gives up to 350mm of adjustment for quick and easy levelling.

View specifications >

260 Mobile Tower



LISTED DETAILS

Versatile frame design - use as a base frame or as an upper frame / 2.6mm wall thickness increases durability and lifespan

2.6mm wall thickness increases durability and lifespan; Hard wearing 200mm lockable castors.

View specifications >

Mono Mobile Tower



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Mono Mobile Tower - Aluminum Scaffold Tower System. The Mono Tower is easy and quick to set up and can be erected by one person.

View specifications >

Snappy Low-Level Tower



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Snappy Low-Level Tower - Aluminum Scaffold Tower System.

View specifications >

Scaffolding / Product selection

Span 300 Mobile Tower



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Span 300 Mobile Tower - Aluminum Scaffold Tower System. Span 300 is a lightweight, aluminium high strength system, designed for fast, easy assembly with rung spacing’s of 276mm.

View specifications >

Span 400 Mobile Tower



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Span 400 Mobile Tower - Aluminum Scaffold Tower System. Span 400 is a lightweight, fast and easy to assemble tower system with a rung spacing of 400mm.

View specifications >

Span 500 Mobile Tower



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Span 500 Mobile Tower - Aluminum Scaffold Tower System.

View specifications >

Stairway Mobile Tower



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Stairway Mobile Tower - Aluminum Scaffold Tower System.

View specifications >

Scaffolding / Product selection

Step-Up 150/100 Low-Level Tower



LISTED DETAILS

Choice of 1m and 1.5m Podium Steps / Safe speedy access platforms that eliminate the need for step-ladders

Choice of 1m and 1.5m Podium Steps; 3 year guarantee.

View specifications >

Tradie Folding Low-Level Tower



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Tradie Folding Low-Level Tower - Aluminum Scaffold Tower System. The Tradie range of folding access platforms have been designed for all types of low level maintenance work.

View specifications >

TS100 Low-Level Tower



LISTED DETAILS

Safe speedy access platforms that eliminate the need for step-ladders / Compact and easy to assemble and dismantle

3 year guarantee; Safe speedy access platforms that eliminate the need for step-ladders.

View specifications >

TT250 Mobile Tower



LISTED DETAILS

Fully Tig-Welded Joints / Solid Alloy Construction

Extension packs for working heights up to 7.1m; Fully Tig-Welded Joints.

View specifications >

Scaffolding / Product selection

MD80 Maintenance Tail Dock

Catalog ref: 6109



SELECTION CHECKS

Confirm dock height, door opening and vehicle dimensions; the load and traffic pattern at the loading position.

MD80 Maintenance Tail Dock - Aluminum Tail Docks. The MD80 Maintenance Tail Dock is made with vertical tubing that is one of the industries strongest aluminum.

View specifications >

Boiler Access Span-Out System



LISTED DETAILS

Full product & engineering support is provided

Our system complies with all leading International Design, Quality, Safety and Manufacturing Standards;

View specifications >

Boiler Access Spandeck System




LISTED DETAILS

Bridging and suspended walkway platforms in swimming pools and sports stadiums. / Can be factory designed and prefabricated to provide a cost effective solution.

Maintenance walkways in pharmaceutical, food processing plants, sport arenas, retail outlets and waste water treatment plants;

View specifications >

Double Wide Scaffold Base Set



LISTED DETAILS

Height 78-90" / Width 50-25/32"

Height 78-90"; Width 50-25/32".

View specifications >

Scaffolding / Product selection

V-X INSTANT DOUBLE-WIDE SPAN Scaffold

Catalog ref: 6055



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

V-X INSTANT DOUBLE-WIDE SPAN Scaffold - Double-Wide Scaffold.

View specifications >

Z0044 Rolling Scaffold Tower



LISTED DETAILS

ONLY TWO PEOPLE NECESSARY TO JOIN IT / FAST AND EASY TO SET UP

ONLY TWO PEOPLE NECESSARY TO JOIN IT; FAST AND EASY TO SET UP.

View specifications >

Aluminum Boiler Scaffold Part No.703

Weight
6.61 lb



Weight: 6.61 lb.

View specifications >

300 Aluminum Rolling Customized Double Scaffolding System



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

300 Aluminum Rolling Customized Double Scaffolding System - Upright Aluminum Scaffold.

View specifications >

Scaffolding / Product selection

300 Aluminum Rolling Customized Scaffolding System



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

300 Aluminum Rolling Customized Scaffolding System - Upright Aluminum Scaffold.

View specifications >

300 Aluminum Rolling Double Scaffolding System



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

300 Aluminum Rolling Double Scaffolding System - Upright Aluminum Scaffold.

View specifications >

300 Aluminum Rolling Scaffold System



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

300 Aluminum Rolling Scaffold System - Upright Aluminum Scaffold.

View specifications >

Aluminum Boiler Scaffold Part No.166



Weight
30kg

Weight: 30kg.

View specifications >

Scaffolding / Product selection

Aluminum Boiler Scaffold Part No.167



Weight
33kg

Weight: 33kg.

View specifications >

Aluminum Boiler Scaffold Part No.190



Weight
35kg

Weight: 35kg.

View specifications >

Aluminum Boiler Scaffold Part No.191



Weight
35,5kg

Weight: 35,5kg.

View specifications >

Aluminum Boiler Scaffold Part No.193



Weight
38kg

Weight: 38kg.

View specifications >

Scaffolding / Product selection

Aluminum Boiler Scaffold Part No.194



Weight
39kg

Weight: 39kg.

View specifications >

Aluminum Boiler Scaffold Part No.208



Weight
1.5kg

Weight: 1.5kg.

View specifications >

Aluminum Boiler Scaffold Part No.209

Weight
2kg

Weight: 2kg.

View specifications >

Aluminum Boiler Scaffold Part No.315



Weight
12kg

Weight: 12kg.

View specifications >

Scaffolding / Product selection

Aluminum Boiler Scaffold Part No.318



Weight
9kg

Weight: 9kg.

View specifications >

Aluminum Boiler Scaffold Part No.432



Weight
5.22kg

Weight: 5.22kg.

View specifications >

Aluminum Boiler Scaffold Part No.433

Weight
6.80kg



Weight: 6.80kg.

View specifications >

Aluminum Boiler Scaffold Part No.507



Weight
1,5kg

Weight: 1,5kg.

View specifications >

Scaffolding / Product selection

Aluminum Boiler Scaffold Part No.508



Weight
1,5kg

Weight: 1,5kg.

View specifications >

Aluminum Boiler Scaffold Part No.510



Weight
2kg

Weight: 2kg.

View specifications >

Aluminum Boiler Scaffold Part No.662

Weight
0.48 lb



Weight: 0.48 lb.

View specifications >

Aluminum Boiler Scaffold Part No.701

Weight
8.29 lb



Weight: 8.29 lb.

View specifications >

Scaffolding / Product selection

Aluminum Boiler Scaffold Part No.702

Weight
5.07 lb



Weight: 5.07 lb.

View specifications >

Aluminum Boiler Scaffold Part No.740

Weight
74.96 lb



Weight: 74.96 lb.

View specifications >

Aluminum Boiler Scaffold Part No.750

Weight
85.98 lb



Weight: 85.98 lb.

View specifications >

Aluminum Boiler Scaffold Part No.760

Weight
103.62 lb



Weight: 103.62 lb.

View specifications >

Scaffolding / Product selection

Aluminum Boiler Scaffold Part No.770

Weight
119.05 lb



Weight: 119.05 lb.

View specifications >

Aluminum Boiler Scaffold Part No.780

Weight
153.5 lb



Weight: 153.5 lb.

View specifications >

Aluminum Boiler Scaffold Part No.808



Weight
6kg

Weight: 6kg.

View specifications >

Aluminum Boiler Scaffold Part No.E01



Weight
0.47 lb/ft

Weight: 0.47 lb/ft.

View specifications >

Scaffolding / Product selection

Aluminum Boiler Scaffold Part No790

Weight
171.96 lb



Weight: 171.96 lb.

View specifications >

Custom Aluminum Scaffolding Tower



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Custom Aluminum Scaffolding Tower - Upright Aluminum Scaffold.

View specifications >

Custom Span Scaffold

Catalog ref: 6085



SELECTION CHECKS


Confirm required working position and equipment reach; combined operator, tool and material load.

Tailor-Made Design: Customizable to fit your specific project needs, ensuring optimal performance and safety in any environment;

View specifications >

Double Wide Scaffold Extension 65

Catalog ref: 6092



LISTED DETAILS

Height 65 1/4" / Width 50-25/32"


Height 65 1/4"; Width 50-25/32".

View specifications >

Scaffolding / Product selection

Double Wide Scaffold Guardrail Set

Catalog ref: 6090



LISTED DETAILS

Width 50-25/32" / 2 Double Wide Guardrail End Frames

Width 50-25/32"; 2 Double Wide Guardrail End Frames.

View specifications >

Double Wide Upper Scaffold Extension

Catalog ref: 6091



LISTED DETAILS

Width 50-25/32" / 2 Double Wide Upper End Frames

Width 50-25/32"; 2 Double Wide Upper End Frames.

View specifications >

Easy Up Scaffold Base

Catalog ref: 6082



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Easy Up Scaffold Base - Upright Aluminum Scaffold. The Easy Up Scaffold Base is designed to unfold in an instant and lock into position without the use of any tools.

View specifications >

Easy Up Stairwell Scaffold

Catalog ref: 6081



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Easy Up Stairwell Scaffold - Upright Aluminum Scaffold. The Easy Up Stairwell Scaffold Base is designed specifically for stairwells.

View specifications >

Scaffolding / Product selection

Foldable Aluminum Scaffolding Part No.197



Weight
44.45 lb

Weight: 44.45 lb; 7ft height, 6ft long foldable scaffold.

View specifications >

Foldable Aluminum Scaffolding Part No.198



Weight
50.7 lb

Weight: 50.7 lb; 7ft height, 6ft long foldable scaffold.

View specifications >

Foldable Aluminum Scaffolding Part No.997



Weight
96.39 lb

Weight: 96.39 lb; 7ft height, 6ft long foldable scaffold.

View specifications >

Foldable Aluminum Scaffolding Part No.998



Weight
102.65 lb

Weight: 102.65 lb; 7ft height, 6ft long foldable scaffold.

View specifications >

Scaffolding / Product selection

Quick Bases Part No.171



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Quick Bases Part No.171 - Upright Aluminum Scaffold. high and used as a base to erect standard towers.

View specifications >

Quick Bases Part No.172



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Quick Bases Part No.172 - Upright Aluminum Scaffold. high and used as a base to erect standard towers.

View specifications >

Quick Bases Part No.173



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Quick Bases Part No.173 - Upright Aluminum Scaffold. high and used as a base to erect standard towers.

View specifications >

Quick Bases Part No.174



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Quick Bases Part No.174 - Upright Aluminum Scaffold. high and used as a base to erect standard towers.

View specifications >

Scaffolding / Product selection

Quick Bases Part No.175



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Quick Bases Part No.175 - Upright Aluminum Scaffold. high and used as a base to erect standard towers.

View specifications >

Scaffold Platform

Catalog ref: 6083



SELECTION CHECKS


Confirm required working position and equipment reach; combined operator, tool and material load.

Scaffold Platform - Upright Aluminum Scaffold. The Scaffold Platform is used with the Easy Up Scaffold Base and the Easy Up Stairwell Scaffold .

View specifications >

Single Wide Scaffold Base Set

Catalog ref: 6089



LISTED DETAILS


Height 78-90" / Width 26-21/32"

Height 78-90"; Width 26-21/32".

View specifications >

Single Wide Scaffold Guardrail Set

Catalog ref: 6086



LISTED DETAILS

Width 26-21/32" / 2 Single Wide Guardrail End Frames


Width 26-21/32"; 2 Single Wide Guardrail End Frames.

View specifications >

Scaffolding / Product selection

Single Wide Span Scaffold 49

Catalog ref: 6087



LISTED DETAILS

Width 26-21/32" / 2 Single Wide Upper End Frames

Width 26-21/32"; 2 Single Wide Upper End Frames.

View specifications >

Single Wide Span Scaffold 65

Catalog ref: 6088



LISTED DETAILS

Height 65 1/4" / Width 26-21/32"

Height 65 1/4"; Width 26-21/32".

View specifications >

Tower 400 Aluminum Rolling Scaffold System



LISTED DETAILS

ONLY TWO PEOPLE NECESSARY TO JOIN IT / FAST AND EASY TO SET UP

ONLY TWO PEOPLE NECESSARY TO JOIN IT; FAST AND EASY TO SET UP.

View specifications >

Furniture & Storage

Furniture & Storage

Workplace furniture, seating, tables, shelving and storage.

BEFORE YOU COMPARE

Compare overall dimensions, clearances, storage needs, construction and finish. Confirm configuration, quantity and access to the installation area.



Stature Series Upholstered Executive Mid-Back Conference Chair

Equipment shown is a catalog example. Open the product page to confirm its exact configuration.

Furniture & Storage / Product selection

Retro Bench with Stainless Steel 24x48 Table Top and Middle Frame

Catalog ref: 5585



Seat Height
18"
Overall Height
39.50"
Overall Width
68"
Overall Depth
48"

Seat Height: 18"; Overall Height: 39.50".

View specifications >

Retro Bench with Stainless Steel 24x48 Table Top and Wall Frame

Catalog ref: 5587



Seat Height
18"
Overall Height
39.50"
Overall Width
68"
Overall Depth
48"

Seat Height: 18"; Overall Height: 39.50".

View specifications >

Retro Bench with Stainless Steel 30" x 48" Table Top and Middle Frame

Catalog ref: 5590



Seat Height
18"
Overall Height
39.50"
Overall Width
68"
Overall Depth
48"

Seat Height: 18"; Overall Height: 39.50".

View specifications >

Retro Bench with Stainless Steel 30" x 48" Table Top and Wall Frame

Catalog ref: 5592



Seat Height
18"
Overall Height
39.50"
Overall Width
68"
Overall Depth
48"

Seat Height: 18"; Overall Height: 39.50".

View specifications >

Furniture & Storage / Product selection

24-Hour Big & Tall Anti-Microbial/Anti-Bacterial Vinyl Computer Task Chair



Seat Size
20.50" W x 20" D
Back Size
19.75" W x 20.50" H
Seat Height
19.5" - 23"
Overall Height
38.75" - 42.25"

Seat Size: 20.50" W x 20" D; Back Size: 19.75" W x 20.50" H.

View specifications >

24-Hour Big & Tall Computer Task Chair



Seat Size
20.50" W x 20" D
Back Size
19.75" W x 20.50" H
Seat Height
19.50" - 23"
Overall Height
38.75" - 42.25"

Seat Size: 20.50" W x 20" D; Back Size: 19.75" W x 20.50" H.

View specifications >

Avenger Series Big & Tall Executive Chair



Seat Size
24" W x 22.50" D
Back Size
24" W x 29" H
Seat Height
19" - 23"
Overall Height
45"- 49"

Seat Size: 24" W x 22.50" D; Back Size: 24" W x 29" H.

View specifications >

Avenger Series Big & Tall Executive High-Back Chair



Seat Size
23.75" W x 21.50" D
Back Size
23.75" W x 28.50" H
Seat Height
19" - 23.50"
Overall Height
44.50" - 49"

Seat Size: 23.75" W x 21.50" D; Back Size: 23.75" W x 28.50" H.

View specifications >

Furniture & Storage / Product selection

Avenger Series Big & Tall Executive Mid-Back Chair



Seat Size
23.50" W x 21.25" D
Back Size
23.50" W x 25" H
Seat Height
17.50" - 21.75"
Overall Height
40.50" - 44.75"

Seat Size: 23.50" W x 21.25" D; Back Size: 23.50" W x 25" H.

View specifications >

Big & Tall Anti-Microbial/Anti-Bacterial Reception Chair



Seat Size
23" W x 21" D
Back Size
23" W x 17.50" H
Seat Height
18"
Overall Height
35"

Seat Size: 23" W x 21" D; Back Size: 23" W x 17.50" H.

View specifications >

Big & Tall Anti-Microbial/Anti-Bacterial Vinyl Guest/Reception Chair with Arms



Seat Size
23" W x 21" D
Back Size
23" W x 17.50" H
Seat Height
18"
Overall Height
35"

Seat Size: 23" W x 21" D; Back Size: 23" W x 17.50" H.

View specifications >

Big & Tall Executive High-Back Chair



Seat Size
23.25" W x 21.75" D
Back Size
23" W x 31.75" H
Seat Height
20" - 22.5"
Overall Height
43.5" - 46"

Seat Size: 23.25" W x 21.75" D; Back Size: 23" W x 31.75" H.

View specifications >

Furniture & Storage / Product selection

Big & Tall Leather Chair



Seat Size
21.50" W x 22.25" D

Back Size
23" W x 28" H

Seat Height
19.50" - 23.25"

Overall Height
42.75" - 46.50"

Seat Size: 21.50" W x 22.25" D; Back Size: 23" W x 28" H.

View specifications >

Intermediate Bulk Crates



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Intermediate Bulk Crates - Bulk Crate. Space-savings storage containers (Intermediate Bulk Crates) are great for multi-trip applications.

View specifications >

Danbelle Series Cafe Height Vinyl Chair



Seat Size
19.50" W x 18" D

Back Size
21" W x 16" H

Seat Height
30.75"

Overall Height
46"

Seat Size: 19.50" W x 18" D; Back Size: 21" W x 16" H.

View specifications >

Essentials Stool



Seat Size
17" W x 17" D

Back Size
17" W x 15.50" H

Seat Height
30.50"

Overall Height
44"

Seat Size: 17" W x 17" D; Back Size: 17" W x 15.50" H.

View specifications >

Furniture & Storage / Product selection

Manor Series Cafe Height Chair



Seat Size
19.75" W x 19.50" D
Back Size
21" W x 16.50" H
Seat Height
30.5"
Overall Height
45"

Seat Size: 19.75" W x 19.50" D; Back Size: 21" W x 16.50" H.

View specifications >

Manor Series Cafe Height Chair with Arms



Seat Size
19.75" W x 19.50" D
Back Size
21" W x 16.50" H
Seat Height
30.50"
Overall Height
45"

Seat Size: 19.75" W x 19.50" D; Back Size: 21" W x 16.50" H.

View specifications >

Moon Cafe Height Chair



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.5" H
Seat Height
31.25"
Overall Height
45.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.5" H.

View specifications >

Moon Cafe Height Plastic Silver Chair



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
30.75"
Overall Height
45.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Furniture & Storage / Product selection

Moon Cafe Height Silver Chair



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
30.75"
Overall Height
45.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Moon Cafe Height Vinyl Chrome Chair



Seat Size
18
Back Size
19" x 15.50"
Seat Height
30.75"
Overall Height
45.25"

Seat Size: 18; Back Size: 19" x 15.50".

View specifications >

Moon Cafe Height Vinyl Silver Chair



Seat Size
18.25" x 17.75"
Back Size
19" x 15.5"
Seat Height
30.75"
Overall Height
45.25"

Seat Size: 18.25" x 17.75"; Back Size: 19" x 15.5".

View specifications >

Stars Cafe Height Chair



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
31.25"
Overall Height
45.75"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Furniture & Storage / Product selection

Stars Cafe Height Plastic Chair



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
30.75"
Overall Height
45.75"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stars Cafe Height Vinyl Chrome Chair



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
31.25"
Overall Height
45.75"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stars Cafe Height Vinyl Silver Chair



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
31.25"
Overall Height
45.75"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Cluster Table with Laminate Top and Stainless Steel Chairs - 24x48

Catalog ref: 5567



Seat Size
17" x 14"
Back Size
16" x 11.50"
Seat Height
18"
Overall Height
29.50"

Seat Size: 17" x 14"; Back Size: 16" x 11.50".

View specifications >

Furniture & Storage / Product selection

Cluster Table with Laminate top 24x48

Catalog ref: 5564



Seat Size
17" W x 14" D
Back Size
16" W x 11.50" H
Seat Height
18"
Overall Height
29.50"

Seat Size: 17" W x 14" D; Back Size: 16" W x 11.50" H.

View specifications >

Cluster Table with Laminate top 30x48

Catalog ref: 5569



Seat Size
17" x 14"
Back Size
16" x 11.50"
Seat Height
18"
Overall Height
29.50"

Seat Size: 17" x 14"; Back Size: 16" x 11.50".

View specifications >

Cluster Table with Laminate Top and Stainless Steel Chairs - 30x48

Catalog ref: 5573



Seat Size
17" W x 14" D
Back Size
16" W x 11.50" H
Seat Height
18"
Overall Height
29.50"

Seat Size: 17" W x 14" D; Back Size: 16" W x 11.50" H.

View specifications >

Cluster Table with Stainless Steel Top - 24x48

Catalog ref: 5575



Seat Size
17" W x 14" D
Back Size
16" W x 11.50" D
Seat Height
18"
Overall Height
29.50"

Seat Size: 17" W x 14" D; Back Size: 16" W x 11.50" D.

View specifications >

Furniture & Storage / Product selection

Cluster Table with Stainless Steel Top - 30x48

Catalog ref: 5580



Seat Size
17"x14"
Back Size
16"x11.50"
Seat Height
18"
Overall Height
29.50"

Seat Size: 17"x14"; Back Size: 16"x11.50".

View specifications >

Cluster Table with Stainless Steel Top and Chairs - 30x48

Catalog ref: 5583



Seat Size
17"x14"
Back Size
16"x11.50"
Seat Height
18"
Overall Height
29.50"

Seat Size: 17"x14"; Back Size: 16"x11.50".

View specifications >

24 Hour Anti-Microbial Vinyl Computer Task Chair with Drafting kit



Seat Size
19.50" W x 19" D
Back Size
18.50" W x 15.25" H
Seat Height
25.75"- 29.50" or 28.75"-32.50"

Seat Size: 19.50" W x 19" D; Back Size: 18.50" W x 15.25" H.

View specifications >

24 Hour Anti-Microbial/Anti-Bacterial Vinyl Computer Task Chair w/Arms, Drafting Kit



Seat Size
19.50" W x 19" D
Back Size
18.50" W x 15.25" H
Seat Height
25.75"- 29.50" or 28.75"-32.50"

Seat Size: 19.50" W x 19" D; Back Size: 18.50" W x 15.25" H.

View specifications >

Furniture & Storage / Product selection

24 Hour Anti-Microbial/Anti-Bacterial Vinyl Task Chair



Seat Size
19.50" W x 19" D
Back Size
18.50" W x 15.25" H
Seat Height
19" - 22.50"
Overall Height
37" - 40.50"

Seat Size: 19.50" W x 19" D; Back Size: 18.50" W x 15.25" H.

View specifications >

24 Hour Anti-Microbial/Anti-Bacterial Vinyl Task Chair with Arms



Seat Size
19.50" W x 19" D
Back Size
18.50" W x 15.25" H
Seat Height
19" - 22.50"
Overall Height
37" - 40.50"

Seat Size: 19.50" W x 19" D; Back Size: 18.50" W x 15.25" H.

View specifications >

24-Hour Task Chair



Seat Size
19.50" W x 19" D
Back Size
18.50" W x 15.25" H
Seat Height
19" - 22.50"
Overall Height
37" - 40.50"

Seat Size: 19.50" W x 19" D; Back Size: 18.50" W x 15.25" H.

View specifications >

24-Hour Task Chair with Arms



Seat Size
19.50" W x 19" D
Back Size
18.50" W x 15.25" H
Seat Height
19" - 22.50"
Overall Height
37" - 40.50"

Seat Size: 19.50" W x 19" D; Back Size: 18.50" W x 15.25" H.

View specifications >

Furniture & Storage / Product selection

24-Hour Task Chair with Arms and Drafting Kit



Seat Size
19.50" W x 19" D
Back Size
18.50" W x 15.25" H
Seat Height
25.75"- 29.5" or 28.75"-31.50"

Seat Size: 19.50" W x 19" D; Back Size: 18.50" W x 15.25" H.

View specifications >

24-Hour Task Chair with Drafting Kit



Seat Size
19.50" W x 19" D
Back Size
18.50" W x 15.25" H
Seat Height
25.75"- 29.50" or 28.75" - 32.50"

Seat Size: 19.50" W x 19" D; Back Size: 18.50" W x 15.25" H.

View specifications >

910 Anatomy Chair



Seat Size
15" Round
Back Size
19" W x 9" H
Seat Height
18.75” - 22.75”
Overall Height
27.75”- 31.75”

Seat Size: 15" Round; Back Size: 19" W x 9" H.

View specifications >

AirFlo Series Executive Task Chair



Seat Size
19.25" W x 20.75" D
Back Size
16.75" W x 21.75" H
Seat Height
18.75" - 22.25"
Overall Height
39" - 42.5"

Seat Size: 19.25" W x 20.75" D; Back Size: 16.75" W x 21.75" H.

View specifications >

Furniture & Storage / Product selection

AirFlo Series Executive Task Chair with Silver Accents



Seat Size
19.25" W x 20.75" D
Back Size
16.75" W x 21.75" H
Seat Height
21.25" - 24.5"
Overall Height
39.75" - 43.25"

Seat Size: 19.25" W x 20.75" D; Back Size: 16.75" W x 21.75" H.

View specifications >

AirFlo Series Mesh Task Chair



Seat Size
19.25" W x 22.50" D
Back Size
20" W x 19.50" H
Seat Height
19.75"
Overall Height
39" - 41.75"

Seat Size: 19.25" W x 22.50" D; Back Size: 20" W x 19.50" H.

View specifications >

Anti-Microbial/Anti-Bacterial Vinyl Guest/Reception Chair



Seat Size
19.50" W x 19.25" D
Back Size
19.50" W x 16.75" H
Seat Height
18.50"
Overall Height
33"

Seat Size: 19.50" W x 19.25" D; Back Size: 19.50" W x 16.75" H.

View specifications >

Anti-Microbial/Anti-Bacterial Vinyl Guest/Reception Chair with Arms



Seat Size
19.50" W x 19.25" D
Back Size
19.50" W x 16.75" H
Seat Height
18.50"
Overall Height
33"

Seat Size: 19.50" W x 19.25" D; Back Size: 19.50" W x 16.75" H.

View specifications >

Furniture & Storage / Product selection

Anti-Microbial/Anti-Bacterial Vinyl Utilistool with Drafting Kit



Seat Size
14" Round

Back Size
None (backless)

Seat Height
26.25” - 30.25” or 29.25” - 33.25”

Seat Size: 14" Round; Seat Height: 26.25” - 30.25” or 29.25” - 33.25”.

View specifications >

Apex Series Leather Executive High-Back Chair



Seat Size
20.75" W x 20" D

Back Size
20.50" W x 31" H

Seat Height
19.25" - 22.25"

Overall Height
44.50" - 47.25"

Seat Size: 20.75" W x 20" D; Back Size: 20.50" W x 31" H.

View specifications >

Apex Series Leather Executive Mid-Back Chair



Seat Size
20.75" W x 20" D

Back Size
20.50" W x 26" H

Seat Height
19.25" - 21.75"

Overall Height
38.75" - 41.75"

Seat Size: 20.75" W x 20" D; Back Size: 20.50" W x 26" H.

View specifications >

Apex Series Leather Executive Mid-Back Guest Chair



Seat Size
20.50" W x 20" D

Back Size
20.50" W x 26" H

Seat Height
18.50"

Overall Height
39.50"

Seat Size: 20.50" W x 20" D; Back Size: 20.50" W x 26" H.

View specifications >

Furniture & Storage / Product selection

Barrister Executive Recliner



Seat Size
23" W x 19.50" D
Back Size
21.50" W x 30.75" H
Seat Height
19.75" - 23.25"
Overall Height
43.25" - 46.75"

Seat Size: 23" W x 19.50" D; Back Size: 21.50" W x 30.75" H.

View specifications >

Big & Tall Executive Mid-Back Chair



Seat Size
24.50" W x 21" D
Back Size
23.50" W x 28" H
Seat Height
18.50" - 21.25"
Overall Height
39.75" - 42.50"

Seat Size: 24.50" W x 21" D; Back Size: 23.50" W x 28" H.

View specifications >

Big & Tall Guest/Reception Chair



Seat Size
23" W x 21" D
Back Size
23" W x 17.50" H
Seat Height
18"
Overall Height
35"

Seat Size: 23" W x 21" D; Back Size: 23" W x 17.50" H.

View specifications >

Big & Tall Guest/Reception Chair with Arms



Seat Size
23" W x 21" D
Back Size
23" W x 17.50" H
Seat Height
18"
Overall Height
35"

Seat Size: 23" W x 21" D; Back Size: 23" W x 17.50" H.

View specifications >

Furniture & Storage / Product selection

Big & Tall Task Chair



Seat Size
23.75" W x 23.75" D
Back Size
22.25" W x 24.25" H
Seat Height
19.25" - 22"
Overall Height
40”- 43”

Seat Size: 23.75" W x 23.75" D; Back Size: 22.25" W x 24.25" H.

View specifications >

Big & Tall Task Chair with Arms



Seat Size
23.75" x 23.75"
Back Size
22.25" x 24.25"
Seat Height
19.25" - 22"
Overall Height
40" - 43"

Seat Size: 23.75" x 23.75"; Back Size: 22.25" x 24.25".

View specifications >

Big and Tall Comfort Class Series Anti-Microbial/Anti-Bacterial Vinyl Arm Chair



Seat Size
20.75" W x 17" D
Back Size
20.25" W x 19.25" H
Seat Height
18.75"
Overall Height
35"

Seat Size: 20.75" W x 17" D; Back Size: 20.25" W x 19.25" H.

View specifications >

Big and Tall Comfort Class Series Arm Chair



Seat Size
20.75" W x 17" D
Back Size
20.25" W x 19.25" H
Seat Height
18.75"
Overall Height
35.50"

Seat Size: 20.75" W x 17" D; Back Size: 20.25" W x 19.25" H.

View specifications >

Furniture & Storage / Product selection

Cluster Table with Laminate top 24 by 48



Seat Size
17" W x 14" D
Back Size
16" W x 11.50" H
Seat Height
18"
Overall Height
29.50"

Seat Size: 17" W x 14" D; Back Size: 16" W x 11.50" H.

View specifications >

Cluster Table with Stainless Steel Top 24x48



Seat Size
17" W x 14" D
Back Size
16" W x 11.50" D
Seat Height
18"
Overall Height
29.50"

Seat Size: 17" W x 14" D; Back Size: 16" W x 11.50" D.

View specifications >

Cluster Table with Stainless Steel Top 30x48



Seat Size
17" W x 14" D
Back Size
16" W x 11.50" H
Seat Height
18"
Overall Height
29.50"

Seat Size: 17" W x 14" D; Back Size: 16" W x 11.50" H.

View specifications >

Cluster Table with Stainless Steel Top and Chairs 30x48



Seat Size
17" W x 14" D
Back Size
16" W x 11.50" H
Seat Height
18"
Overall Height
29.50"

Seat Size: 17" W x 14" D; Back Size: 16" W x 11.50" H.

View specifications >

Furniture & Storage / Product selection

Comfort Class Series Anti-Microbial/Anti-Bacterial Vinyl Stack Chair



Seat Size
19" W x 17.25" D
Back Size
17.75" W x 19.25" H
Seat Height
18.5"
Overall Height
35"

Seat Size: 19" W x 17.25" D; Back Size: 17.75" W x 19.25" H.

View specifications >

Comfort Class Series Stack Chair



Seat Size
19" W x 17.25" D
Back Size
17.75" W x 19.25" H
Seat Height
18.50"
Overall Height
35"

Seat Size: 19" W x 17.25" D; Back Size: 17.75" W x 19.25" H.

View specifications >

Comfort Series Superchair



Seat Size
20.75" W x 18.25" D
Back Size
19" W x 17" H
Seat Height
18.75" - 23"
Overall Height
34.25" - 39"

Seat Size: 20.75" W x 18.25" D; Back Size: 19" W x 17" H.

View specifications >

Comfort Series Superchair with Arms



Seat Size
20.75" W x 18.25" D
Back Size
19" W x 17" H
Seat Height
18.75" - 23"
Overall Height
34.25" - 39"

Seat Size: 20.75" W x 18.25" D; Back Size: 19" W x 17" H.

View specifications >

Furniture & Storage / Product selection

Comfort Series Superchair with Arms and Drafting Kit



Seat Size
20.75" W x 18.25" D

Back Size
19" W x 17" H

Seat Height
26" - 30.50" or 29" - 33.50"

Seat Size: 20.75" W x 18.25" D; Back Size: 19" W x 17" H.

View specifications >

Comfort Series Superchair with Drafting Kit



Seat Size
20.75" W x 18.25" D

Back Size
19" W x 17" H

Seat Height
26" - 30.50" or 29" - 33.50"

Seat Size: 20.75" W x 18.25" D; Back Size: 19" W x 17" H.

View specifications >

Computer Task Chair



Seat Size
19.50" W x 19.75" D

Back Size
18.25" W x 21" H

Seat Height
19" - 23"

Overall Height
39" - 42.50"

Seat Size: 19.50" W x 19.75" D; Back Size: 18.25" W x 21" H.

View specifications >

Computer Task Chair with Drafting Kit



Seat Size
19.50" W x 19.75" D

Back Size
18.25" W x 21" H

Seat Height
26.25" - 30" or 29.25" - 33"

Seat Size: 19.50" W x 19.75" D; Back Size: 18.25" W x 21" H.

View specifications >

Furniture & Storage / Product selection

Contour Series Mobile Club Chair



Seat Size
19" W x 19.50" D

Overall Height
29"

Overall Width
26.50"

Overall Depth
25"

Seat Size: 19" W x 19.50" D; Overall Height: 29".

View specifications >

Danbelle Series Contract Reception Chair



Seat Size
19.75" W x 19.50" D

Back Size
21" W x 16.50" H

Seat Height
18.50"

Overall Height
33.25"

Seat Size: 19.75" W x 19.50" D; Back Size: 21" W x 16.50" H.

View specifications >

Distinct Series Soft Seating Lounge Chair



Seat Size
21" W x 19.50" D

Back Size
21" W x 16" H

Seat Height
17"

Overall Height
31"

Seat Size: 21" W x 19.50" D; Back Size: 21" W x 16" H.

View specifications >

Distinct Series Soft Seating Sofa



Seat Size
51" W x 19.50" D

Back Size
51" W x 16" H

Seat Height
17"

Overall Height
31"

Seat Size: 51" W x 19.50" D; Back Size: 51" W x 16" H.

View specifications >

Furniture & Storage / Product selection

Encore Series Leatherette Guest Chair



Seat Size
21.25" W x 19.50" D
Back Size
20.75" W x 25.50" H
Seat Height
20.50"
Overall Height
41.75"

Seat Size: 21.25" W x 19.50" D; Back Size: 20.75" W x 25.50" H.

View specifications >

Encore Series Leatherette High-Back Chair



Seat Size
21.25" W x 19.50" D
Back Size
21" W x 30.5 " H
Seat Height
18.75" - 22.50"
Overall Height
44.50" - 48.50"

Seat Size: 21.25" W x 19.50" D; Back Size: 21" W x 30.5 " H.

View specifications >

Encore Series Leatherette Mid-Back Chair



Seat Size
21.25" W x 19.50" D
Back Size
20.75" W x 25.50" H
Seat Height
18.75" - 22.50"
Overall Height
39.50" - 43.25"

Seat Size: 21.25" W x 19.50" D; Back Size: 20.75" W x 25.50" H.

View specifications >

Endure Series Small Stool



Seat Size
13.25" round
Back Size
None (backless)
Seat Height
17" - 25.50"
Overall Height
17" - 25.50"

Seat Size: 13.25" round; Seat Height: 17" - 25.50".

View specifications >

Furniture & Storage / Product selection

Endure Series Standing Height Eight Seat Table



Seat Size
13.50" Round
Seat Height
25"
Overall Height
38"
Overall Width
31.25"

Seat Size: 13.50" Round; Seat Height: 25".

View specifications >

Endure Series Standing Height Sixteen Seat Table



Seat Size
13.50" Round
Seat Height
25"
Overall Height
38"
Overall Width
31.25"

Seat Size: 13.50" Round; Seat Height: 25".

View specifications >

Endure Series Standing Height Twelve Seat Table



Seat Size
13.50" Round
Seat Height
25"
Overall Height
38"
Overall Width
31.25"

Seat Size: 13.50" Round; Seat Height: 25".

View specifications >

Ergonomic Manager's Chair



Seat Size
20.25" W x 20" D
Back Size
18.75" W x 22.75" H
Seat Height
18.50"-23
Overall Height
37.25" - 44"

Seat Size: 20.25" W x 20" D; Back Size: 18.75" W x 22.75" H.

View specifications >

Furniture & Storage / Product selection

Ergonomic Task Chair



Seat Size
21" W x 20.50" D

Back Size
20" W x 22.75" H

Seat Height
19" - 22.75"

Overall Height
42" - 45.50"

Seat Size: 21" W x 20.50" D; Back Size: 20" W x 22.75" H.

View specifications >

Ergonomic Task Chair with Drafting Kit



Seat Size
21" W x 20.50 " D

Back Size
20" W x 22.75" H

Seat Height
26.75" - 30.25" or 29.75" - 33.25"

Seat Size: 21" W x 20.50 " D; Back Size: 20" W x 22.75" H.

View specifications >

Essentials Executive Conference Chair - Black Vinyl



Seat Size
18.50" W x 18.50" D

Back Size
18.50" W x 22" H

Seat Height
16.25"- 20"

Overall Height
35.25"- 39"

Seat Size: 18.50" W x 18.50" D; Back Size: 18.50" W x 22" H.

View specifications >

Essentials Executive Conference Chair - Polyurethane



Seat Size
20.25" W x 20" D

Back Size
19.75" W x 22.50" H

Seat Height
18.50" - 21.50"

Overall Height
40.25" - 43.25"

Seat Size: 20.25" W x 20" D; Back Size: 19.75" W x 22.50" H.

View specifications >

Furniture & Storage / Product selection

Essentials Executive Mid-Back Chair



Seat Size
18.75" W x 18.75" D
Back Size
18.75" W x 19.50" H
Seat Height
16.50"- 20.25"
Overall Height
23.50"

Seat Size: 18.75" W x 18.75" D; Back Size: 18.75" W x 19.50" H.

View specifications >

Essentials Mesh Task Chair - 17.25 × 15.5 in Seat



Seat Size
17.25" W x 15.50" D
Back Size
16.25" W x 21.25" H
Seat Height
16"- 21.25"
Overall Height
34"- 38.50"

Seat Size: 17.25" W x 15.50" D; Back Size: 16.25" W x 21.25" H.

View specifications >

Essentials Mesh Task Chair - 18.5 × 19 in Seat



Seat Size
18.50" W x 19" D
Back Size
19.75" W x 22.50" H
Seat Height
17.50" - 22.50"
Overall Height
36" - 41"

Seat Size: 18.50" W x 19" D; Back Size: 19.75" W x 22.50" H.

View specifications >

Essentials Mesh Task Chair - 19.5 × 18.5 in Seat



Seat Size
19.50" W x 18.50" D
Back Size
17.75" W x 23.75" H
Seat Height
17.75" - 21.50"
Overall Height
35.75" - 39.50"

Seat Size: 19.50" W x 18.50" D; Back Size: 17.75" W x 23.75" H.

View specifications >

Furniture & Storage / Product selection

Europa Stack Chair



Seat Size
18" W x 18.50" D
Back Size
21" W x 18" H
Seat Height
18.50" (21" w/casters)
Overall Height
33.25" (35.75” w/casters)

Seat Size: 18" W x 18.50" D; Back Size: 21" W x 18" H.

View specifications >

Europa Stack Chair with Arms



Seat Size
18" W x 18.50" D
Back Size
21" W x 18" H
Seat Height
18.50" (21" w/casters)
Overall Height
33.25" (35.75” w/casters)

Seat Size: 18" W x 18.50" D; Back Size: 21" W x 18" H.

View specifications >

Executive/Conference Chair with Adjustable Arms



Seat Size
21.5" x 20.75"
Back Size
22" x 26.25"
Seat Height
19" - 22.75"
Overall Height
39.25" - 42.75"

Seat Size: 21.5" x 20.75"; Back Size: 22" x 26.25".

View specifications >

Flexure Folding Chair



Seat Size
15.50" W x 17.50" D
Back Size
17" W x 7" H
Seat Height
16.75"
Overall Height
30"

Seat Size: 15.50" W x 17.50" D; Back Size: 17" W x 7" H.

View specifications >

Furniture & Storage / Product selection

Guest/Reception Chair



Seat Size
19.50" W x 19.25" D
Back Size
19.50" W x 16.75" H
Seat Height
18.50"
Overall Height
33"

Seat Size: 19.50" W x 19.25" D; Back Size: 19.50" W x 16.75" H.

View specifications >

Guest/Reception Chair with Arms



Seat Size
19.50" W x 19.25" D
Back Size
19.50" W x 16.75" H
Seat Height
18.50"
Overall Height
33"

Seat Size: 19.50" W x 19.25" D; Back Size: 19.50" W x 16.75" H.

View specifications >

InterPlay Series Chair No Tablet



Seat Size
20.25" W x 20.50" D
Back Size
20.25" W x 18" H
Seat Height
18.50"
Overall Height
33"

Seat Size: 20.25" W x 20.50" D; Back Size: 20.25" W x 18" H.

View specifications >

InterPlay Series Sofa No Tablet



Seat Size
49" W x 21" D
Back Size
49.50" W x 17.50" H
Seat Height
18.50"
Overall Height
33"

Seat Size: 49" W x 21" D; Back Size: 49.50" W x 17.50" H.

View specifications >

Furniture & Storage / Product selection

InterPlay Series Tablet Chair



Seat Size
20.25" W x 20.50" D
Back Size
20.25" W x 18" H
Seat Height
18.50"
Overall Height
33"

Seat Size: 20.25" W x 20.50" D; Back Size: 20.25" W x 18" H.

View specifications >

InterPlay Series Tablet Sofa



Seat Size
49" W x 21" D
Back Size
49.50" W x 17.50" H
Seat Height
18.50"
Overall Height
33"

Seat Size: 49" W x 21" D; Back Size: 49.50" W x 17.50" H.

View specifications >

Leather Executive/Conference Chair



Seat Size
21.25" W x 19.75" D
Back Size
20.50" W x 21.50" H
Seat Height
19.75" - 24.50"
Overall Height
38" - 42.25"

Seat Size: 21.25" W x 19.75" D; Back Size: 20.50" W x 21.50" H.

View specifications >

Leather Executive/Conference High-Back Chair



Seat Size
20.25" W x 20" D
Back Size
20.75" W x 28.75" H
Seat Height
18" - 21.50"
Overall Height
41.75" - 45.25"

Seat Size: 20.25" W x 20" D; Back Size: 20.75" W x 28.75" H.

View specifications >

Furniture & Storage / Product selection

Leather Guest/Reception Chair



Seat Size
20" W x 19.75" D
Back Size
19.50" W x 16.75" H
Seat Height
18.75"
Overall Height
32.75"

Seat Size: 20" W x 19.75" D; Back Size: 19.50" W x 16.75" H.

View specifications >

Lite Use Computer Task Chair



Seat Size
19.50" W x 17.75" D
Back Size
16.25" W x 13.50" H
Seat Height
16.75" - 21.25"
Overall Height
31.75" - 36.50"

Seat Size: 19.50" W x 17.75" D; Back Size: 16.25" W x 13.50" H.

View specifications >

Lite Use Computer Task Chair with Arms



Seat Size
19.50" W x 17.75" D
Back Size
16.25" W x 13.50" H
Seat Height
16.75" - 21.25"
Overall Height
31.75" - 36.50"

Seat Size: 19.50" W x 17.75" D; Back Size: 16.25" W x 13.50" H.

View specifications >

Lite Use Computer Task Stool with Arms and Drafting Kit



Seat Size
19.50" W x 17.75" D
Back Size
16.25" W x 13.50" H
Seat Height
24.25" - 29" or 27.25"- 32"

Seat Size: 19.50" W x 17.75" D; Back Size: 16.25" W x 13.50" H.

View specifications >

Furniture & Storage / Product selection

Lite Use Computer Task Stool with Drafting Kit



Seat Size
19.50" W x 17.75" D
Back Size
16.25" W x 13.50" H
Seat Height
24.25" - 29" or 27.25"- 32"

Seat Size: 19.50" W x 17.75" D; Back Size: 16.25" W x 13.50" H.

View specifications >

Martisa Series Plastic Task Chair



Seat Size
18" W x 19.50" D
Back Size
18.75" W x 9" H
Seat Height
16" - 19.50"
Overall Height
29" - 32.50"

Seat Size: 18" W x 19.50" D; Back Size: 18.75" W x 9" H.

View specifications >

Martisa Series Plastic Task Stool with Drafting Kit



Seat Size
18" W x 19.50" D
Back Size
18.75" W x 9" H
Seat Height
23.50" - 27" or 26.50" - 30"

Seat Size: 18" W x 19.50" D; Back Size: 18.75" W x 9" H.

View specifications >

Mesh Comfort Series Ergonomic Task Chair



Seat Size
19" W x 17.75" D
Back Size
17.25" W x 17.75" H
Seat Height
19.25" - 23.50"
Overall Height
38.50" - 42.75"

Seat Size: 19" W x 17.75" D; Back Size: 17.25" W x 17.75" H.

View specifications >

Furniture & Storage / Product selection

Mesh Comfort Series Ergonomic Task Chair with Arms



Seat Size
19" W x 17.75" D

Back Size
17.25" W x 17.75" H

Seat Height
19.25" - 23.50"

Overall Height
38.50" - 42.75"

Seat Size: 19" W x 17.75" D; Back Size: 17.25" W x 17.75" H.

View specifications >

Mesh Comfort Series Ergonomic Task Chair with Arms and Drafting Kit



Seat Size
19" W x 17.75" D

Back Size
17.25" W x 17.75" H

Seat Height
27.25" - 31.50" or 30.25" - 34.50"

Seat Size: 19" W x 17.75" D; Back Size: 17.25" W x 17.75" H.

View specifications >

Mesh Comfort Series Ergonomic Task Chair with Drafting Kit



Seat Size
19" W x 17.75" D

Back Size
17.25" W x 17.75" H

Seat Height
27.25" - 31.50" or 30.25" - 34.50"

Seat Size: 19" W x 17.75" D; Back Size: 17.25" W x 17.75" H.

View specifications >

MobileArm Leather Executive/Conference Chair



Seat Size
22.75" W x 20.75" D

Back Size
21.75" W x 31" H

Seat Height
19" - 22.50"

Overall Height
45" - 48.50"

Seat Size: 22.75" W x 20.75" D; Back Size: 21.75" W x 31" H.

View specifications >

Furniture & Storage / Product selection

Moon 3-Unit Beam Seating with 2 Seats & 1 Table



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
19.75"
Overall Height
34.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Moon 3-Unit Beam Seating with 3 Seats




Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
19.75"
Overall Height
34.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Moon 4-Unit Beam Seating with 3 Seats & 1 Table




Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
19.75"
Overall Height
33.75"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Moon 4-Unit Beam Seating with 4 Seats



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
19"
Overall Height
33.75"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Furniture & Storage / Product selection

Moon Swivel Chair



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
19.25" - 22.75"
Overall Height
33.25" - 36"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Moon Swivel Chair with Arms



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
26.75" - 30.25" or 29.75"-33.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Moon Swivel Chair with Arms and Drafting Kit



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
26.75" - 30.25" or 29.75"-33.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Moon Swivel Chair with Drafting Kit



Seat Size
18.5" W x 17.5" D
Back Size
19" W x 15.5" H
Seat Height
24.25"-27.75"

Seat Size: 18.5" W x 17.5" D; Back Size: 19" W x 15.5" H.

View specifications >

Furniture & Storage / Product selection

Moon Swivel Plastic Chair



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
19.25" - 22.75"
Overall Height
33.25" - 36"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Moon Swivel Plastic Chair with Arms



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
19.25" - 22.75"
Overall Height
33.25" - 36"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Moon Swivel Plastic Chair with Arms and Drafting Kit



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
26.75" - 30.25" or 29.75"-33.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Moon Swivel Plastic Chair with Drafting Kit



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
26.75" - 30.25" or 29.75"-33.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Furniture & Storage / Product selection

Moon Swivel Vinyl Chair



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
19.25" - 22.75"
Overall Height
33.25" - 36"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Moon Swivel Vinyl Chair with Arms



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
19.25" - 22.75"
Overall Height
33.25" - 36"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Moon Swivel Vinyl Chair with Arms and Drafting Kit



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
26.75" - 30.25" or 29.75"-33.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Moon Swivel Vinyl Chair with Drafting Kit



Seat Size
18.25" W x 17.75" D
Back Size
19" W x 15.50" H
Seat Height
26.75" - 30.25" - 29.75"-33.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19" W x 15.50" H.

View specifications >

Furniture & Storage / Product selection

Morph Series Soft Seating Chair



Seat Size
22.25" W x 20" D
Back Size
22.25" W x 21.75" H
Seat Height
18.75"
Overall Height
40.50"-50.75"

Seat Size: 22.25" W x 20" D; Back Size: 22.25" W x 21.75" H.

View specifications >

Multi-Use Stack Chair with Plastic Seat & Back with Arms



Seat Size
18.5" x 17.5"
Back Size
18.75" x 16"
Seat Height
18.25"
Overall Height
33.25"

Seat Size: 18.5" x 17.5"; Back Size: 18.75" x 16".

View specifications >

NET Series 3 Seats & 1 Table Beam



Seat Size
15.25" W x 22.75" D
Back Size
23.50" W x 15.50" H
Seat Height
17.50"
Overall Height
30"

Seat Size: 15.25" W x 22.75" D; Back Size: 23.50" W x 15.50" H.

View specifications >

NET Series 4 Seat Beam



Seat Size
15.25" W x 22.75" D
Back Size
23.50" W x 15.50" H
Seat Height
17.50"
Overall Height
30"

Seat Size: 15.25" W x 22.75" D; Back Size: 23.50" W x 15.50" H.

View specifications >

Furniture & Storage / Product selection

NET Series 4-Legged Chair



Seat Size
15.25" W x 22.75" D
Back Size
23.50" W x 15.50" H
Seat Height
18.25"
Overall Height
30.50"

Seat Size: 15.25" W x 22.75" D; Back Size: 23.50" W x 15.50" H.

View specifications >

NET Series 5 Seat Beam



Seat Size
15.25" W x 22.75" D
Back Size
23.50" W x 15.50" H
Seat Height
17.50"
Overall Height
30"

Seat Size: 15.25" W x 22.75" D; Back Size: 23.50" W x 15.50" H.

View specifications >

NET Series Swivel Chair with Gas Lift



Seat Size
15.25" W x 22.75" D
Back Size
23.50" W x 15.50" H
Seat Height
18.50" - 21.50"
Overall Height
30.50" - 33.25"

Seat Size: 15.25" W x 22.75" D; Back Size: 23.50" W x 15.50" H.

View specifications >

ORO Series Designer High-Back Multi-Task Chair



Seat Size
22" W x 20" D
Back Size
21" W x 24.50" H
Seat Height
19.75" - 22.75"
Overall Height
43.25" - 46.25"

Seat Size: 22" W x 20" D; Back Size: 21" W x 24.50" H.

View specifications >

Furniture & Storage / Product selection

ORO Series Executive High-Back Body Bolster Multi-Task Chair



Seat Size
21.50" W x 23.50" D
Back Size
20" W x 28"- 31" H
Seat Height
19.50" - 22.50"
Overall Height
45.50" - 51.50"

Seat Size: 21.50" W x 23.50" D; Back Size: 20" W x 28"-31" H.

View specifications >

Parker Ridge Series Executive Mesh Chair



Seat Size
20.75" W x 20.25" D
Back Size
19.50" W x 19.50" H
Seat Height
18.5" - 21"
Overall Height
35.75" - 41"

Seat Size: 20.75" W x 20.25" D; Back Size: 19.50" W x 19.50" H.

View specifications >

Parker Ridge Series Executive Mesh Chair with Headrest



Seat Size
20.75" W x 20.25" D
Back Size
19.50" W x 28" H
Seat Height
18.50" - 21"
Overall Height
43.75" - 50.50"

Seat Size: 20.75" W x 20.25" D; Back Size: 19.50" W x 28" H.

View specifications >

Posture Series Task Chair



Seat Size
20.75" W x 17.75" D
Back Size
20" W x 26" H
Seat Height
17.75" - 22"
Overall Height
38.50" - 42.50"

Seat Size: 20.75" W x 17.75" D; Back Size: 20" W x 26" H.

View specifications >

Furniture & Storage / Product selection

Posture Series Task Chair with Arms



Seat Size
19.75" W x 19.75" D
Back Size
17.25" W x 19" H
Seat Height
18.25" - 22.50"
Overall Height
36" - 40.25"

Seat Size: 19.75" W x 19.75" D; Back Size: 17.25" W x 19" H.

View specifications >

Posture Series Task Chair with Arms and Drafting Kit



Seat Size
19.75" W x 19.75" D
Back Size
17.25" W x 19" H
Seat Height
25.50" - 30" or 28.50" - 33 "

Seat Size: 19.75" W x 19.75" D; Back Size: 17.25" W x 19" H.

View specifications >

Posture Series Task Chair with Drafting Kit



Seat Size
19.75" W x 19.75" D
Back Size
17.25" W x 19" H
Seat Height
25.50" - 30" or 28.50" - 33"

Seat Size: 19.75" W x 19.75" D; Back Size: 17.25" W x 19" H.

View specifications >

Promotional Leather High-Back Chair



Seat Size
21.25" W x 20.50" D
Back Size
21" W x 29" H
Seat Height
20.25" - 24.50"
Overall Height
45" - 49.25"

Seat Size: 21.25" W x 20.50" D; Back Size: 21" W x 29" H.

View specifications >

Furniture & Storage / Product selection

Quin Stool OFM 55-PU606



Seat Size
30" W x 26" D
Seat Height
17.25"
Overall Height
17.25"
Overall Width
30"

Seat Size: 30" W x 26" D; Seat Height: 17.25".

View specifications >

ReadyLink Add-On Chair



Seat Size
18.75" W x 19.75" D
Back Size
19.50" W x 20" H
Seat Height
17.25"
Overall Height
34.25"

Seat Size: 18.75" W x 19.75" D; Back Size: 19.50" W x 20" H.

View specifications >

ReadyLink Add-On Chair with Tablet



Seat Size
18.75" W x 19.75" D
Back Size
19.50" W x 20" H
Seat Height
17.25"
Overall Height
34.25"

Seat Size: 18.75" W x 19.75" D; Back Size: 19.50" W x 20" H.

View specifications >

ReadyLink Row Starter Chair



Seat Size
18.75" W x 19.75" D
Back Size
19.50" W x 20" H
Seat Height
17.25"
Overall Height
34.25"

Seat Size: 18.75" W x 19.75" D; Back Size: 19.50" W x 20" H.

View specifications >

Furniture & Storage / Product selection

ReadyLink Row Starter Chair with Tablet



Seat Size
18.75" x 19.75"
Back Size
19.50" x 20"
Seat Height
17.25"
Overall Height
34.25"

Seat Size: 18.75" x 19.75"; Back Size: 19.50" x 20".

View specifications >

Recoil Series Lounge Chair



Seat Size
26.50" W x 21" D
Back Size
24" W x 25" H
Seat Height
18"
Overall Height
31.50"

Seat Size: 26.50" W x 21" D; Back Size: 24" W x 25" H.

View specifications >

Retro Bench with Stainless Steel 30 by 48 Table Top and Wall Frame



Seat Height
18"
Overall Height
39.50"
Overall Width
68"
Overall Depth
48"

Seat Height: 18"; Overall Height: 39.50".

View specifications >

Rico Stack Chair



Seat Size
18.25" W x 16.50" D
Back Size
20.50" W x 13.25" H
Seat Height
17.75"
Overall Height
31.75"

Seat Size: 18.25" W x 16.50" D; Back Size: 20.50" W x 13.25" H.

View specifications >

Furniture & Storage / Product selection

Rico Stack Chair with Arms



Seat Size
18.25" W x 16.50" D
Back Size
20.50" W x 13.25" H
Seat Height
17.50"
Overall Height
31.75"

Seat Size: 18.25" W x 16.50" D; Back Size: 20.50" W x 13.25" H.

View specifications >

Rico Student Stack Chair - 12 Inch Seat Height



Seat Size
14.25" W x 13" D
Back Size
16" W x 11" H
Seat Height
12"
Overall Height
22.75"

Seat Size: 14.25" W x 13" D; Back Size: 16" W x 11" H.

View specifications >

Rico Student Stack Chair 14 Inch Seat Height



Seat Size
14.25" W x 13" D
Back Size
16" W x 11" H
Seat Height
14"
Overall Height
24.75"

Seat Size: 14.25" W x 13" D; Back Size: 16" W x 11" H.

View specifications >

Rico Student Stack Chair 16 Inch Seat Height



Seat Size
18.25" W x 16.5" D
Back Size
20.50" W x 13.25" H
Seat Height
16"
Overall Height
29.75"

Seat Size: 18.25" W x 16.5" D; Back Size: 20.50" W x 13.25" H.

View specifications >

Furniture & Storage / Product selection

Serenity Series Left Arm Lounge Chair



Seat Size
25" W x 21" D
Back Size
40" W x 16.75" H
Seat Height
17.25"
Overall Height
33"

Seat Size: 25" W x 21" D; Back Size: 40" W x 16.75" H.

View specifications >

Serenity Series Left Arm Lounge Chair with Electrical Outlet



Seat Size
25" W x 21" D
Back Size
40" W x 16.75" H
Seat Height
17.25"
Overall Height
33"

Seat Size: 25" W x 21" D; Back Size: 40" W x 16.75" H.

View specifications >

Serenity Series Right Arm Lounge Chair



Seat Size
25" W x 21" D
Back Size
40" W x 16.75" H
Seat Height
17.25"
Overall Height
33"

Seat Size: 25" W x 21" D; Back Size: 40" W x 16.75" H.

View specifications >

Serenity Series Right Arm Lounge Chair with Electrical Outlet



Seat Size
25" W x 21" D
Back Size
40" W x 16.75" H
Seat Height
17.25"
Overall Height
33"

Seat Size: 25" W x 21" D; Back Size: 40" W x 16.75" H.

View specifications >

Furniture & Storage / Product selection

Sharp Series Leather Executive Guest Chair



Seat Size
21.75" W x 22.75" D
Back Size
21.75" W x 26.50" H
Seat Height
20.50"
Overall Height
40.25"

Seat Size: 21.75" W x 22.75" D; Back Size: 21.75" W x 26.50" H.

View specifications >

Sharp Series Leather Executive High-Back Chair



Seat Size
21.75" W x 22.75" D
Back Size
22.25" W x 29" H
Seat Height
20.25"- 24.50"
Overall Height
45.50"- 49.50"

Seat Size: 21.75" W x 22.75" D; Back Size: 22.25" W x 29" H.

View specifications >

Sharp Series Leather Executive Mid-Back Chair



Seat Size
21.75" W x 22.75" D
Back Size
21.75" W x 26.50" H
Seat Height
20.25" - 24.50"
Overall Height
41.50" - 45.50"

Seat Size: 21.75" W x 22.75" D; Back Size: 21.75" W x 26.50" H.

View specifications >

Smart Series Stack Chair



Seat Size
19.25" W x 17.50" D
Back Size
18" W x 15" H
Seat Height
18.25" (w/without casters)
Overall Height
35.25" (w/without casters)

Seat Size: 19.25" W x 17.50" D; Back Size: 18" W x 15" H.

View specifications >

Furniture & Storage / Product selection

Stack Chair with Anti-Microbial/Anti-Bacterial Vinyl Seat & Back



Seat Size
18.25" W x 18" D
Back Size
19.25" W x 15" H
Seat Height
19.25"
Overall Height
31.25"

Seat Size: 18.25" W x 18" D; Back Size: 19.25" W x 15" H.

View specifications >

Stack Chair with Plastic Seat & Back



Seat Size
18.25" W x 18" D
Back Size
19.25" W x 15" H
Seat Height
18.25"
Overall Height
31.25"

Seat Size: 18.25" W x 18" D; Back Size: 19.25" W x 15" H.

View specifications >

Stanza Nesting Fabric Stack Chair



Seat Size
19.25" W x 17.50" D
Back Size
18" W x 15" H
Seat Height
18.25"
Overall Height
35.25"

Seat Size: 19.25" W x 17.50" D; Back Size: 18" W x 15" H.

View specifications >

Stanza Nesting Fabric Stack Chair with Arms



Seat Size
19.25" W x 17.50" D
Back Size
18" W x 15" H
Seat Height
18.25"
Overall Height
35.25"

Seat Size: 19.25" W x 17.50" D; Back Size: 18" W x 15" H.

View specifications >

Furniture & Storage / Product selection

Stanza Nesting Plastic Stack Chair



Seat Size
19.25" W x 17.50" D
Back Size
18" W x 15" H
Seat Height
18.25"
Overall Height
35.25"

Seat Size: 19.25" W x 17.50" D; Back Size: 18" W x 15" H.

View specifications >

Stanza Nesting Plastic Stack Chair with Arms



Seat Size
19.25" W x 17.50" D
Back Size
18" W x 15" H
Seat Height
18.25"
Overall Height
35.25"

Seat Size: 19.25" W x 17.50" D; Back Size: 18" W x 15" H.

View specifications >

Stars 3-Unit Beam Seating with 2 Plastic Seats & 1 Table



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
19.25"
Overall Height
34.50"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stars 3-Unit Beam Seating with 2 Vinyl Seats & 1 Table



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
19.75"
Overall Height
34.50"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Furniture & Storage / Product selection

Stars 3-Unit Beam Seating with 3 Plastic Seats



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
19.25"
Overall Height
34.50"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stars 3-Unit Beam Seating with 3 Vinyl Seats



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
19.75"
Overall Height
34.5"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stars 4-Unit Beam Seating with 3 Vinyl Seats & 1 Table



Seat Size
18.25" x 17.75"
Back Size
19.25" x 16"
Seat Height
19.75"
Overall Height
34.5"

Seat Size: 18.25" x 17.75"; Back Size: 19.25" x 16".

View specifications >

Stars 4-Unit Beam Seating with 4 Plastic Seats



Seat Size
18.25" x 17.75"
Back Size
19.25" x 16"
Seat Height
19.75"
Overall Height
34.5"

Seat Size: 18.25" x 17.75"; Back Size: 19.25" x 16".

View specifications >

Furniture & Storage / Product selection

Stars 4-Unit Beam Seating with 4 Seats



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
19.75"
Overall Height
34.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stars 4-Unit Beam Seating with 4 Vinyl Seats



Seat Size
18.25" x 17.75"
Back Size
19.25" x 16"
Seat Height
19.75"
Overall Height
34.5"

Seat Size: 18.25" x 17.75"; Back Size: 19.25" x 16".

View specifications >

Stars Swivel Chair



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
19.25" - 22.75"
Overall Height
33.75 - 37.5"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stars Swivel Chair with Arms



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
19.25" - 22.75"
Overall Height
33.75 - 37.5"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Furniture & Storage / Product selection

Stars Swivel Plastic Chair



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
18.25" - 20.50"
Overall Height
33.75 - 37.5"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stars Swivel Plastic Chair with Arms



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
18.25" - 21.75"
Overall Height
33.75 - 37.5"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stars Swivel Plastic Chair with Arms and Drafting Kit



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
26.75" - 30.25" or 29.75"-33.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stars Swivel Plastic Chair with Drafting Kit



Seat Size
18.25" x 17.75"
Back Size
19.25" x 16"
Seat Height
26.75" - 30.25" or 29.75"-33.25"

Seat Size: 18.25" x 17.75"; Back Size: 19.25" x 16".

View specifications >

Furniture & Storage / Product selection

Stars Swivel Stool



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
26.75" - 30.25" or 29.75"-33.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stars Swivel Stool with Arms



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
26.75" - 30.25" or 29.75"-33.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stars Swivel Vinyl Chair



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
19.25" - 21.50"
Overall Height
33.75 - 37.5"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stars Swivel Vinyl Chair with Arms



Seat Size
18.25" W x 17.75" D
Back Size
19.25" W x 16" H
Seat Height
17" - 21"
Overall Height
33.75 - 37.5"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Furniture & Storage / Product selection

Stars Swivel Vinyl Chair with Arms and Drafting Kit



Seat Size
18.25" W x 17.75" D

Back Size
19.25" W x 16" H

Seat Height
26.75" - 30.25" or 29.75"-33.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stars Swivel Vinyl Chair with Drafting Kit



Seat Size
18.25" W x 17.75" D

Back Size
19.25" W x 16" H

Seat Height
26.75" - 30.25" or 29.75"-33.25"

Seat Size: 18.25" W x 17.75" D; Back Size: 19.25" W x 16" H.

View specifications >

Stature Series Upholstered Executive Mid-Back Conference Chair



Seat Size
22.25" W x 20.50" D

Back Size
22.25" W x 28" H

Seat Height
19.25" - 22.75"

Overall Height
40.75" - 44.5"

Seat Size: 22.25" W x 20.50" D; Back Size: 22.25" W x 28" H.

View specifications >

Stature Series Uphosltered Executive High Back Conference Chair



Seat Size
22.25" W x 20.50" D

Back Size
22.25" W x 30.75" H

Seat Height
19.25" - 22.75"

Overall Height
43.25" - 46.75"

Seat Size: 22.25" W x 20.50" D; Back Size: 22.25" W x 30.75" H.

View specifications >

Furniture & Storage / Product selection

Stimulus Series Leatherette Executive High-Back Chair



Seat Size
21" W x 20" D
Back Size
20.50" W x 30.50" H
Seat Height
17.75" - 21.75"
Overall Height
42.75" - 46.50"

Seat Size: 21" W x 20" D; Back Size: 20.50" W x 30.50" H.

View specifications >

Stimulus Series Leatherette Executive Mid-Back Chair



Seat Size
20.50" W x 19.25" D
Back Size
20.75" W x 24.50" H
Seat Height
18.75" - 22.50"
Overall Height
38.75" - 42.50"

Seat Size: 20.50" W x 19.25" D; Back Size: 20.75" W x 24.50" H.

View specifications >

Stimulus Series Leatherette Executive Mid-Back Chair with Adjustable Arms



Seat Size
20.50" W x 19.25" D
Back Size
20.75" W x 24.50" H
Seat Height
18.75" - 22.50"
Overall Height
38.75" - 42.50"

Seat Size: 20.50" W x 19.25" D; Back Size: 20.75" W x 24.50" H.

View specifications >

Stimulus Series Leatherette Executive Mid-Back Guest Chair



Seat Size
21.75" W x 21" D
Back Size
21.25" W x 26.50" H
Seat Height
19.75"
Overall Height
41.75"

Seat Size: 21.75" W x 21" D; Back Size: 21.25" W x 26.50" H.

View specifications >

Furniture & Storage / Product selection

Straton Series Anti-Microbial/Anti-Bacterial Vinyl Task Chair



Seat Size
19.50" W x 17.25" D
Back Size
17.50" W x 19.50" H
Seat Height
18.25" - 22.75"
Overall Height
37" - 41.50"

Seat Size: 19.50" W x 17.25" D; Back Size: 17.50" W x 19.50" H.

View specifications >

Straton Series Anti-Microbial/Anti-Bacterial Vinyl Task Chair with Arms



Seat Size
19.50" W x 17.25" D
Back Size
17.50" W x 19.50" H
Seat Height
18.25" - 22.75"
Overall Height
37" - 41.50"

Seat Size: 19.50" W x 17.25" D; Back Size: 17.50" W x 19.50" H.

View specifications >

Straton Series Anti-Microbial/Anti-Bacterial Vinyl Task Chair with Drafting Kit



Seat Size
19.50" W x 17.25" D
Back Size
17.50" W x 19.50" H
Seat Height
25.50" - 29.75" or 28.50" - 32.75"

Seat Size: 19.50" W x 17.25" D; Back Size: 17.50" W x 19.50" H.

View specifications >

Straton Series Vinyl Task Chair with Arms and Drafting Kit



Seat Size
19.50" W x 17.25" D
Back Size
17.50" W x 19.50" H
Seat Height
25.50" - 29.75" or 28.50" - 32.75"

Seat Size: 19.50" W x 17.25" D; Back Size: 17.50" W x 19.50" H.

View specifications >

Furniture & Storage / Product selection

Talisto Series Executive High-Back Leather & Mesh Chair



Seat Size
20" W x 19.25" D
Back Size
19.50" W x 30.50" H
Seat Height
18.5" - 21.5"
Overall Height
49.5" - 52.25"

Seat Size: 20" W x 19.25" D; Back Size: 19.50" W x 30.50" H.

View specifications >

Talisto Series Executive Mid-Back Leather & Mesh Chair



Seat Size
20" W x 19.25" D
Back Size
19.50" W x 23.50" H
Seat Height
18.5" - 21.5"
Overall Height
42.25" - 45"

Seat Size: 20" W x 19.25" D; Back Size: 19.50" W x 23.50" H.

View specifications >

Talisto Series Executive Mid-Back Leather & Mesh Guest Chair



Seat Size
20.50" W x 19.75" D
Back Size
19.50" W x 23.50" H
Seat Height
19"
Overall Height
42.25"

Seat Size: 20.50" W x 19.75" D; Back Size: 19.50" W x 23.50" H.

View specifications >

Triumph Series Armless 90 Degree Lounge Chair with Vinyl Seat and Chrome Frame



Seat Size
8" x 34" W x 21" D
Back Size
45" W x 18" H
Seat Height
17.50"
Overall Height
33"

Seat Size: 8" x 34" W x 21" D; Back Size: 45" W x 18" H.

View specifications >

Furniture & Storage / Product selection

Triumph Series Lounge Chair with Tablet Vinyl Seat and Chrome Frame



Seat Size
20" W x 22" D
Back Size
22" W x 17.50" H
Seat Height
17.50"
Overall Height
33"

Seat Size: 20" W x 22" D; Back Size: 22" W x 17.50" H.

View specifications >

Triumph Series Lounge Chair with Vinyl Seat and Chrome Frame



Seat Size
20" W x 22" D
Back Size
22" W x 17.50" H
Seat Height
17.50"
Overall Height
33"

Seat Size: 20" W x 22" D; Back Size: 22" W x 17.50" H.

View specifications >

Triumph Series Right Arm Modular Lounge Chair with Tablet Vinyl Seat and Chrome Frame



Seat Size
20" W x 22" D
Back Size
22" W x 17.50" H
Seat Height
17.50"
Overall Height
33"

Seat Size: 20" W x 22" D; Back Size: 22" W x 17.50" H.

View specifications >

Uno Series Backless Seat



Seat Size
21.25" D x 20" W
Seat Height
17.50"
Overall Height
17.50"
Overall Width
20"

Seat Size: 21.25" D x 20" W; Seat Height: 17.50".

View specifications >

Furniture & Storage / Product selection

Uno Series Lounge Chair



Seat Size
20.50" W x 20.50" D
Back Size
20.50" W x 13.50" H
Seat Height
17"
Overall Height
31"

Seat Size: 20.50" W x 20.50" D; Back Size: 20.50" W x 13.50" H.

View specifications >

Uno Series Pillow Back Seat



Seat Size
20" W x 20" D
Back Size
20" W x 6" H
Seat Height
17.50"
Overall Height
23.25"

Seat Size: 20" W x 20" D; Back Size: 20" W x 6" H.

View specifications >

Uno Series Wedge Seat



Seat Size
Range from 3.5" - 7.9"
Seat Height
17.5"
Overall Height
17.5"
Overall Width
3.5" - 7.9"

Seat Size: Range from 3.5" - 7.9"; Seat Height: 17.5".

View specifications >

Utilistool Model 902



Seat Size
14" Round
Back Size
None (backless)
Seat Height
18.5" - 22.5"
Overall Height
18.5" - 22.5"

Seat Size: 14" Round; Seat Height: 18.5" - 22.5".

View specifications >

Furniture & Storage / Product selection

Utilistool with Drafting Kit



Seat Size
14" Round

Back Size
None (backless)

Seat Height
26.25" - 30.25" - 29.25" - 33.25"

Seat Size: 14" Round; Seat Height: 26.25" - 30.25" - 29.25" - 33.25".

View specifications >

Vision Series Executive Guest Chair



Seat Size
19.50" W x 19" D

Back Size
19.50" W x 27.75" H

Seat Height
18.5"

Overall Height
37.75" - 40.25"

Seat Size: 19.50" W x 19" D; Back Size: 19.50" W x 27.75" H.

View specifications >

Vision Series Executive Task Chair



Seat Size
19.50" W x 19" D

Back Size
19.50" W x 27.75" H

Seat Height
20" - 23.50"

Overall Height
37.50" - 43.25"

Seat Size: 19.50" W x 19" D; Back Size: 19.50" W x 27.75" H.

View specifications >

Cluster Table with Stainless Steel Top and Chairs - 24x48

Catalog ref: 5577



Seat Size
17"X14"

Back Size
16"X11.50"

Seat Height
18"

Overall Height
29.50"

Seat Size: 17"X14"; Back Size: 16"X11.50".

View specifications >

Furniture & Storage / Product selection

Executive Series Double Pedestal Panel End Credenza 26.50 by 67



Overall Height
29.25"
Overall Width
67"
Overall Depth
26.50"

Overall Height: 29.25"; Overall Width: 67".

View specifications >

Executive Series Double Pedestal Panel End Desk 29.50 by 57.25



Overall Height
29.25"
Overall Width
57.25"
Overall Depth
29.50"

Overall Height: 29.25"; Overall Width: 57.25".

View specifications >

Executive Series Double Pedestal Panel End Executive Desk 36.25 by 72



Overall Height
29.25"
Overall Width
72”
Overall Depth
36.25"

Overall Height: 29.25"; Overall Width: 72”.

View specifications >

Executive Series L-Shaped Panel End Desk with Left Pedestal Return



Overall Height
29.25"
Overall Width
71.50"
Overall Depth
29.50"

Overall Height: 29.25"; Overall Width: 71.50".

View specifications >

Furniture & Storage / Product selection

Executive Series L-Shaped Panel End Desk with Right Pedestal Return



Overall Height
29.25"
Overall Width
71.50"
Overall Depth
29.50"

Overall Height: 29.25"; Overall Width: 71.50".

View specifications >

Executive Series Single Pedestal Panel End Desk 29.25 by 67



Overall Height
29.25"
Overall Width
67"
Overall Depth
29.50"

Overall Height: 29.25"; Overall Width: 67".

View specifications >

Executive Series Single Pedestal Panel End Desk with Center Drawer 29.50 by 47.25



Overall Height
29.25"
Overall Width
47.25"
Overall Depth
29.50"

Overall Height: 29.25"; Overall Width: 47.25".

View specifications >

Mesa Series Double Pedestal Credenza 26.75 by 67



Overall Height
29"
Overall Width
67"
Overall Depth
26.75"

Overall Height: 29"; Overall Width: 67".

View specifications >

Furniture & Storage / Product selection

Mesa Series L-Shaped Desk with Left Pedestal Return



Overall Height
29"
Overall Width
67"
Overall Depth
72"

Overall Height: 29"; Overall Width: 67".

View specifications >

Mesa Series L-Shaped Desk with Right Pedestal Return



Overall Height
29"
Overall Width
67"
Overall Depth
72"

Overall Height: 29"; Overall Width: 67".

View specifications >

Mesa Series Media Terminal/Workstation 48 by 48



Overall Height
29”
Overall Width
47.25"
Overall Depth
47.25"

Overall Height: 29”; Overall Width: 47.25".

View specifications >

Mesa Series Single Pedestal Desk



Overall Height
29"
Overall Width
67"
Overall Depth
29.75"

Overall Height: 29"; Overall Width: 67".

View specifications >

Furniture & Storage / Product selection

Modular Privacy Station



Overall Height
45"

Overall Width
49"

Overall Depth
24"

Overall Height: 45"; Overall Width: 49".

View specifications >

Modular Study Carrel 24x36



Overall Height
50.50" (51.75" w/casters)

Overall Width
37.50"

Overall Depth
24.50"

Overall Height: 50.50" (51.75" w/casters); Overall Width: 37.50".

View specifications >

Modular Study Carrel 24x48



Overall Height
50.50"

Overall Width
49"

Overall Depth
24.50"

Overall Height: 50.50"; Overall Width: 49".

View specifications >

Modular Study Table 24x48



Overall Height
29.50" (30.75" w/casters)

Overall Width
48"

Overall Depth
24"

Overall Height: 29.50" (30.75" w/casters); Overall Width: 48".

View specifications >

Furniture & Storage / Product selection

Modular Training/Utility Table 24x55

Catalog ref: 5667



Overall Height
29.5" (30.75" w/casters)
Overall Width
55.25"
Overall Depth
23.75"
Weight
57

Overall Height: 29.5" (30.75" w/casters); Overall Width: 55.25".

View specifications >

Multi-Purpose Split Level Laptop Stand



Overall Height
38"
Overall Width
31.50"
Overall Depth
18"

Overall Height: 38"; Overall Width: 31.50".

View specifications >

Multi-Use Modular Table 24x48

Catalog ref: 5655



Overall Height
27.50" (28.75" w/casters)
Overall Width
47.25"
Overall Depth
23.75"
Weight
41

Overall Height: 27.50" (28.75" w/casters); Overall Width: 47.25".

View specifications >

43" Round Conference Table

Catalog ref: 5522



Overall Height
29.75"
Overall Width
43.5" Diameter
Overall Depth
43.5" Diameter
Base Size
X-Base

Overall Height: 29.75"; Overall Width: 43.5" Diameter.

View specifications >

Furniture & Storage / Product selection

Conference Table (42" Round)

Catalog ref: 5556



LISTED DETAILS

42" round table / Hi-pressure laminate surface

42" round table; Top is 3/4" thick.

View specifications >

Glass Conference Table 39x77

Catalog ref: 5525



Overall Height
29"

Overall Width
77"

Overall Depth
39"

Base Size
4 leg base

Overall Height: 29"; Overall Width: 77".

View specifications >

Glass Conference Table 47x94

Catalog ref: 5528



Overall Height
29"

Overall Width
94.50"

Overall Depth
47.25"

Base Size
4 leg base

Overall Height: 29"; Overall Width: 94.50".

View specifications >

Large Racetrack Conference Table

Catalog ref: 5561



Overall Height
29"

Overall Width
96"

Overall Depth
48"

Base Size
Slab Base

Overall Height: 29"; Overall Width: 96".

View specifications >

Furniture & Storage / Product selection

Mesh Base Conference Table - 48 × 96 in

Catalog ref: 5559



Overall Height
29.50"
Overall Width
96"
Overall Depth
48"
Base Size
Mesh/Metal

Overall Height: 29.50"; Overall Width: 96".

View specifications >

Mesh Base Conference Table 36x72

Catalog ref: 5552



Overall Height
29.5"
Overall Width
72"
Overall Depth
36"
Base Size
Mesh/Metal

Overall Height: 29.5"; Overall Width: 72".

View specifications >

Modular Conference Table 48x96



Overall Height
29.25"
Overall Width
93.50"
Overall Depth
47.25"
Weight
177 lbs

Overall Height: 29.25"; Overall Width: 93.50".

View specifications >

Racetrack Conference Table 36x72

Catalog ref: 5554



Overall Height
29"
Overall Width
96"
Overall Depth
48"
Base Size
Slab Base

Overall Height: 29"; Overall Width: 96".

View specifications >

Furniture & Storage / Product selection

42" Round Conference Table



Overall Width
42" Round
Overall Depth
42"
Base Size
Criss-Cross

Overall Width: 42" Round; Overall Depth: 42".

View specifications >

43" Round Meeting Table



Overall Height
29.75"
Overall Width
43.5" Diameter
Overall Depth
43.5" Diameter
Base Size
X-Base

Overall Height: 29.75"; Overall Width: 43.5" Diameter.

View specifications >

Glass Conference Table



Overall Height
29"
Overall Width
77"
Overall Depth
39"
Base Size
4 leg base

Overall Height: 29"; Overall Width: 77".

View specifications >

Glass Conference Tables



Overall Height
29"
Overall Width
94.50"
Overall Depth
47.25"
Base Size
4 leg base

Overall Height: 29"; Overall Width: 94.50".

View specifications >

Furniture & Storage / Product selection

Library Table



Overall Height
29”

Overall Width
72"

Overall Depth
36"

Overall Height: 29”; Overall Width: 72".

View specifications >

Library Tables



Overall Height
29"

Overall Width
96"

Overall Depth
48"

Overall Height: 29"; Overall Width: 96".

View specifications >

Mesh Base Conference Table - 36 × 72 in



Overall Height
29.5"

Overall Width
72"

Overall Depth
36"

Base Size
Mesh/Metal

Overall Height: 29.5"; Overall Width: 72".

View specifications >

Mesh Base Conference Tables



LISTED DETAILS

Elegant black metal mesh-covered base / High-pressure laminate surface

Black 3mm T-mold protective edge banding; 1.25" thick two-piece table top.

View specifications >

Furniture & Storage / Product selection

Modular Conference Table



Overall Height
29.25"
Overall Width
93.50"
Overall Depth
47.25"

Overall Height: 29.25"; Overall Width: 93.50".

View specifications >

Racetrack Conference Table



Overall Height
29"
Overall Width
72"
Overall Depth
36"
Base Size
Slab Base

Overall Height: 29"; Overall Width: 72".

View specifications >

Racetrack Conference Tables



Overall Height
29"
Overall Width
96"
Overall Depth
48"
Base Size
Slab Base

Overall Height: 29"; Overall Width: 96".

View specifications >

1 Workstation Unit 1 by 1 Configuration 47 Panel Height 72 Desk Size



Overall Height
47"
Overall Width
78.50"
Overall Depth
78.50"

Overall Height: 47"; Overall Width: 78.50".

View specifications >

Furniture & Storage / Product selection

120 by 48 U-Shaped Reception Station



Overall Height
41"
Overall Width
120"
Overall Depth
48"

Overall Height: 41"; Overall Width: 120".

View specifications >

2 Workstation Unit 1 by 2 Configuration 47 Panel Height 72 Desk Size



Overall Height
47"
Overall Width
154.50"
Overall Depth
78.50"

Overall Height: 47"; Overall Width: 154.50".

View specifications >

3 Privacy Station Rize Cubicle Kit



Overall Height
47"
Overall Width
68.50"
Overall Depth
39.25"

Overall Height: 47"; Overall Width: 68.50".

View specifications >

3 Privacy Station Units 1 by 3 Configuration



Overall Height
47"
Overall Width
68.50"
Overall Depth
39.25"

Overall Height: 47"; Overall Width: 68.50".

View specifications >

Furniture & Storage / Product selection

4 Workstation Rize Cubicle Kit



LISTED DETAILS

Built-in keyboard tray retracts easily when not in use / Textured vinyl covering wipes clean eaasily

2" wide panels for strength and stability; Universal connectors allow 2-way, 3-way, and 4-way connections.

View specifications >

4 Workstation Unit 1 by 4 Configuration 47 Panel Height 72 Desk Size



LISTED DETAILS

Built-in keyboard tray retracts easily when not in use / Textured vinyl covering wipes clean eaasily

2" wide panels for strength and stability; Universal connectors allow 2-way, 3-way, and 4-way connections.

View specifications >

4 Workstation Units 2 by 2 Configuration



Overall Height
47

Overall Width
72

Overall Depth
72

Overall Height: 47; Overall Width: 72.

View specifications >

47 by 25 Full Vinyl Panel



Overall Height
47"

Overall Width
25"

Overall Depth
2"

Overall Height: 47"; Overall Width: 25".

View specifications >

Furniture & Storage / Product selection

47 by 25 Poly Panel



Overall Width
25"

Overall Depth
2"

Overall Width: 25"; Overall Depth: 2".

View specifications >

47 by 31 Full Vinyl Panel



Overall Height
47"

Overall Width
31"

Overall Depth
2"

Overall Height: 47"; Overall Width: 31".

View specifications >

47 by 37 Full Vinyl Panel



Overall Height
47"

Overall Width
37"

Overall Depth
2"

Overall Height: 47"; Overall Width: 37".

View specifications >

47 by 37 Poly Panel



Overall Width
37

Overall Depth
2"

Overall Width: 37; Overall Depth: 2".

View specifications >

Furniture & Storage / Product selection

47 by 48 Full Vinyl Panel



Overall Height
47"

Overall Width
48"

Overall Depth
2"

Overall Height: 47"; Overall Width: 48".

View specifications >

47 by 48 Poly Panel



Overall Width
48"

Overall Depth
2"

Overall Width: 48"; Overall Depth: 2".

View specifications >

47 by 60 Poly Panel



Overall Width
60"

Overall Depth
2"

Overall Width: 60"; Overall Depth: 2".

View specifications >

47 by 61 Full Vinyl Panel



Overall Height
47"

Overall Width
60"

Overall Depth
2"

Overall Height: 47"; Overall Width: 60".

View specifications >

Furniture & Storage / Product selection

48 by 37 L-Shaped Reception Station



Overall Height
41"
Overall Width
48"
Overall Depth
37"

Overall Height: 41"; Overall Width: 48".

View specifications >

5-Sided Corner Table 24 by 24



Overall Height
29.50"
Overall Width
36.50"
Overall Depth
24"

Overall Height: 29.50"; Overall Width: 36.50".

View specifications >

5-Sided Corner Table 30 by 30



Overall Height
29.50"
Overall Width
40.50"
Overall Depth
29.50"

Overall Height: 29.50"; Overall Width: 40.50".

View specifications >

60 by 48 L-Shaped Reception Station



Overall Height
41"
Overall Width
60"
Overall Depth
48"

Overall Height: 41"; Overall Width: 60".

View specifications >

Furniture & Storage / Product selection

63 by 25 Full Vinyl Panel



Overall Height
63"
Overall Width
25"
Overall Depth
2"

Overall Height: 63"; Overall Width: 25".

View specifications >

63 by 31 Full Vinyl Panel



Overall Height
63"
Overall Width
31"
Overall Depth
2"

Overall Height: 63"; Overall Width: 31".

View specifications >

63 by 37 Full Vinyl Panel



Overall Height
63"
Overall Width
37"
Overall Depth
2"

Overall Height: 63"; Overall Width: 37".

View specifications >

63 by 48 Full Vinyl Panel



Overall Height
63"
Overall Width
48"
Overall Depth
2"

Overall Height: 63"; Overall Width: 48".

View specifications >

Furniture & Storage / Product selection

63 Poly Curved Panel



Overall Height
63"
Overall Width
37"
Overall Depth
3"

Overall Height: 63"; Overall Width: 37".

View specifications >

96 by 37 U-Shaped Reception Station



Overall Height
41"
Overall Width
96"
Overall Depth
37"

Overall Height: 41"; Overall Width: 96".

View specifications >

Corner Connector Table 30 Sides



Overall Height
30"
Overall Width
29.50”
Overall Depth
29.50”

Overall Height: 30"; Overall Width: 29.50”.

View specifications >

Hanging Flipper Door Cabinet 36.25



Overall Height
15"
Overall Width
36.25"
Overall Depth
13"

Overall Height: 15"; Overall Width: 36.25".

View specifications >

Furniture & Storage / Product selection

Hanging Flipper Door Cabinet 47.75



Overall Height
15"
Overall Width
47.75"
Overall Depth
13"

Overall Height: 15"; Overall Width: 47.75".

View specifications >

L-Shaped Workstation 60 by 60 with 24 D Top



Overall Height
29.50"
Overall Width
58.75"
Overall Depth
23.50"

Overall Height: 29.50"; Overall Width: 58.75".

View specifications >

L-Shaped Workstation 60 by 60 with 30 D Top



Overall Height
29.5"
Overall Width
58.75"
Overall Depth
29.50"

Overall Height: 29.5"; Overall Width: 58.75".

View specifications >

L-Shaped Workstation 72 by 72 with 24 D Top



Overall Height
29.50"
Overall Width
73.25"
Overall Depth
23.50"

Overall Height: 29.50"; Overall Width: 73.25".

View specifications >

Furniture & Storage / Product selection

L-Shaped Workstation 72 by 72 with 30 D Top



Overall Height
29.5"
Overall Width
73.25"
Overall Depth
29.50"

Overall Height: 29.5"; Overall Width: 73.25".

View specifications >

Pennisula Desk 30x72



Overall Height
29.50"
Overall Width
72"
Overall Depth
29.50"

Overall Height: 29.50"; Overall Width: 72".

View specifications >

Pennisula Desk 34x60




Overall Height
29.50"
Overall Width
60"
Overall Depth
34"

Overall Height: 29.50"; Overall Width: 60".

View specifications >

POST47 RiZe Corner Connector Posts for 47 Floor Panels



LISTED DETAILS

No tools required for assembly / 2" square connector post

2" square connector post; For use with 47” tall panels and when going from a 47” tall to 63” tall panel.

View specifications >

Furniture & Storage / Product selection

POST63 RiZe Corner Connector Posts for 63 Floor Panels



LISTED DETAILS

No tools required for assembly / 2" square connector post

2" square connector post; For use with 63” tall panels and when going from a 63” tall to 47” tall panel.

View specifications >

PS47 RiZe Floor Panel Supports for 47 Panels



Overall Height
46"

Overall Width
23.50"

Overall Depth
2"

Overall Height: 46"; Overall Width: 23.50".

View specifications >

PS63 RiZe Floor Panel Supports for 63 Panels



Overall Height
62"

Overall Width
23.50"

Overall Depth
2"

Overall Height: 62"; Overall Width: 23.50".

View specifications >

RiZe 63 by 25 Vinyl Floor Panels with Translucent Tops



Overall Width
25

Overall Depth
2"

Overall Width: 25; Overall Depth: 2".

View specifications >

Furniture & Storage / Product selection

RiZe 63 by 31 Vinyl Floor Panels with Translucent Tops



Overall Width
31"

Overall Depth
2"

Overall Width: 31"; Overall Depth: 2".

View specifications >

RiZe 63 by 37 Vinyl Floor Panels with Translucent Tops



Overall Width
37"

Overall Depth
2"

Overall Width: 37"; Overall Depth: 2".

View specifications >

RiZe 63 by 48 Vinyl Floor Panels with Translucent Tops



Overall Width
48"

Overall Depth
2"

Overall Width: 48"; Overall Depth: 2".

View specifications >

RiZe 63 by 60 Vinyl Floor Panels with Translucent Tops



Overall Width
60"

Overall Depth
2"

Overall Width: 60"; Overall Depth: 2".

View specifications >

Furniture & Storage / Product selection

Rize Cubicle Information



LISTED DETAILS

One Model 55196 desk (for 5 foot units) or 55177 desk (for 6 foot units) / One Model 55106 mobile file pedestal (for 6 foot units only)

One Model 55196 desk (for 5 foot units) or 55177 desk (for 6 foot units); One Model 55106 mobile file pedestal (for 6 foot units only).

View specifications >

Rize Cubicle Kit - 154.5 × 78.5 in



Overall Height
47"

Overall Width
154.50"

Overall Depth
78.50"

Overall Height: 47"; Overall Width: 154.50".

View specifications >

Rize Cubicle Kit - 72 × 72 in



Overall Height
47

Overall Width
72

Overall Depth
72

Overall Height: 47; Overall Width: 72.

View specifications >

Rize Cubicle Kit - 78.5 × 78.5 in



Overall Height
47"

Overall Width
78.50"

Overall Depth
78.50"

Overall Height: 47"; Overall Width: 78.50".

View specifications >

Furniture & Storage / Product selection

Rize Hanging Open Shelf 36.25



Overall Height
12.75
Overall Width
36.25"
Overall Depth
11"

Overall Height: 12.75; Overall Width: 36.25".

View specifications >

Rize Hanging Open Shelf 47.75



Overall Height
12.50"
Overall Width
47.75"
Overall Depth
11"

Overall Height: 12.50"; Overall Width: 47.75".

View specifications >

Task Light



Overall Height
1.25"
Overall Width
22.75"
Overall Depth
3.50"

Overall Height: 1.25"; Overall Width: 22.75".

View specifications >

Executive Desk

Catalog ref: 5673



Overall Height
29.5”
Overall Width
72”
Overall Depth
36”
Weight
112 + 83

Overall Height: 29.5”; Overall Width: 72”.

View specifications >

Furniture & Storage / Product selection

Modular Computer/Privacy Table 24x48

Catalog ref: 5651



Overall Height
29.50" (30.75" w/casters)
Overall Width
48"
Overall Depth
24"
Weight
56

Overall Height: 29.50" (30.75" w/casters); Overall Width: 48".

View specifications >

Modular Training/Utility Table 20x55

Catalog ref: 5663



Overall Height
29.50" (30.75" w/casters)
Overall Width
55.25"
Overall Depth
20"
Weight
52

Overall Height: 29.50" (30.75" w/casters); Overall Width: 55.25".

View specifications >

Peninsula Desk

Catalog ref: 5670



Overall Height
29.50”
Overall Width
60"
Overall Depth
29.50"
Weight
85

Overall Height: 29.50”; Overall Width: 60".

View specifications >

Study Carrel Kit 48 inches

Catalog ref: 5647



Overall Height
50.50"
Overall Width
49"
Overall Depth
24.50"
Weight
56 and 22 and 14 lbs

Overall Height: 50.50"; Overall Width: 49".

View specifications >

Furniture & Storage / Product selection

Heavy Duty Roll-Out Shelving



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Heavy Duty Roll-Out Shelving - Heavy Duty Roll-Out Shelving. Roll-out shelving rack stores heavy dies, fixtures and machinery.

View specifications >

24 Round X Style Base Cafe Table



Overall Height
41.25"

Overall Width
24"

Overall Depth
24"

Base Size
Black X-Base

Overall Height: 41.25"; Overall Width: 24".

View specifications >

24 Square X Style Base Cafe Table



Overall Height
41.25"

Overall Width
24"

Overall Depth
24"

Base Size
Black X-Base

Overall Height: 41.25"; Overall Width: 24".

View specifications >

30 Round X Style Base Cafe Table



Overall Height
41.25"

Overall Width
30"

Overall Depth
30"

Base Size
Black X-Base

Overall Height: 41.25"; Overall Width: 30".

View specifications >

Furniture & Storage / Product selection

30 Square X Style Base Cafe Table



Overall Height
41.25"

Overall Width
30"

Overall Depth
30"

Base Size
Black X-Base

Overall Height: 41.25"; Overall Width: 30".

View specifications >

36 Round Multi-Purpose Table



Overall Height
29.5"

Overall Width
36"

Overall Depth
36"

Base Size
19” x 26.75” x 3.50”

Overall Height: 29.5"; Overall Width: 36".

View specifications >

36 Square Multi-Purpose Table



Overall Height
29.5"

Overall Width
36"

Overall Depth
36"

Base Size
19” x 26.75” x 3.50”

Overall Height: 29.5"; Overall Width: 36".

View specifications >

4 Casters for X5 System



LISTED DETAILS

Accessories work with both X5 and X5 Lite / Most accessories are chrome-plated; some are available in black

Accessories work with both X5 and X5 Lite; Most accessories are chrome-plated; some are available in black.

View specifications >

Furniture & Storage / Product selection

4-Unit Marque Plexi-Reception Station

Catalog ref: 5633



Overall Height
45.50"
Overall Width
142"
Overall Depth
90"
Weight
463

Overall Height: 45.50"; Overall Width: 142".

View specifications >

42 Round Multi-Purpose Table



Overall Height
29.5"
Overall Width
42"
Overall Depth
42"

Overall Height: 29.5"; Overall Width: 42".

View specifications >

42 Square Multi-Purpose Table



Overall Height
29.5"
Overall Width
42"
Overall Depth
42"

Overall Height: 29.5"; Overall Width: 42".

View specifications >

48x37 L-Shaped Reception Station

Catalog ref: 5643



Overall Height
41"
Overall Width
48"
Overall Depth
37"
Weight
162 lbs

Overall Height: 41"; Overall Width: 48".

View specifications >

Furniture & Storage / Product selection

5-Unit Marque Reception Station

Catalog ref: 5614



Overall Height
45.50"
Overall Width
142"
Overall Depth
128"
Weight
571

Overall Height: 45.50"; Overall Width: 142".

View specifications >

Corner Table with 5 Legs



Overall Height
16"
Overall Width
41"
Overall Depth
34.25"
Base Size
5 Legs

Overall Height: 16"; Overall Width: 41".

View specifications >

Corner Table with Sled Base



Overall Height
16"
Overall Width
29.5"
Overall Depth
29.5"
Base Size
Sled

Overall Height: 16"; Overall Width: 29.5".

View specifications >

End Table with 4 Legs



Overall Height
16"
Overall Width
20"
Overall Depth
20"
Base Size
4 Legs

Overall Height: 16"; Overall Width: 20".

View specifications >

Furniture & Storage / Product selection

End Table with Sled Base



Overall Height
16"
Overall Width
20"
Overall Depth
20"
Base Size
Sled

Overall Height: 16"; Overall Width: 20".

View specifications >

Hex Series Table with Chrome Frame



Overall Height
16.75"
Overall Width
22.75"
Overall Depth
20"

Overall Height: 16.75"; Overall Width: 22.75".

View specifications >

Jupiter Series Table



Overall Height
19"
Overall Width
24"
Overall Depth
20"

Overall Height: 19"; Overall Width: 24".

View specifications >

Library Table 36x72

Catalog ref: 5531



Overall Height
29”
Overall Width
72"
Overall Depth
36"
Weight
142

Overall Height: 29”; Overall Width: 72".

View specifications >

Furniture & Storage / Product selection

Library Table 48x96

Catalog ref: 5534



Overall Height
29"
Overall Width
96"
Overall Depth
48"
Weight
205

Overall Height: 29"; Overall Width: 96".

View specifications >

Magazine Table with 4 Legs



Overall Height
16"
Overall Width
40"
Overall Depth
20"
Base Size
4 Legs

Overall Height: 16"; Overall Width: 40".

View specifications >

Magazine Table with Sled Base



Overall Height
16"
Overall Width
40"
Overall Depth
20"
Base Size
Sled

Overall Height: 16"; Overall Width: 40".

View specifications >

Marque 4-Unit Reception Station



Overall Height
45.50"
Overall Width
142"
Overall Depth
90"

Overall Height: 45.50"; Overall Width: 142".

View specifications >

Furniture & Storage / Product selection

Marque ADA Reception Station

Catalog ref: 5640



Overall Height
32.75"
Overall Width
62.50"
Overall Depth
31.50"

Overall Height: 32.75"; Overall Width: 62.50".

View specifications >

Mesa Series Half Round Table 24 by 48



Overall Height
29”
Overall Width
47.25"
Overall Depth
23.75"

Overall Height: 29”; Overall Width: 47.25".

View specifications >

Mesa Series Nesting Training Table/Desk 23.50 by 47.25



Overall Height
28.50"
Overall Width
47.25"
Overall Depth
23.50"

Overall Height: 28.50"; Overall Width: 47.25".

View specifications >

Mesa Series Nesting Training Table/Desk 23.50 by 59



Overall Height
28.50"
Overall Width
59"
Overall Depth
23.50"

Overall Height: 28.50"; Overall Width: 59".

View specifications >

Furniture & Storage / Product selection

Mesa Series Nesting Training Table/Desk with Privacy Panel 23.50 by 47.25



Overall Height
28.50" - 39"
Overall Width
47.25"
Overall Depth
23.50"

Overall Height: 28.50" - 39"; Overall Width: 47.25".

View specifications >

Mesa Series Nesting Training Table/Desk with Privacy Panel 23.50 by 59



Overall Height
28.50" - 39"
Overall Width
59"
Overall Depth
23.50"

Overall Height: 28.50" - 39"; Overall Width: 59".

View specifications >

Mesa Series Nesting Training Table/Desk with Privacy Panel 23.50 by 71



Overall Height
28.50" - 39"
Overall Width
71"
Overall Depth
23.50"

Overall Height: 28.50" - 39"; Overall Width: 71".

View specifications >

Mesa Series Privacy Panel for Nesting Training Table/Desk 23.50 by 47.25



Overall Height
12.375"
Overall Width
38.25"
Overall Depth
.375"

Overall Height: 12.375"; Overall Width: 38.25".

View specifications >

Furniture & Storage / Product selection

Mesa Series Privacy Panel for Nesting Training Table/Desk 23.50 by 59



Overall Height
12.375"
Overall Width
49.75"
Overall Depth
.375"

Overall Height: 12.375"; Overall Width: 49.75".

View specifications >

Mesa Series Privacy Panel for Nesting Training Table/Desk 23.50 by 71



Overall Height
12.375"
Overall Width
61.80"
Overall Depth
.375"

Overall Height: 12.375"; Overall Width: 61.80".

View specifications >

Mesa Series Standing Height Training Table/Desk with Drawers 27.75 by 47.25



Overall Height
38.75"
Overall Width
47.25"
Overall Depth
27.75"

Overall Height: 38.75"; Overall Width: 47.25".

View specifications >

Mesa Series Standing Height Training Table/Desk with Drawers 27.75 by 55.25



Overall Height
38.75"
Overall Width
55.24"
Overall Depth
27.75"

Overall Height: 38.75"; Overall Width: 55.24".

View specifications >

Furniture & Storage / Product selection

Mesa Series Standing Height Training Table/Desk with Drawers 27.75 by 59



Overall Height
38.75"
Overall Width
59"
Overall Depth
27.75"

Overall Height: 38.75"; Overall Width: 59".

View specifications >

Mesa Series Training Table 20 by 59



Overall Height
29"
Overall Width
59"
Overall Depth
20"

Overall Height: 29"; Overall Width: 59".

View specifications >

Mesa Series Training Table/Desk with Drawers 27.75 by 47.25



Overall Height
29.75"
Overall Width
47.25"
Overall Depth
27.75"

Overall Height: 29.75"; Overall Width: 47.25".

View specifications >

Mesa Series Training Table/Desk with Drawers 27.75 by 55.25



Overall Height
29.75"
Overall Width
55.25"
Overall Depth
27.75"

Overall Height: 29.75"; Overall Width: 55.25".

View specifications >

Furniture & Storage / Product selection

Mesa Series Training Table/Desk with Drawers 27.75 by 59



Overall Height
29.75"
Overall Width
59"
Overall Depth
27.75”

Overall Height: 29.75"; Overall Width: 59".

View specifications >

Modular Computer/Privacy Table 24x36

Catalog ref: 5658



Overall Height
29.5" (30.75" w/casters)
Overall Width
35.50"
Overall Depth
23.75"
Base Size
Steel

Overall Height: 29.5" (30.75" w/casters); Overall Width: 35.50".

View specifications >

Modular Training/Utility Table 24 by 55



Overall Height
29.5" (30.75" w/casters)
Overall Width
55.25"
Overall Depth
23.75"

Overall Height: 29.5" (30.75" w/casters); Overall Width: 55.25".

View specifications >

NET Series Large Glass Table



Overall Height
29.50"
Overall Width
27.50" Diameter
Overall Depth
27.50" Diameter

Overall Height: 29.50"; Overall Width: 27.50" Diameter.

View specifications >

Furniture & Storage / Product selection

NET Series Small Glass Table



Overall Height
23.50"
Overall Width
17.75" Diameter
Overall Depth
17.75" Diameter

Overall Height: 23.50"; Overall Width: 17.75" Diameter.

View specifications >

Profile Series Cocktail Table



Overall Height
17"
Overall Width
20"
Overall Depth
40"

Overall Height: 17"; Overall Width: 20".

View specifications >

Profile Series End Table



Overall Height
17"
Overall Width
20"
Overall Depth
20"

Overall Height: 17"; Overall Width: 20".

View specifications >

Profile Series Lamp Table



Overall Height
17"
Overall Width
20"
Overall Depth
26"

Overall Height: 17"; Overall Width: 20".

View specifications >

Furniture & Storage / Product selection

Profile Series Wedge Table



Overall Height
17"

Overall Width
15"

Overall Depth
24"

Overall Height: 17"; Overall Width: 15".

View specifications >

Quarter Round Table/Telephone Stand



Overall Height
29.50" 30.75" w/casters

Overall Width
33.25"

Overall Depth
23.25"

Base Size
Steel legs

Overall Height: 29.50" 30.75" w/casters; Overall Width: 33.25".

View specifications >

Standard Height Black Finish Small XT Base



Overall Height
28.25"

Overall Width
27.25"

Overall Depth
27.25"

Overall Height: 28.25"; Overall Width: 27.25".

View specifications >

Trapezoid Table 48x24



Overall Height
29.5"

Overall Width
46.25"

Overall Depth
23"

Overall Height: 29.5"; Overall Width: 46.25".

View specifications >

Furniture & Storage / Product selection

Trapezoid Table 60x24



Overall Height
29.5"
Overall Width
60"
Overall Depth
24"

Overall Height: 29.5"; Overall Width: 60".

View specifications >

Triple-Unit Marque Reception Station

Catalog ref: 5608



Overall Height
45.50"
Overall Width
142"
Overall Depth
71"

Overall Height: 45.50"; Overall Width: 142".

View specifications >

Utility Table 24x48



Overall Height
30"
Overall Width
48"
Overall Depth
24"

Overall Height: 30"; Overall Width: 48".

View specifications >

Utility Table 24x60



Overall Height
30"
Overall Width
60"
Overall Depth
24"
Base Size
30” x 60” x 24”

Overall Height: 30"; Overall Width: 60".

View specifications >

Furniture & Storage / Product selection

Utility Table 30x48



Overall Height
30"
Overall Width
48"
Overall Depth
30"
Base Size
30” x 48” x 30

Overall Height: 30"; Overall Width: 48".

View specifications >

Utility Table 30x60



Overall Height
30"
Overall Width
60"
Overall Depth
30"
Base Size
30” x 60” x 30”

Overall Height: 30"; Overall Width: 60".

View specifications >

X5 18 Divider OFM S508010018



Model
S508010018
Overall Height
9"
Overall Width
18"
Overall Depth
0.25"

Model: S508010018; Overall Height: 9".

View specifications >

X5 24 Anti-Slide Side Plate



Overall Height
9"
Overall Width
24"
Overall Depth
0.25"

Overall Height: 9"; Overall Width: 24".

View specifications >

Furniture & Storage / Product selection

X5 U-Shaped Handle 18



LISTED DETAILS

Accessories work with both X5 and X5 Lite / Most accessories are chrome-plated; some are available in black

Accessories work with both X5 and X5 Lite; Most accessories are chrome-plated; some are available in black.

View specifications >

120x48 U-Shaped Reception Station

Catalog ref: 5595



Overall Height
41"
Overall Width
120"
Overall Depth
48"
Weight
330 lbs

Overall Height: 41"; Overall Width: 120".

View specifications >

4-Unit Marque Reception Station

Catalog ref: 5611



Overall Height
45.50"
Overall Width
142"
Overall Depth
90"
Weight
463

Overall Height: 45.50"; Overall Width: 142".

View specifications >

60x48 L-Shaped Reception Station

Catalog ref: 5599



Overall Height
41"
Overall Width
60"
Overall Depth
48"
Weight
165 lbs

Overall Height: 41"; Overall Width: 60".

View specifications >

Furniture & Storage / Product selection

96x37 U-Shaped Reception Station

Catalog ref: 5601



Overall Height
41"
Overall Width
96"
Overall Depth
37"
Weight
324 lbs

Overall Height: 41"; Overall Width: 96".

View specifications >

Double-Unit Marque Plexi-Reception Station

Catalog ref: 5625



Overall Height
45.50"
Overall Width
118.75"
Overall Depth
48.50"
Weight
238

Overall Height: 45.50"; Overall Width: 118.75".

View specifications >

Double-Unit Marque Reception Station

Catalog ref: 5606



Overall Height
45.50"
Overall Width
121.25"
Overall Depth
13"
Weight
65.00+65.00+53.60+53.60

Overall Height: 45.50"; Overall Width: 121.25".

View specifications >

Single-Unit Marque Plexi-Reception Station

Catalog ref: 5618



Overall Height
45.50"
Overall Width
69.50"
Overall Depth
33.50"
Weight
119

Overall Height: 45.50"; Overall Width: 69.50".

View specifications >

Furniture & Storage / Product selection

Single-Unit Marque Reception Station

Catalog ref: 5604



Overall Height
45.50"
Overall Width
69.50"
Overall Depth
33.50"
Weight
65 + 53.60

Overall Height: 45.50"; Overall Width: 69.50".

View specifications >

Triple-Unit Marque Plexi-Reception Station

Catalog ref: 5629



Overall Height
45.50"
Overall Width
142"
Overall Depth
71"
Weight
357

Overall Height: 45.50"; Overall Width: 142".

View specifications >

Stackable Bar Cradles



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Stackable Bar Cradles - Stackable Bar Cradles. These sturdy, welded steel racks are strong enough to handle heavy loads yet light enough to be set up by one person.

View specifications >

Stainless Steel Lockers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Stainless Steel Lockers - Stainless Steel Lockers.

View specifications >

Facility & Safety Equipment

Facility & Safety Equipment

Facility supplies, protective equipment and specialty products.

BEFORE YOU COMPARE

Describe the intended task, site conditions, material requirements and installation constraints. Confirm the selected model against your facility requirements.



LED Stadium Light 240W, Super Bright Outdoor Flood Light , IP65 Waterproof

Equipment shown is a catalog example. Open the product page to confirm its exact configuration.

Facility & Safety Equipment / Product selection

Driver Cages



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Driver Cages - Cages. Driver Cages are an application that is placed around an entrance in a warehouse.

View specifications >

Wire Cages



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Wire Cages - Cages. Modular system offers security, storage, and safety for many applications.

View specifications >

Safety Gates - DG Series - Carbon Steel



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Safety Gates - DG Series - Carbon Steel - Dock Gates. The Dock Gate provides protection against falls from loading docks.

View specifications >

Extruded Aluminum Hose & Cable Bridges



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Extruded Aluminum Hose & Cable Bridges - industrial equipment. Designed to protect cables and hoses from pedestrian and rolling traffic.

View specifications >

Facility & Safety Equipment / Product selection

47 by 31 Poly Panel



LISTED DETAILS

No tools required for assembly / 2" wide steel frame for strength and stability

2" wide steel frame for strength and stability; 2" Square posts install in seconds.

View specifications >

5FT-TABLES



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Five-foot all-wood picnic table reference. Confirm the overall footprint, seating arrangement and assembly details before ordering.

View specifications >

80102-AHBI Air Compressors



LISTED DETAILS

Self-contained separator element with easy access spin-on housing. / Hydraulic motor directly coupled to geared air end.

Boss oil-flooded, rotary screw air end designed to produce up to 100 CFM @ 100 PSIG continuously; Replaceable spin-on compressor lubricant filter with safety bypass and 25-micron rating.

View specifications >

BA435 Air Compressors



LISTED DETAILS

Integrated hydraulic system cooler / Integrated solenoid and relief valve

2 VDC fan assembly; 200 lbs. dry weight is half that of competitive brands.

View specifications >

Facility & Safety Equipment / Product selection

Configurable Crossover Fixed Ladder - UCL5009242



Handrail Height
42"

Load Capacity
1000 lb

Step Tread
Serrated

Step Depth
10"

Handrail Height: 42"; Load Capacity: 1000 lb.

View specifications >

CT-FR1-PKG



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

CT-FR1-PKG - General Equipment. Comet 20 FR1 Tent Package Comet package includes inner tent, PVC, roof, wood pole package, connector package & hardware package Comet 20 FR1 inner canvas tent.

View specifications >

Electric Mast Outrigger Packages



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Electric Mast Outrigger Packages - General Equipment.

View specifications >

Electric Outrigger Packages



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Electric Outrigger Packages - General Equipment. ET36KX Electric Outrigger Packages: OUTRIGGER PACKAGES Description Part # Weight Manual pullout, manual crank down.

View specifications >

Facility & Safety Equipment / Product selection

GCampSite



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Campground grill with mounting post and 0.1875-inch-thick steel construction. Listed body dimensions are 20.375 in wide × 15 in long × 10.125 in high.

View specifications >

Hydraulic Outrigger Packages



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Hydraulic Outrigger Packages - General Equipment. : We offer manual and hydraulic outriggers with crosstube installation on our Crane Bodies.

View specifications >

Infinity Air Compressors



LISTED DETAILS

Guarantees continuous output of up to 60 CFM at 150 PSI / Offers a number of standard safety features

Guarantees continuous output of up to 60 CFM at 150 PSI; Max PSI = 150.

View specifications >

MechanX Air Compressors



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

MechanX Air Compressors - General Equipment. MechanX Air Compressors the products help increase your efficiency and productivity.The air compressors are engineered for high performance and durability.

View specifications >

Facility & Safety Equipment / Product selection

Quick Bases Part No.176



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Quick Bases Part No.176 - General Equipment. high and used as a base to erect standard towers.

View specifications >

Reel Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Reel Racks - General Equipment. Reel Racks store and dispense poly or wire rope, hose, electrical cable, or chain.

View specifications >

S16-FR1-PKG



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Sunshine 16 FR1 tent package with PVC roof components, 80 mm wood poles, connectors and hardware. Confirm the complete package list and site layout in the quote.

View specifications >

Series35 Air Compressors



LISTED DETAILS

Guarantees continuous output of up to 35 CFM at 175 PSI / Max PSI = 100

Guarantees continuous output of up to 35 CFM at 175 PSI; Max PSI = 100.

View specifications >

Facility & Safety Equipment / Product selection

SweepMaster SM-300



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

SweepMaster SM-300 - General Equipment. - Call For Pricing ENGINE Kubota D1105 Tier 4 Final BROOM SIZE 6.375'' I.D.

View specifications >

Economy Wire Reel Caddy



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

WIRE-D-E Capacity (lbs): 150; WIRE-D-E Overall Size (WxLxH): 17-3/4" x 19-1/2" x 43-1/8".

View specifications >

Spring Driven Low Pressure Hose Reels



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Spring Driven Low Pressure Hose Reels - Hose & Cord Reels. Keep air hoses off the floor and out of the way.

View specifications >

Steel Construction Wire Containers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Steel Construction Wire Containers - Hose & Cord Reels. All steel construction available is either 3-gauge, or 11-gauge galvanized welded wire mesh.

View specifications >

Facility & Safety Equipment / Product selection

230V IP65 200W LED UFO High Bay



Model Number
IM-HBL200W-02-TCK

Rated Power
200 W

Model Number: IM-HBL200W-02-TCK; Rated Power: 200 W.

View specifications >

300W LED Shoebox Light 150Lmw, IP65 Waterproof



Model Number
IM-PL300W-01-G1

Rated Power
300 W

Model Number: IM-PL300W-01-G1; Rated Power: 300 W.

View specifications >

30W LED Wall Pack Light, Dusk-to-dawn Photocell, Waterproof IP65



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

30 W wall-pack light with a dusk-to-dawn photocell, aluminum housing and clear lens. Catalog reference BR-WP30W-01-G1.

View specifications >

50W LED Flood Lights Outdoor IP65 Waterproof



Model Number
IM-FL50W-01-VA

Rated Power
50 W

Model Number: IM-FL50W-01-VA; Rated Power: 50 W.

View specifications >

Facility & Safety Equipment / Product selection

50W LED Flood Lights Outdoor,Waterproof IP65



Model Number
IM-FL50W-08-TC

Rated Power
50 W

Model Number: IM-FL50W-08-TC; Rated Power: 50 W.

View specifications >

50W Slim Led Flood Lights Outdoor, Waterproof IP65



Model Number
IM-FL50W-07-VD

Rated Power
50 W

Model Number: IM-FL50W-07-VD; Rated Power: 50 W.

View specifications >

Anten 100W UFO Led High Bay Light



Model Number
IM-HBL100W-02-TCK

Rated Power
100 W

Model Number: IM-HBL100W-02-TCK; Rated Power: 100 W.

View specifications >

Focos LED Highbay Industrial UFO 150W High Bay



Model Number
IM-HBL150W-02-TCK

Rated Power
150 W

Model Number: IM-HBL150W-02-TCK; Rated Power: 150 W.

View specifications >

Facility & Safety Equipment / Product selection

LED Canopy Light 150W, 140Lmw, IP65 for Gas Station



Model Number
IM-GS150W-01

Rated Power
150 W

Model Number: IM-GS150W-01; Rated Power: 150 W.

View specifications >

LED Flood Light 50W ,180° Adjustable Knuckle, Waterproof Outdoor Area Lighting



Model Number
IM-FL50W-06-G1

Rated Power
50 W

Model Number: IM-FL50W-06-G1; Rated Power: 50 W.

View specifications >

LED Hallenstrahler 100W Philips LEDs Meanwell Netzteil IP65 120°



Model Number
IM-HBL100W-02-TCK

Rated Power
100 W

Model Number: IM-HBL100W-02-TCK; Rated Power: 100 W.

View specifications >

LED High Bay UFO Light 100W



Model Number
IM-HBL100W-02-TCK

Rated Power
100 W

Model Number: IM-HBL100W-02-TCK; Rated Power: 100 W.

View specifications >

Facility & Safety Equipment / Product selection

LED High Bay UFO Light 150W



Model Number
IM-HBL150W-02-TCK
Rated Power
150 W

Model Number: IM-HBL150W-02-TCK; Rated Power: 150 W.

View specifications >

LED High Bay UFO Light 200W



Model Number
IM-HBL200W-02-TCK
Rated Power
200 W

Model Number: IM-HBL200W-02-TCK; Rated Power: 200 W.

View specifications >

LED High Bay UFO Light 240W



Model Number
IM-HBL240W-02-TCK
Rated Power
240 W

Model Number: IM-HBL240W-02-TCK; Rated Power: 240 W.

View specifications >

LED High Bay UFO Light 80W



Model Number
IM-HBL80W-02-TCK
Rated Power
80 W

Model Number: IM-HBL80W-02-TCK; Rated Power: 80 W.

View specifications >

Facility & Safety Equipment / Product selection

LED Stadium Light 1000W, Super Bright Outdoor Flood Light 135Lmw, IP65 Waterproof



Model Number
IM-FL1000W-07-FA

Rated Power
1000 W

Model Number: IM-FL1000W-07-FA; Rated Power: 1000 W.

View specifications >

LED Stadium Light 240W, Super Bright Outdoor Flood Light , IP65 Waterproof



Model Number
IM-FL240W-07-FA

Rated Power
240 W

Model Number: IM-FL240W-07-FA; Rated Power: 240 W.

View specifications >

LED Stadium Light 360W,Super Bright Outdoor Flood Light, IP65 Waterproof



Model Number
IM-FL360W-07-FA

Rated Power
360 W

Model Number: IM-FL360W-07-FA; Rated Power: 360 W.

View specifications >

LED Stadium Light 480W, Super Bright Outdoor Flood Light, IP65 Waterproof



Material
High-quality, weather-resistant materials

Super Bright Illumination: Provides 480W of powerful lighting with high lumen output, ensuring bright and clear visibility;

View specifications >

Facility & Safety Equipment / Product selection

LED Stadium Light 720W, Super Bright Outdoor Flood Light, IP65 Waterproof



Model Number
IM-FL720W-07-FA

Rated Power
720 W

Model Number: IM-FL720W-07-FA; Rated Power: 720 W.

View specifications >

Linear LED Highbay Light 150W, IP65 Waterproof Indoor Industrial Lights



Model Number
IM-HBL150W-03-TA

Rated Power
150 W

Model Number: IM-HBL150W-03-TA; Rated Power: 150 W.

View specifications >

UFO LED HighBay Light 100W 135Lm/w, IP65 Waterproof



Model Number
IM-HBL100W-02-FA

Rated Power
100 W

Model Number: IM-HBL100W-02-FA; Rated Power: 100 W.

View specifications >

UFO LED HighBay Light 150W 135Lm/w, IP65 Waterproof



Model Number
IM-HBL150W-02-FA

Rated Power
150 W

Model Number: IM-HBL150W-02-FA; Rated Power: 150 W.

View specifications >

Facility & Safety Equipment / Product selection

UFO LED HighBay Light 200W 135Lm/w, IP65 Waterproof



Model Number
IM-HBL200W-02-FA

Rated Power
200 W

Model Number: IM-HBL200W-02-FA; Rated Power: 200 W.

View specifications >

UFO LED HighBay Light 240W 135Lm/w, IP65 Waterproof



Model Number
IM-HBL240W-02-FA

Rated Power
240 W

Model Number: IM-HBL240W-02-FA; Rated Power: 240 W.

View specifications >

UFO LED HighBay Light 300W 135Lm/w, IP65 Waterproof



Model Number
IM-HBL300W-02-FA

Rated Power
300 W

Model Number: IM-HBL300W-02-FA; Rated Power: 300 W.

View specifications >

UFO LED HighBay Light 400W 135Lm/w, IP65 Waterproof



Model Number
IM-HBL400W-02-FA

Rated Power
400 W

Model Number: IM-HBL400W-02-FA; Rated Power: 400 W.

View specifications >

Facility & Safety Equipment / Product selection

UFO LED HighBay Light 500W 135Lmw, IP65 Waterproof



Model Number
IM-HBL500W-02-FA

Rated Power
500 W

Model Number: IM-HBL500W-02-FA; Rated Power: 500 W.

View specifications >

Wonderful LED UFO High Bay Lights Fixtures



Model Number
IM-HBL150W-02-TCK

Rated Power
150 W

Model Number: IM-HBL150W-02-TCK; Rated Power: 150 W.

View specifications >

Boeing Part 65-38292-44 PRINTED CIRCUIT

Catalog ref: 65-38292-44

IMAGE COMING SOON

LISTED DETAILS

747-200B SERIES / 747-200C SERIES

747-200B SERIES; 747-200C SERIES.

View specifications >

Pallet Rack Back Guard



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Pallet Rack Back Guard - Pallet Rack Guards. Minimize the potential hazard of product falling out the back of pallet rack.

View specifications >

Facility & Safety Equipment / Product selection

Portable Stage System US Platform 3X3



Material
Plywood
Model
IMLSP3
Weight
16KG

Model: IMLSP3; Weight: 16KG.

View specifications >

Post Protectors

Catalog ref: 6095



LISTED DETAILS

Available for both 3" and 4" diameter columns. / Several heights to accommodate various shelf, rack, and column designs.

Listed models: 5208, 5212, 5218, 5224 and additional configurations; 5208 Your Column Size: 3.

View specifications >

Safety Gates - A Series



LISTED DETAILS

Easy to Install / Stainless Steel Spring

Easy to Install; Stainless Steel Spring.

View specifications >

Safety Gates - A Series - Aluminum



LISTED DETAILS

Easy to Install / Stainless Steel Spring

Easy to Install; Stainless Steel Spring.

View specifications >

Facility & Safety Equipment / Product selection

Safety Gates - A Series - Stainless Steel



LISTED DETAILS

Easy to Install / Stainless Steel Spring

Easy to Install; Stainless Steel Spring.

View specifications >

Safety Gates - DVG Series



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Safety Gates - DVG Series - Safety Closing Gates. The Dual Vertical Lift Gate provides wide coverage against falls while maintaining a height clearance.

View specifications >

Safety Gates - G Series - Carbon Steel



LISTED DETAILS

Easy to Install / 6” Lateral Adjustment

6” Lateral Adjustment; Easy to Install.

View specifications >

Safety Gates - G Series - Stainless Steel



LISTED DETAILS

Easy to Install / 6” Lateral Adjustment

6” Lateral Adjustment; Easy to Install.

View specifications >

Facility & Safety Equipment / Product selection

Safety Gates - MZ Series



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Safety Gates - MZ Series - Safety Closing Gates. The MZ-Pivot Gate protects employees in elevated mezzanine loading areas.

View specifications >

Safety Gates - R Series



LISTED DETAILS

Easy to Install / Stainless Steel Spring

Easy to Install; Stainless Steel Spring.

View specifications >

Safety Gates - RX Series



LISTED DETAILS

Easy to Install / Stainless Steel Spring

Easy to Install; Stainless Steel Spring.

View specifications >

Safety Gates - XL Series - Aluminum



LISTED DETAILS

Easy to Install / Stainless Steel Spring

Easy to Install; Stainless Steel Spring.

View specifications >

Facility & Safety Equipment / Product selection

Safety Gates - XL Series - Carbon Steel



LISTED DETAILS

Easy to Install / Stainless Steel Spring

Easy to Install; Stainless Steel Spring.

View specifications >

Safety Gates - XL Series - Stainless Steel



LISTED DETAILS

Easy to Install / Stainless Steel Spring

Easy to Install; Stainless Steel Spring.

View specifications >

Safety Gates - Z Series



LISTED DETAILS

Easy to Install / Stainless Steel Spring

Easy to Install; Stainless Steel Spring.

View specifications >

Safety Gates - ZT Series



LISTED DETAILS

Easy to Install / Stainless Steel Spring


Easy to Install; Stainless Steel Spring.

View specifications >

Facility & Safety Equipment / Product selection

Self Closing Safety Gate

Catalog ref: 6056



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: AG1626ZC2, AG2440ZC2, AG1626ZC1, AG2440ZC1 and additional configurations; AG1626ZC2 ADJ Range: 16" to 26".

View specifications >

Swing Gate

Catalog ref: 6097



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Swing Gate - Safety Closing Gates. s are an easy, inexpensive solution to enclosing handrail openings.

View specifications >

Safety Rail



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Safety Rail - Safety Rail. IML's safety rail system is a component, highly versatile and effective safety solution engineered to install quickly and easily in virtually any kind of environment.

View specifications >

Cylinder Cabinets

Catalog ref: 40942



LISTED DETAILS

HCC models provide horizontal storage for 4 to 16 tanks weighing up to 46 lbs. each. / Painted Safety Yellow with NO SMOKING warnings, per regulations.

13-gauge expanded metal construction with 1 1/2" diamonds is tough yet relatively lightweight; HCC models provide horizontal storage for 4 to 16 tanks weighing up to 46 lbs. each.

View specifications >

Facility & Safety Equipment / Product selection

Security Mesh Partitions

Catalog ref: 6093



LISTED DETAILS

13-gauge expanded metal construction features 1 1/2 " diamonds / Adjustable floor sockets allow true vertical alignment.

13-gauge expanded metal construction features 1 1/2 " diamonds; Available extension panels can increase enclosure height up to 20 feet.

View specifications >

Versatile Utility Boxes



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

UBX-Y-NW Overall Size (WxHxD): 48"x31"x31-1/2"; UBX-Y-NW Uniform Load Capacity (lbs.): 400.

View specifications >

Wall Mounted Cylinder Brackets



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Wall Mounted Cylinder Brackets - Wall Mounted Cylinder Brackets. Simple design is easy to install, simply bolt to wall and then secure cylinder with strap.

View specifications >

#2 Gauge Stranded Copper THHN Wire - Black



Color
Black

Rated for 600 volts, 90°C dry / 75°C wet locations; Gauge: #2 AWG.

View specifications >

Facility & Safety Equipment / Product selection

#8 Gauge Stranded Copper THHN Wire - Black



Voltage
600 Volts

Voltage: 600 Volts; Rated for 600V - dry and wet locations.

View specifications >

1/0 Gauge Black Stranded Copper THHN Wire



Color
Black

Material
Stranded Copper

Gauge: 1/0 AWG; Max Voltage Rating: 600 Volts.

View specifications >

Alphabetical model index

"H" Series Autodok® Heavy Duty Hydraulic 557
#2 Gauge Stranded Copper THHN Wire - Black 744
#8 Gauge Stranded Copper THHN Wire - Black 745
1 Workstation Unit 1 by 1 Configuration 47 Panel Height 72 Desk Size 691
1/0 Gauge Black Stranded Copper THHN Wire 745
10 Step Cross-Over Ladder - COLA-3-56-20 44
10 Step Cross-Over Ladder - COLA-3-56-32 44
10 Step Cross-Over Ladder - COLA-3-56-44 45
10 Step Cross-Over Ladder - COLA-3-56-56 45
10 Step Cross-Over Ladder - COLA-3-68-20 45
10 Step Cross-Over Ladder - COLA-3-68-32 45
10 Step Cross-Over Ladder - COLA-3-68-44 46
10 Step Cross-Over Ladder - COLA-3-68-56 46
1000Lbs Configurable Crossover Ladder - UCL7504246 87
102in Serrated Crossover Turn Platform - UCT06242 46
105 to 115in Dual Track Ladder w/Brake - 7408A5-B C1 P3 KIT 136
105 to 115in Dual Track Ladder w/Brake - 7408A6-B C1 P3 KIT 136
105 to 115in Stationary Dual Track Ladder - 7408A5-S C1 P3 KIT 136
105 to 115in Stationary Dual Track Ladder - 7408A6-S C1 P3 KIT 137
10Ft Fixed Ladder - UAP0990 88
10Ft Steel Fixed Ladder - WLFS0111 88
10Ft Steel Fixed Ladder - WLFS0211 88
10Ft Steel Fixed Ladder with Safety Cage - WLFC1111 88
10Ft Steel Fixed Ladder with Safety Cage - WLFC1211 89
10MSP Driveable Vertical Mast Lifts 228
112in Perforated Crossover Turn Platform - UCT07246 46
112in Serrated Crossover Turn Platform - UCT07242 47
115 to 125in Dual Track Ladder w/Brake - 7409A5-B C1 P3 KIT 137
115 to 125in Dual Track Ladder w/Brake - 7409A6-B C1 P3 KIT 137
115 to 125in Stationary Dual Track Ladder - 7409A5-S C1 P3 KIT 137
115 to 125in Stationary Dual Track Ladder - 7409A6-S C1 P3 KIT 138
115V Connector with LED Switch 409
11Ft Fixed Ladder - UAP1090 89
11Ft Steel Fixed Ladder - WLFS0112 89
11Ft Steel Fixed Ladder - WLFS0212 89
11Ft Steel Fixed Ladder with Safety Cage - WLFC1112 7
11Ft Steel Fixed Ladder with Safety Cage - WLFC1212 7
120 by 48 U-Shaped Reception Station 692
1200SJP Telescopic Boom Lift 169
120x48 U-Shaped Reception Station 721
122in Perforated Crossover Turn Platform - UCT08246 47
122in Serrated Crossover Turn Platform - UCT08242 47
1230ES Electric Vertical Mast Lift 228
1230ES Vertical Mast Lift 228
125 to 135in Dual Track Ladder w/Brake - 7410A5-B C1 P3 KIT 138
125 to 135in Dual Track Ladder w/Brake - 7410A6-B C1 P3 KIT 138
125 to 135in Stationary Dual Track Ladder - 7410A5-S C1 P3 KIT 138
125 to 135in Stationary Dual Track Ladder - 7410A6-S C1 P3 KIT 139
1250AJP Articulating Boom Lift 169
12Ft Fixed Ladder - UAP1190 90
12Ft Steel Fixed Ladder - WLFS0113 90
12Ft Steel Fixed Ladder - WLFS0213 90
12Ft Steel Fixed Ladder with Safety Cage - WLFC1113 7
12Ft Steel Fixed Ladder with Safety Cage - WLFC1213 8
12SP Push Around Vertical Mast Lifts 229
12V Piper Plug 409
132in Perforated Crossover Turn Platform - UCT09246 47
132in Serrated Crossover Turn Platform - UCT09242 48

Alphabetical model index

135 to 145in Dual Track Ladder w/Brake - 7411A5-B C1 P3 KIT 139
135 to 145in Dual Track Ladder w/Brake - 7411A6-B C1 P3 KIT 139
135 to 145in Stationary Dual Track Ladder - 7411A5-S C1 P3 KIT 139
135 to 145in Stationary Dual Track Ladder - 7411A6-S C1 P3 KIT 140
1350SJP Telescopic Boom Lift 169
13Ft Steel Fixed Ladder - WLFS0114 90
13Ft Steel Fixed Ladder - WLFS0214 91
13Ft Steel fixed Ladder with Safety Cage - WLFC1114 8
13Ft Steel Fixed Ladder with Safety Cage - WLFC1214 8
14 Step Cross-Over Ladder - COLA-4-56-20 48
14 Step Cross-Over Ladder - COLA-4-56-32 48
14 Step Cross-Over Ladder - COLA-4-56-44 48
14 Step Cross-Over Ladder - COLA-4-68-20 49
14 Step Cross-Over Ladder - COLA-4-68-32 49
14 Step Cross-Over Ladder - COLA-4-68-44 49
14 Step Cross-Over Ladder - COLA-4-68-56 49
14 Step Cross-Over Ladder- COLA-4-56-56 50
145 to 155in Dual Track Ladder w/Brake - 7412A5-B C1 P3 KIT 140
145 to 155in Dual Track Ladder w/Brake - 7412A6-B C1 P3 KIT 140
145 to 155in Stationary Dual Track Ladder - 7412A5-S C1 P3 KIT 140
145 to 155in Stationary Dual Track Ladder - 7412A6-S C1 P3 KIT 141
14Ft Steel Fixed Ladder - WLFS0115 91
14Ft Steel Fixed Ladder - WLFS0215 91
14Ft Steel Fixed Ladder with Safety Cage - WLFC1115 8
1500SJ Telescopic Boom Lift 169
150HAX Articulating Boom Lift 170
1532ES Electric Scissor Lift 208
1532EX Explosion Proof Manlift 219
15Ft Steel Fixed Ladder - WLFS0116 91
15Ft Steel Fixed Ladder - WLFS0216 92
15Ft Steel Fixed Ladder with Safety Cage - WLFC1116 9
15Ft Steel Fixed Ladder with Safety Cage - WLFC1216 9
15MSP Driveable Vertical Mast Lifts 229
15MVL Vertical Mast Lift 229
15SP Push Around Vertical Mast Lifts 229
16 Step Cross-Over Ladder - COLA-5-56-20 50
16 Step Cross-Over Ladder - COLA-5-56-32 50
16 Step Cross-Over Ladder - COLA-5-56-44 50
16 Step Cross-Over Ladder - COLA-5-56-56 51
16 Step Cross-Over Ladder - COLA-5-68-20 51
16 Step Cross-Over Ladder - COLA-5-68-32 51
16 Step Cross-Over Ladder - COLA-5-68-44 51
16 Step Cross-Over Ladder - COLA-5-68-56 52
160 Mobile Tower 608
16Ft Steel Fixed Ladder - WLFS0117 92
16Ft Steel Fixed Ladder - WLFS0217 92
16Ft Steel Fixed Ladder with Safety Cage - WLFC1117 9
16Ft Steel Fixed Ladder with Safety Cage - WLFC1217 92
17Ft Steel Fixed Ladder - WLFS0118 93
17Ft Steel Fixed Ladder - WLFS0218 93
17Ft Steel Fixed Ladder with Safety Cage - WLFC1118 9
17Ft Steel Fixed Ladder with Safety Cage - WLFC1218 10
18Ft Steel Fixed Ladder - WLFS0119 93
18Ft Steel Fixed Ladder - WLFS0219 93
18Ft Steel Fixed Ladder with Safety Cage - WLFC1119 10
18Ft Steel Fixed Ladder with Safety Cage - WLFC1219 10
1930ES Electric Scissor Lift 208
1932ES Electric Scissor Lift 209
1932EX Explosion Proof Scissor Lift 219
1932RS Electric Scissor Lift 209
19AMI Vertical Mast Lift 230

Alphabetical model index

19Ft Steel Fixed Ladder - WLFS0120 94
19Ft Steel Fixed Ladder - WLFS0220 94
19Ft Steel Fixed Ladder with Safety Cage - WLFC1120 10
19Ft Steel Fixed Ladder with Safety Cage - WLFC1220 11
2 Step 50 Degree Incline Fixed Ladder - URTL502 94
2 Step 90 Degree Incline Fixed Ladder - URTL902 94
2 Step Fixed Ladder - 102019 95
2 Workstation Unit 1 by 2 Configuration 47 Panel Height 72 Desk Size 692
2-post Cantilevered Mechanical Vertical Conveyor 558
20 Step Cross-Over Ladder - COLA-6-56-20 52
20 Step Cross-Over Ladder - COLA-6-56-32 52
20 Step Cross-Over Ladder - COLA-6-56-44 52
20 Step Cross-Over Ladder - COLA-6-56-56 53
20 Step Cross-Over Ladder - COLA-6-68-20 53
20 Step Cross-Over Ladder - COLA-6-68-32 53
20 Step Cross-Over Ladder - COLA-6-68-44 53
20 Step Cross-Over Ladder - COLA-6-68-56 54
200 Series Helicopter Maintenance Platform 393
2006 Kenworth T300 HT50KX Service Crane & Body 357
2015 F-750 Service Truck HT66KX 358
2016 F-350 Truck Mounted Electric Crane ET8KX 358
2030ES Electric Scissor Lift 209
2032EX Explosion Proof Scissor Lift 219
2033ES Electric Scissor Lift 209
2046EX Explosion Proof Scissor Lift 219
2047ES Electric Scissor Lift 210
20AM Vertical Mast Lift 230
20Ft Steel Fixed Ladder with Safety Cage - WLFC1121 11
20Ft Steel Fixed Ladder with Safety Cage - WLFC1221 11
20In Configurable Cross-Over Bridge - UCB20242 54
20In Configurable Cross-Over Bridge - UCB20246 54
20MSP Driveable Vertical Mast Lifts 230
20MVL Vertical Mast Lift 230
21Ft Steel Fixed Ladder with Safety Cage - WLFC1122 11
21Ft Steel Fixed Ladder with Safety Cage - WLFC1222 12
22Ft Steel Fixed Ladder with Safety Cage - WLFC1123 12
22Ft Steel Fixed Ladder with Safety Cage - WLFC1223 12
230V IP65 200W LED UFO High Bay 731
23Ft Steel Fixed Ladder with Safety Cage - WLFC1124 12
23Ft Steel Fixed Ladder with Safety Cage - WLFC1224 13
24 Hour Anti-Microbial Vinyl Computer Task Chair with Drafting kit 635
24 Hour Anti-Microbial/Anti-Bacterial Vinyl Computer Task Chair w/Arms, Drafting Kit 635
24 Hour Anti-Microbial/Anti-Bacterial Vinyl Task Chair 636
24 Hour Anti-Microbial/Anti-Bacterial Vinyl Task Chair with Arms 636
24 Round X Style Base Cafe Table 706
24 Square X Style Base Cafe Table 706
24 Step Cross-Over Ladder - COLA-7-56-20 54
24 Step Cross-Over Ladder - COLA-7-56-32 55
24 Step Cross-Over Ladder - COLA-7-56-44 55
24 Step Cross-Over Ladder - COLA-7-56-56 55
24 Step Cross-over Ladder - COLA-7-68-20 55
24 Step Cross-Over Ladder - COLA-7-68-32 56
24 Step Cross-Over Ladder - COLA-7-68-44 56
24 Step Cross-Over Ladder - COLA-7-68-56 56
24-Hour Big & Tall Anti-Microbial/Anti-Bacterial Vinyl Computer Task Chair 628
24-Hour Big & Tall Computer Task Chair 628
24-Hour Task Chair 636
24-Hour Task Chair with Arms 636
24-Hour Task Chair with Arms and Drafting Kit 637
24-Hour Task Chair with Drafting Kit 637
24Ft Steel Fixed Ladder with Safety Cage - WLFC1125 13
24Ft Steel Fixed Ladder with Safety Cage - WLFC1225 13

Alphabetical model index

2591ES Electric Scissor Lift 210
2591RT Rough Terrain Scissor Lift 227
25AM Vertical Mast Lift 231
25Ft Steel Fixed Ladder with Safety Cage - WLFC1126 95
25Ft Steel Fixed Ladder with Safety Cage - WLFC1226 13
260 Mobile Tower 608
260MRT Scissor Lift 210
2630ES Electric Scissor Lift 210
2632EX Explosion Proof Scissor Lift 220
2633ES Electric Scissor Lift 211
2646ES Electric Scissor Lift 211
2646EX Explosion Proof Scissor Lift 220
2647ES Electric Scissor Lift 211
2659ERT DC Battery Powered Scissor Lift 211
2668EX Explosion Proof Scissor Lift 220
2684ES Electric Rough Terrain Articulating Lift 170
2684RT Electric Rough Terrain Articulating Lift 170
26Ft Steel Fixed Ladder with Safety Cage - WLFC1127 14
26Ft Steel Fixed Ladder with Safety Cage - WLFC1227 14
27-GEL 12V Deep Cycle Gel Battery 194
27Ft Steel Fixed Ladder with Safety Cage - WLFC1128 14
27Ft Steel Fixed Ladder with Safety Cage - WLFC1228 14
28 VDC Connector with Double Inlet Cable 409
28Ft Steel Fixed Ladder with Safety Cage - WLFC1129 15
28Ft Steel Fixed Ladder with Safety Cage - WLFC1229 15
28VDC 3 Pins Connectors 409
29Ft Steel Fixed Ladder with Safety Cage - WLFC1130 15
29Ft Steel Fixed Ladder with Safety Cage - WLFC1230 15
3 Pole DC Connector 410
3 Privacy Station Rize Cubicle Kit 692
3 Privacy Station Units 1 by 3 Configuration 692
3 Step 50 Degree Incline Fixed Ladder - URTL503 95
3 Step 90 Degree Incline Fixed Ladder - URTL903 95
3 Step Fixed Ladder - 103019 96
3 Step Fixed Walk Thru Ladder - WLA3WT 96
30 Round X Style Base Cafe Table 706
30 Square X Style Base Cafe Table 707
300 Aluminum Rolling Customized Double Scaffolding System 612
300 Aluminum Rolling Customized Scaffolding System 613
300 Aluminum Rolling Double Scaffolding System 613
300 Aluminum Rolling Scaffold System 613
300 Series Helicopter Work Stand 393
300W LED Shoebox Light 150Lmw, IP65 Waterproof 731
3084ES Electric Rough Terrain Articulating Lift 200
3084RT Electric Rough Terrain Articulating Lift 170
30AM Vertical Mast Lift 231
30In Configurable Cross-Over Bridge - UCB30242 56
30In Configurable Cross-Over Bridge - UCB30246 57
30W LED Wall Pack Light, Dusk-to-dawn Photocell, Waterproof IP65 731
31-GEL 12V Deep Cycle Gel Battery 194
3188EX Explosion Proof Scissor Lift 220
3246ES Electric Scissor Lift 212
3246EX Explosion Proof Scissor Lift 221
3247ES Electric Scissor Lift 212
3248RS Electric Scissor Lift 212
3259ERT DC Battery Powered Scissor Lift 212
3369LE Electric Scissor Lift 213
3391ES Electric Scissor Lift 213
3391RT Rough Terrain Scissor Lift 231
3394RT Scissor Lift 213
340AJ Articulating Boom Lift 171
36 Round Multi-Purpose Table 707
36 Square Multi-Purpose Table 707

Alphabetical model index

360 Degree Rotating Ladder 83
36AM Vertical Mast Lift 231
36in Serrated Bridge Span - URTSB36 57
36XT Telescoping Boom Lift 171
3Ft Steel Fixed Ladder - WLFS0104 96
3Ft Steel Fixed Ladder - WLFS0204 96
4 Casters for X5 System 707
4 Step 50 Degree Incline Fixed Ladder - URTL504 97
4 Step 90 Degree Incline Fixed Ladder - URTL904 97
4 Step Fixed Ladder with Handrail -1041L19 97
4 Step Fixed Walk Thru Ladder - WLA4WT 97
4 Step Walkthru Fixed Dock Ladder - DKL-4 98
4 Workstation Rize Cubicle Kit 693
4 Workstation Unit 1 by 4 Configuration 47 Panel Height 72 Desk Size 693
4 Workstation Units 2 by 2 Configuration 693
4-Post Mechanical Freight Lift 226
4-Unit Marque Plexi-Reception Station 708
4-Unit Marque Reception Station 721
40-S Titan Boom Lift 171
400 Hz 115 Volt | 6 Pins Receptable 410
400 Hz Connector 410
400 HZ Receptable 410
400S Telescopic Boom Lift 171
4069ERT Electric Scissor Lift 213
4069LE Electric Scissor Lift 214
4188EX Explosion Proof Scissor Lift 221
4191ES Electric Scissor Lift 214
4191RT Rough Terrain Scissor Lift 227
41AM Vertical Mast Lift 232
42 Round Multi-Purpose Table 708
42 Square Multi-Purpose Table 708
42" Round Conference Table 689
43" Round Conference Table 686
43" Round Meeting Table 689
4394RT Scissor Lift 214
450A Series II Articulating Boom Lift 172
450AJ Series II Articulating Boom Lift 172
450TB-Airbus A300 Tow Bar Assembly 422
450TB-Airbus A310 Tow Bar Assembly 422
460SJ Telescopic Boom Lift 172
47 by 25 Full Vinyl Panel 693
47 by 25 Poly Panel 694
47 by 31 Full Vinyl Panel 694
47 by 31 Poly Panel 726
47 by 37 Full Vinyl Panel 694
47 by 37 Poly Panel 694
47 by 48 Full Vinyl Panel 695
47 by 48 Poly Panel 695
47 by 60 Poly Panel 695
47 by 61 Full Vinyl Panel 695
48 by 37 L-Shaped Reception Station 696
48 Degree Slopped Heavy Duty Ladder 135
48x37 L-Shaped Reception Station 708
4Ft Fixed Ladder - UAP0290 98
4Ft Steel Fixed Ladder - WLFS0105 98
4Ft Steel Fixed Ladder - WLFS0205 98
5 Step 50 Degree Incline Fixed Ladder - URTL505 99
5 Step 90 Degree Incline Fixed Ladder - URTL905 99
5 Step Fixed Walk Thru Ladder - WLA5WT 99
5-Gallon Paint Cart Hand Truck 251
5-Sided Corner Table 24 by 24 696
5-Sided Corner Table 30 by 30 696
5-Unit Marque Reception Station 709
5092EX Explosion Proof Scissor Lift 221

Alphabetical model index

50W LED Flood Lights Outdoor IP65 Waterproof 731
50W LED Flood Lights Outdoor,Waterproof IP65 732
50W Slim Led Flood Lights Outdoor, Waterproof IP65 732
5492RT Ultra Dual Deck Rough Terrain Scissor Lift 232
5Ft Fixed Ladder - UAP0390 99
5Ft Steel Fixed Ladder - WLFS0106 100
5Ft Steel Fixed Ladder - WLFS0206 100
5FT-TABLES 726
5SHP-GEL 12V Deep Cycle Gel Battery 195
6 Pins Rubber Connector | 400 HZ 115 Volt 411
6 Step 50 Degree Incline Fixed Ladder - URTL506 100
6 Step 90 Degree Incline Fixed Ladder - URTL906 100
60 by 48 L-Shaped Reception Station 696
60-S Titan Boom Lift 172
600A Articulating Boom Lift 173
600AJ Articulating Boom Lift 173
600AJN Articulating Narrow Boom Lift 173
600AN Articulating Narrow Boom Lift 173
600S Telescopic Boom Lift 174
600SC Telescopic Crawler Boom Lift 174
600SJ Telescopic Boom Lift 174
60in Steel Crossover Ladder - 3PC24A3B1C1P6 57
60in Steel Crossover Ladder - 3PC36A3B1C1P6 57
60in Steel Crossover Ladder - 3PC48A3B1C1P6 58
60x48 L-Shaped Reception Station 721
62in Crossover Turn Platform - URTTP20 58
63 by 25 Full Vinyl Panel 697
63 by 31 Full Vinyl Panel 697
63 by 37 Full Vinyl Panel 697
63 by 48 Full Vinyl Panel 697
63 Poly Curved Panel 698
6543 A Telescopic Trailer Lift 232
660SJ Telescopic Boom Lift 174
660SJC Telescopic Crawler Boom Lift 175
6Ft Fixed Ladder - UAP0490 101
6Ft Steel Fixed Ladder - WLFS0107 101
6Ft Steel Fixed Ladder - WLFS0207 101
6Step Perforated Crossover Turn Platform - UCT06246 58
6V-GEL 6V Deep Cycle Gel Battery 195
70in Steel Crossover Ladder - 4PC24A3B1C1P6 58
70in Steel Crossover Ladder - 4PC36A3B1C1P6 59
70in Steel Crossover Ladder - 4PC48A3B1C1P6 59
72in Crossover Turn Platform - URTTP30 59
740AJ Articulating Boom Lift 175
74in Aluminum Crossover Bridge - 4SCA24A3C50P3 59
74in Aluminum Crossover Bridge - 4SCA24A7C50P3 60
74in Aluminum Crossover Bridge - 4SCA36A3C50P3 60
74in Aluminum Crossover Bridge - 4SCA36A7C50P3 60
74in Aluminum Crossover Ladder - 4SPA24A3C50P3 60
74in Aluminum Crossover Ladder - 4SPA24A7C50P3 61
74in Aluminum Crossover Ladder - 4SPA36A3C50P3 61
74in Aluminum Crossover Ladder - 4SPA36A7C50P3 61
74in Steel Crossover Ladder - 4SCS24A3C1P3 61
74in Steel Crossover Ladder - 4SCS24A7C1P3 62
74in Steel Crossover Ladder - 4SCS36A3C1P3 62
74in Steel Crossover Ladder - 4SCS36A7C1P3 62
74in Steel Crossover Ladder - 4SPS24A3C1P3 62
74in Steel Crossover Ladder - 4SPS24A7C1P3 63
74in Steel Crossover Ladder - 4SPS36A3C1P3 63
74in Steel Crossover Ladder - 4SPS36A7C1P3 63
7Ft Fixed Ladder - UAP0590 101
7Ft Steel Fixed Ladder - WLFS0108 102
7Ft Steel Fixed Ladder - WLFS0208 102
8 Step Cross-Over Ladder - COLA-2-56-20 63

Alphabetical model index

8 Step Cross-Over Ladder - COLA-2-56-32 64
8 Step Cross-Over Ladder - COLA-2-56-56 64
8 Step Cross-Over Ladder - COLA-2-68-20 64
8 Step Cross-Over Ladder - COLA-2-68-32 64
8 Step Cross-Over Ladder - COLA-2-68-44 65
8 Step Cross-Over Ladder - COLA-2-68-56 65
8 Step Crossover Ladder - COLA-2-56-44 65
800A Articulating Boom Lift 175
800AJ Articulating Boom Lift 175
800S Telescopic Boom Lift 176
80102-AHBI Air Compressors 726
80in Steel Crossover Ladder - 5PC24A3B1C1P6 65
80in Steel Crossover Ladder - 5PC36A3B1C1P6 66
80in Steel Crossover Ladder - 5PC48A3B1C1P6 66
80in Steel Crossover Ladder - 5PC60A3B1C1P6 66
82in Aluminum Crossover Bridge - 5SCA24A3C50P3 66
82in Aluminum Crossover Ladder - 5SCA36A3C50P3 67
82in Aluminum Crossover Ladder - 5SCA36A7C50P3 67
82in Aluminum Crossover Ladder - 5SCS24A3C1P3 67
82in Aluminum Crossover Ladder - 5SCS24A7C1P3 67
82in Aluminum Crossover Ladder - 5SCS36A3C1P3 68
82in Aluminum Crossover Ladder - 5SPA24A3C50P3 68
82in Aluminum Crossover Ladder - 5SPA24A7C50P3 68
82in Aluminum Crossover Ladder - 5SPA36A3C50P3 68
82in Aluminum Crossover Ladder - 5SPA36A7C50P3 69
82in Crossover Turn Platform - URTTP40 69
82In Perforated Crossover Turn Platform - UCT03246 69
82in Serrated Crossover Turn Platform - UCT03242 69
82in Steel Crossover Ladder - 5SCA24A7C50P3 70
82in Steel Crossover Ladder - 5SCS36A7C1P3 70
82in Steel Crossover Ladder - 5SPS24A3C1P3 70
82in Steel Crossover Ladder - 5SPS24A7C1P3 70
82in Steel Crossover Ladder - 5SPS36A3C1P3 71
82in Steel Crossover Ladder - 5SPS36A7C1P3 71
85 to 95in Dual Track Ladder w/Brake - 7406A5-B C1 P3 KIT 141
85 to 95in Dual Track Ladder w/Brake - 7406A6-B C1 P3 KIT 141
85 to 95in Stationary Dual Track Ladder - 7406A5-S C1 P3 KIT 141
85 to 95in Stationary Dual Track Ladder - 7406A6-S C1 P3 KIT 142
8Ft Fixed Ladder - UAP0690 102
8Ft Steel Fixed Ladder - WLFS0109 102
8Ft Steel Fixed Ladder - WLFS0209 103
90in Aluminum Crossover Ladder - 6SCA24A3C50P3 71
90in Aluminum Crossover Ladder - 6SCA24A7C50P3 71
90in Aluminum Crossover Ladder - 6SCA36A3C50P3 72
90in Aluminum Crossover Ladder - 6SPA24A3C50P3 72
90in Aluminum Crossover Ladder - 6SPA24A7C50P3 72
90in Aluminum Crossover Ladder - 6SPA36A3C50P3 72
90in Aluminum Crossover Ladder - 6SPA36A7C50P3 73
90in Steel Crossover Ladder - 6PC24A3B1C1P6 73
90in Steel Crossover Ladder - 6PC36A3B1C1P6 73
90in Steel Crossover Ladder - 6PC48A3B1C1P6 73
90in Steel Crossover Ladder - 6PC60A3B1C1P6 74
90in Steel Crossover Ladder - 6SCA36A7C50P3 74
90in Steel Crossover Ladder - 6SCS24A3C1P3 74
90in Steel Crossover Ladder - 6SCS24A7C1P3 74
90in Steel Crossover Ladder - 6SCS36A3C1P3 75
90in Steel Crossover Ladder - 6SCS36A7C1P3 75
90in Steel Crossover Ladder - 6SPS24A3C1P3 75
90in Steel Crossover Ladder - 6SPS24A7C1P3 75
90in Steel Crossover Ladder - 6SPS36A3C1P3 76
90in Steel Crossover Ladder - 6SPS36A7C1P3 76
910 Anatomy Chair 637

Alphabetical model index

92in Crossover Turn Platform - URTTP50 76
92in Perforated Crossover Turn Platform - UCT04242 76
92in Perforated Crossover Turn Platform - UCT05246 77
92in Serrated Crossover Turn Platform - UCT05242 77
95 to 105in Dual Track Ladder w/Brake - 7407A5-B C1 P3 KIT 142
95 to 105in Dual Track Ladder w/Brake - 7407A6-B C1 P3 KIT 142
95 to 105in Stationary Dual Track Ladder - 7407A5-S C1 P3 KIT 142
95 to 105in Stationary Dual Track Ladder - 7407A6-S C1 P3 KIT 143
96 by 37 U-Shaped Reception Station 698
96x37 U-Shaped Reception Station 722
98in Aluminum Crossover Ladder - 7SCA24A3C50P3 77
98in Aluminum Crossover Ladder - 7SCA24A7C50P3 77
98in Aluminum Crossover Ladder - 7SCA36A3C50P3 78
98in Aluminum Crossover Ladder - 7SCA36A7C50P3 78
98in Aluminum Crossover Ladder - 7SPA24A3C50P3 78
98in Aluminum Crossover Ladder - 7SPA24A7C50P3 78
98in Aluminum Crossover Ladder - 7SPA36A3C50P3 79
98in Aluminum Crossover Ladder - 7SPA36A7C50P3 79
98in Steel Crossover Ladder - 7SCS24A3C1P3 79
98in Steel Crossover Ladder - 7SCS24A7C1P3 79
98in Steel Crossover Ladder - 7SCS36A3C1P3 80
98in Steel Crossover Ladder - 7SCS36A7C1P3 80
98in Steel Crossover Ladder - 7SPS24A3C1P3 80
98in Steel Crossover Ladder - 7SPS24A7C1P3 80
98in Steel Crossover Ladder - 7SPS36A3C1P3 81
98in Steel Crossover Ladder - 7SPS36A7C1P3 81
9Ft Fixed Ladder - UAP0790 103
9Ft Fixed Ladder - UAP0890 103
9Ft Steel Fixed Ladder - WLFS0110 103
9Ft Steel Fixed Ladder - WLFS0210 104
A-Frame Gantry Crane 246
A/C Electric Stacker 246
A30JEX Explosion Proof Articulating Boom Lift 221
A38E Electric Articulating Boom Lift 176
A45JEX Explosion Proof Articulating Boom Lift 222
A46JRT Articulated Boom Lift 176
A60EX Explosion Proof Articulating Boom Lift 222
A60JEX Explosion Proof Articulating Boom Lift 222
A80EX Explosion Proof Articulating Boom Lift 222
A80JEX Explosion Proof Articulating Boom Lift 223
AC/DC Load Banks 411
Access & Inspection Platforms 247
Access Stairway Ladder 143
Accordion Skirts 315
Add-A-Level Work Platforms 315
Adjustable Box Stackers 247
Adjustable Drum/Crate Dolly 282
Adjustable Ergonomic Work Benches 315
Adjustable Height Aluminum Gantry Cranes 345
Adjustable Height Step Stands with Handrails 316
Adjustable Pallet Stands 316
Adjustable Pylon Stand 551
Adjustable Work Platforms 248
Aerosol Can Recycling System 285
Aerospatiale Fixed Wing Towbar 422
Aerospatiale Multi-Link Towbar TY-TB75-15 422
Aerostar Universal Towbar TH-5 423
Aerostar Universal Towbar TH-53 423
Aerostar Universal Towbar TR-34 423
AG-CAT Custom Towbar TR-6 423
Agusta/Westland Fixed Wing Towbar Multi-Link Head TY-CH149-S 424
Agusta/Westland Multi-Link Towbar TY-TB75-15 424

Alphabetical model index

AHT Adjustable Steel Work-Mate Stands - Ergo-matting 244
AHW Adjustable Steel Work-Mate Stands - Serrated steel 244
Air & Pneumatic Scissor Lift 232
Air Bag Pneumatic Scissor Lift Table 316
Air Bag Scissor Lift Tables 248
Air Balance Jib Lifter 345
Air Cargo Lift 278
Air Corner Tilter 316
Air Force Pneumatic Tilters 259
Air Hydraulic Carts 253
Air Motor Maintenance Lift 233
Air Powered Lift & Tilt Table 317
Air Tractor Custom Towbar TR-6 424
Airbus A300 Fly-Away Towbar (TOWA310-C-8) 424
Airbus A300 Towbar Head (TOWHEAD-1D) 425
Airbus A310 Fly-Away Towbar (TOWA310-C-8) 425
Airbus A310 Towbar Head (TOWHEAD-1D) 425
Airbus A318 Fly-Away Towbar (TOWA320-C-1+8) 425
Airbus A318 Towbar (multiple application) (TOWMULTI-2) 426
Airbus A318 Towbar (TOWA320-C) 426
Airbus A318 Towbar Head (TOWHEAD-2C) 426
Airbus A318 Universal Towbar (TOWUNIV-3) 426
Airbus A319 Fly-Away Towbar (TOWA320-C-1+8) 427
Airbus A319 Towbar (multiple application) (TOWMULTI-2) 427
Airbus A319 Towbar (TOWA320-C) 427
Airbus A319 Towbar Head (TOWHEAD-2C) 427
Airbus A319 Universal Towbar (TOWUNIV-3) 428
Airbus A320 Fly-Away Towbar (TOWA320-C-1+8) 428
Airbus A320 Towbar Head (TOWHEAD-2C) 428
Airbus A320 Universal Towbar (TOWUNIV-3) 428
Airbus A321 Fly-Away Towbar (TOWA320-C-1+8) 429
Airbus A321 Towbar (TOWA320-C) 429
Airbus A321 Towbar Head (TOWHEAD-2C) 429
Airbus A330 Towbar (multiple application) (TOWMULTI-1) 429
Airbus A330 Towbar Head (TOWHEAD-1A) 430
Airbus A330 Towbar Head (TOWHEAD-1B) 430
Airbus A330 Towbar Head (TOWHEAD-1I) 430
Airbus A330-200 Fly-Away Towbar (TOWA330-C-8) 430
Airbus A330-200 Towbar (TOWA330-C) 431
Airbus A330-200 Universal Towbar (TOWUNIV-1) 431
Airbus A330-200 Universal Towbar (TOWUNIV-2) 431
Airbus A330-200F Fly-Away Towbar (TOWA330-C-8) 431
Airbus A330-200F Towbar (TOWA330-C) 432
Airbus A330-200F Universal Towbar (TOWUNIV-1) 432
Airbus A330-200F Universal Towbar (TOWUNIV-2) 432
Airbus A330-300 Fly-Away Towbar (TOWA330-C-8) 432
Airbus A330-300 Towbar (TOWA330-C) 433
Airbus A330-300 Universal Towbar (TOWUNIV-1) 433
Airbus A330-300 Universal Towbar (TOWUNIV-2) 433
Airbus A340 Towbar Head (TOWHEAD-1B) 433
Airbus A340-200 Fly-Away Towbar (TOWA330-C-8) 434
Airbus A340-200 Towbar (TOWA330-C) 434
Airbus A340-200 Towbar Head (TOWHEAD-1I) 434
Airbus A340-200 Universal Towbar (TOWUNIV-2) 434
Airbus A340-300 Fly-Away Towbar (TOWA330-C-8) 435
Airbus A340-300 Towbar (TOWA330-C) 435
Airbus A340-300 Towbar Head (TOWHEAD-1I) 435
Airbus A340-300 Universal Towbar (TOWUNIV-2) 435
Airbus A340-500 Towbar Head (TOWHEAD-1K) 436
Airbus A340-600 Fly-Away Towbar (TOWA345-C-8) 436
Airbus A340-600 Towbar Head (TOWHEAD-1K) 436
Airbus A380 Fly-Away Towbar (TOWA380-C-1+4+8) 436
Airbus A380 Towbar (TOWA380-C) 437

Alphabetical model index

Airbus Ladder ABL-8 Series	395	Aluminum Boiler Scaffold Part No.702	618
Aircraft Battery Quick-Disconnect Connectors	411	Aluminum Boiler Scaffold Part No.703	612
Aircraft Engine Access Maintenance Ladder	5	Aluminum Boiler Scaffold Part No.740	618
Aircraft Engine Access Maintenance Platform	398	Aluminum Boiler Scaffold Part No.750	618
Aircraft Pylon Access Ladder	551	Aluminum Boiler Scaffold Part No.760	618
Aircraft Utility Maintenance Platform	394	Aluminum Boiler Scaffold Part No.770	619
Aircraft Wing Access Stand	398	Aluminum Boiler Scaffold Part No.780	619
AirFlo Series Executive Task Chair	637	Aluminum Boiler Scaffold Part No.808	619
AirFlo Series Executive Task Chair with Silver Accents	638	Aluminum Boiler Scaffold Part No.E01	619
AirFlo Series Mesh Task Chair	638	Aluminum Boiler Scaffold Part No790	620
All Terrain Gas Powered Traction Drive Pallet Truck	352	Aluminum Crossover Ladders - Standard Designs	5
All Terrain Pallet Truck	352	Aluminum Crossover Ladders Space Saver Designs	5
All-Purpose Aviation Maintenance Ladder	396	Aluminum DC Powered Quick-Lift	317
Alumastep Office Ladder	43	Aluminum Dock Boards	554
Aluminum All-Purpose Aircraft Ladders	396	Aluminum Dock Plates	555
Aluminum Boiler Scaffold Part No.166	613	Aluminum Dockboard with Steel Curbs	555
Aluminum Boiler Scaffold Part No.167	614	Aluminum Economizer Dockplates	555
Aluminum Boiler Scaffold Part No.190	614	Aluminum Grip-Strut Walk Ramps	558
Aluminum Boiler Scaffold Part No.191	614	Aluminum Guardrail Enclosure - URTRK1	81
Aluminum Boiler Scaffold Part No.193	614	Aluminum Hand Truck Dockboard	555
Aluminum Boiler Scaffold Part No.194	615	Aluminum Hand Truck Dockplates	556
Aluminum Boiler Scaffold Part No.208	615	Aluminum Ladder - Wheelbarrow Style	5
Aluminum Boiler Scaffold Part No.209	615	Aluminum Mini Carousels	317
Aluminum Boiler Scaffold Part No.315	615	Aluminum Mini Dockplates	556
Aluminum Boiler Scaffold Part No.318	616	Aluminum Mobile Step Stool - WLAR001164	143
Aluminum Boiler Scaffold Part No.432	616	Aluminum Mobile Step Stool - WLAR001165	143
Aluminum Boiler Scaffold Part No.433	616	Aluminum Mobile Step Stool - WLAR001245	144
Aluminum Boiler Scaffold Part No.507	616	Aluminum Pallets	558
Aluminum Boiler Scaffold Part No.508	617	Aluminum Rolling Ladder	6
Aluminum Boiler Scaffold Part No.510	617	Aluminum Rolling Ladder Series A	6
Aluminum Boiler Scaffold Part No.662	617	Aluminum Rolling Ladders	6
Aluminum Boiler Scaffold Part No.701	617	Aluminum Sawhorse/Work Stand	83

Alphabetical model index

Aluminum Step Stool - KDAR003245SS 144
Aluminum Step Stool - WLAR002215SS 144
Aluminum Step Stool - WLAR003315SS 144
Aluminum Storage Cases 363
Aluminum Tilt & Roll Rolling Ladder 6
Aluminum Tool Case 363
Aluminum Treadplate Tool Box 558
Aluminum Truck Mounted Walk Ramps 559
Aluminum Vehicle Twin Ramps 559
Aluminum Walk ramp Handrail Options 559
Aluminum Walk Ramps 559
Aluminum Wheel Chocks 560
Aluminum Wheel Risers 560
Aluminum Yard Ramps 560
American Champion TWA-10-A Adapters 437
American Champion Universal Towbar TH-5 437
American Champion Universal Towbar TH-53 437
American Champion Universal Towbar TR-34 438
American General Universal Towbar TH-5 438
American General Universal Towbar TH-53 438
American General Universal Towbar TR-34 438
AN2551 Aircraft Plug 411
AN2552 Receptable 412
AN2552A-3A Receptable 412
Anten 100W UFO Led High Bay Light 732
Anti-Microbial/Anti-Bacterial Vinyl Guest/Reception Chair 638
Anti-Microbial/Anti-Bacterial Vinyl Guest/Reception Chair with Arms 638
Anti-Microbial/Anti-Bacterial Vinyl Utilistool with Drafting Kit 639
Antonov AN-12 Towbar (multiple application) (TOWMULTI-2) 439
Antonov AN-12 Towbar Head (TOWHEAD-2G) 439
Antonov AN-124 Towbar (TOWAN124-L-6) 439
Antonov AN-148 Towbar (TOWAN148-C) 439
Antonov AN-24 Towbar (TOWAN26-L) 440
Antonov AN-26 Towbar (TOWAN26-L) 440
Antonov AN-70 Towbar (TOWAN74-L) 440
Antonov AN-72 Towbar (TOWAN74-L) 440
Antonov AN-74 Towbar (TOWAN74-L) 441
Apex Series Leather Executive High-Back Chair 639
Apex Series Leather Executive Mid-Back Chair 639
Apex Series Leather Executive Mid-Back Guest Chair 639
Articularm 249
Articulating Cranes 300 Series 249
Articulating Cranes 500 Series 249
Articulating Cranes 700 Series 250
ATR ATR 42 Towbar (multiple application) (TOWMULTI-3-8) 441
ATR ATR 42 Towbar (TOWATRA-C) 441
ATR ATR 72 Towbar (multiple application) (TOWMULTI-3-8) 441
ATR ATR 72 Towbar (TOWATRA-C) 442
Auto-Hite Carts 253
Auto-Shift Hydraulic Elevating Cart 253
Automatic Eagle Beak Drum Lifters 280
Automatic Plastic Drum Lifter 285
AVCRAFT Fixed Wing Towbar Multi-Link Head TY-GAL2 442
AVCRAFT Multi-Link Towbar TY-TB75 442
Avenger Series Big & Tall Executive Chair 628
Avenger Series Big & Tall Executive High-Back Chair 628
Avenger Series Big & Tall Executive Mid-Back Chair 629
Aviat Universal Adapter TWA-10A 442
Aviat Universal Towbar TH-5 443
Aviat Universal Towbar TH-53 443
Aviat Universal Towbar TR-34 443

Alphabetical model index

AW119 Helicopter Maintenance Platform 395
AW139 Helicopter Maintenance Platform 800 Series 395
Ayres Thrush Custom Towbar TR-6 443
B-1 Maintenance Stand 394
B-1 Maintenance Stands 394
B1 Maintenance Stand NSN 1730-00-390-5618 398
B100 Series Fiberglass Step Ladders 145
B1A Series Fiberglass Step Ladders 145
B1A-02 Step Stool 145
B2 Maintenance Stand (NSN 1730-00-390-5620) 399
B300-2 Crew Access Stand 396
B4 Maintenance Platform NSN 1730-01-596-9017 399
B5 Maintenance Stand (NSN 1730-00-294-8884) 399
B7 Maintenance Platform NSN 1730-01-009-0446 394
B717 Tail Dock System 399
B737 Fuselage Docking System 400
B737 Nose Dock Platform 400
B737 Tail Dock 400
B757-767 Aircraft Maintenance Docking System 400
B767 Cantilever Tail Dock System 401
B767/B777 Fuselage and Wing Dock 401
BA435 Air Compressors 726
Back Support Cushions 317
BAD1A Series Aluminum Step Ladders 145
BAe Jetstream J41 Towbar (multiple application) (TOWMULTI-3) 444
BAe Jetstream J41 Towbar Head (TOWHEAD-3Y) 444
BAe systems (HS) 748 Towbar (multiple application) (TOWMULTI-3) 444
BAe systems (HS) 748 Towbar (multiple application) (TOWMULTI-3-8) 444
BAE Systems (HS) 748 Towbar (TOWHEAD-31G) 445
Bae Systems HS 146 Towbar (TOWAVRO-C) 445
Bae Systems HS146 QT Towbar (TOWAVRO-C) 445
Bae Systems RJ-70 Towbar (TOWAVRO-C) 445
Bae Systems RJ100 Towbar (TOWAVRO-C) 446
Bae Systems RJ85 Towbar (TOWAVRO-C) 446
BAE100 Series Aluminum Extension Ladder 86
BAE1A Series Aluminum Extension Ladder 86
Bar Lift Barrier 560
Barge Gangway 40
Barrel/Drum Trucks 286
Barrier Lip 561
Barrister Executive Recliner 640
BAS100 Series Aluminum Step Ladders 146
BAS1A Series Aluminum Step Ladders 146
Basket & Skid Stacker 251
BASL1A Series Aluminum Extension Ladder 86
Battery Connector 412
Battery High Current Switch 412
Battery Stackers 251
Battery Transfer Cart for use with Pallet Truck 318
BC-1AA Series Industrial Ladder 146
BD100 Series Fiberglass Step Ladders 146
BD1A-02 Series Step Stool 147
BD1AA Series Double Fiberglass Step Ladders 147
BE1A Series Fiberglass Extension Ladder 86
BE1A-AL Series Fiberglass Extension Ladder 87
BE1A-E03 Series Fiberglass Extension Ladder 87
BE1AA Series Fiberglass Extension Ladder 87
Beech-Hawker (Duke) Universal Towbar TH-53 446
Beech-Hawker (Raytheyon) Universal Towbar TR-34 446
Beech-Hawker Beechjet Fixed Wing Towbar Multi-Link Head TY-DBJ1 447
Beech-Hawker Beechjet Multi-Link Towbar TY-TB75 447
Beech-Hawker Duchess Universal Adapter T-DEX 447
Beech-Hawker Duchess Universal Towbar TH-53 447

Alphabetical model index

Beech-Hawker Duchess Universal Towbar TR-34 448
Beech-Hawker Fixed Wing Towbar Multi-Link Head TY-HAW1 448
Beech-Hawker HS-125,400 TO 1000 Multi-LinkTowbar TY-TB75 448
Beech-Hawker Musketeer Fixed Wing Towbar TH-53 448
Beech-Hawker Musketeer Universal Towbar TH-5 449
Beech-Hawker Musketeer Universal Towbar TR-34 449
Beech-Hawker Premier Fixed Wing Towbar Multi-Link Head TY-DBJ1 449
Beech-Hawker Premier Multi-Link Towbar TY-TB75 449
Beech-Hawker Queenair Fixed Wing Towbar Multi-Link Head TY-KQA1 450
Beech-Hawker Queenair Multi-Link Towbar TY-TB75 450
Beech-Hawker Queenair Universal Towbar TR-34 450
Beech-Hawker Starship Fixed Wing Towbar Multi-Link Head TY-KQA1 450
Beech-Hawker Starship Multi-Link Towbar TY-TB75 451
Beech-Hawker Twin Beech Custom Towbar TR-6 451
Beechcraft Hawker Fixed Wing Towbar Multi-Link HeadTY-CRJ2 451
Beechcraft Hawker Multi-Link Towbar TY-TB75 451
Bell 205 212 412 Helicopter Towbar 452
Bell AH-1 Helicopter Towbar 452
Bell B206L-A Helicopter Maintenance Platform 540
Bell B206L-B Helicopter Maintenance Platform 540
Bell Boeing V-22 Osprey Helicopter Maintenance Platform 541
BELL UH-1 Towbar 452
Bench Top Tilters 251
Bicycle Racks 364
Big & Tall Anti-Microbial/Anti-Bacterial Reception Chair 629
Big & Tall Anti-Microbial/Anti-Bacterial Vinyl Guest/Reception Chair with Arms 629
Big & Tall Executive High-Back Chair 629
Big & Tall Executive Mid-Back Chair 640
Big & Tall Guest/Reception Chair 640
Big & Tall Guest/Reception Chair with Arms 640
Big & Tall Leather Chair 630
Big & Tall Task Chair 641
Big & Tall Task Chair with Arms 641
Big and Tall Comfort Class Series Anti-Microbial/Anti-Bacterial Vinyl Arm Chair 641
Big and Tall Comfort Class Series Arm Chair 641
Big Foot Jacks BFSJ-2748 561
Big Foot: BFSJ-2748 561
Big Wheel Pallet Truck 353
Bil-Jax 3522A Trailer Boom Lift 176
Bil-Jax 3632T Trailer Boom Lift 177
Bil-Jax 4527A Trailer Boom Lift 177
Bil-Jax 45XA Self-Propelled Boom Lift 177
Bil-Jax 5533A Trailer Boom Lift 177
Bil-Jax 55XA Self-Propelled Boom Lift 178
Bin Storage Cabinets 364
Blackhawk Series Phase Maintenance Platform - Model ME-1001 543
BMH-1AA Manhole Ladder 147
BMT1A Series Fiberglass Step Ladders 147
BMVL-30 Mobile Vertical Lift 233
Boeing 737 Maintenance Tail Dock 401
Boeing 737 Nose Gear Stand 401
Boeing B707 Towbar (multiple application) (TOWMULTI-1) 452
Boeing B707 Towbar Head (TOWHEAD-1L) 453
Boeing B717-200 Towbar (TOWHEAD-1C) 453
Boeing B717-200 Towbar (TOWMD80-L) 453
Boeing B727 Towbar (multiple application) (TOWMULTI-1) 453
Boeing B737 Towbar (multiple application) (TOWMULTI-2) 454
Boeing B737-300 Universal Towbar (TOWUNIV-3) 454
Boeing B737-400 Universal Towbar (TOWUNIV-3) 454

Alphabetical model index

Boeing B737-500 Universal Towbar (TOWUNIV-3) 454
Boeing B737-600 Universal Towbar (TOWUNIV-3) 455
Boeing B737-700 Universal Towbar (TOWUNIV-3) 455
Boeing B737-800 Universal Towbar (TOWUNIV-3) 455
Boeing B737-900 Universal Towbar (TOWUNIV-3) 455
Boeing B747 Fly-Away Towbar (TOWB747-C-8) 456
Boeing B747 Towbar (TOWB747-L) 456
Boeing B747-300 Towbar Head (TOWHEAD-1E) 456
Boeing B747-400 Towbar Head (TOWHEAD-1E) 456
Boeing B747-800 Towbar Head (TOWHEAD-1E) 457
Boeing B757 Fly-Away Towbar (TOWB757-C-8) 457
Boeing B757 Towbar Head (TOWHEAD-1F) 457
Boeing B767 Fly-Away Towbar (TOWB767-C-8) 457
Boeing B767 Towbar (multiple application) (TOWMULTI-1) 458
Boeing B767 Towbar Head (TOWHEAD-1I) 458
Boeing B777 Towbar (multiple application) (TOWMULTI-1) 458
Boeing B777 Towbar Head (TOWHEAD-1B) 458
Boeing B787 Towbar (TOWB787-C) 459
Boeing IL-62 Towbar (multiple application) (TOWMULTI-1) 459
Boeing Part 65-38292-44 PRINTED CIRCUIT 738
Boiler Access Span-Out System 611
Boiler Access Spandeck System 611
Bombardier Challenger Towbar (multiple application) (TOWMULTI-3) 459
Bombardier Challenger Towbar (multiple application) (TOWMULTI-3-8) 459
Bombardier Challenger Towbar Head (TOWHEAD-31L) 460
Bombardier CRJ 100/200 Fly-Away Towbar (TOWREGI-L-1+8) 460
Bombardier CRJ 100/200 Towbar (TOWREGI-L) 460
Bombardier CRJ 700 Fly-Away Towbar (TOWREGI-L-1+8) 460
Bombardier CRJ 700 Towbar (TOWREGI-L) 461
Bombardier CRJ 900 Fly-Away Towbar (TOWREGI-L-1+8) 461
Bombardier CRJ 900 Towbar (TOWREGI-L) 461
Bombardier Dash7 Towbar (multiple application) (TOWMULTI-3) 461
Bombardier Dash7 Towbar (multiple application) (TOWMULTI-3-8) 462
Bombardier Dash7 Towbar Head (TOWHEAD-31J) 462
Bombardier Dash8 Q400 Towbar (multiple application) (TOWMULTI-3) 462
Bombardier Dash8 Q400 Towbar (multiple application) (TOWMULTI-3-8) 462
Bombardier Dash8 Q400 Towbar Head (TOWHEAD-3B) 463
Bombardier Dash8 Towbar (multiple application) (TOWMULTI-3) 463
Bombardier Dash8 Towbar Head (TOWHEAD-3A) 463
Bombardier Global Express Towbar (TOWGLOB-L) 463
Bombardier LearJet Towbar (multiple application) (TOWMULTI-3) 464
Bombardier LearJet Towbar (multiple application) (TOWMULTI-3-8) 464
Bombardier LearJet Towbar Head (TOWHEAD-3L) 464
Bombardier(Canadair) 215 Multi-Link Towbar TY-TB75 464
Bombardier(Canadair) Challenger 300 Fixed Wing Towbar Multi-Link Head TY-CON1 465
Bombardier(Canadair) Challenger 300 Multi-Link Towbar TY-TB75 465
Bombardier(Canadair) Challenger 600 Fixed Wing Towbar Multi-Link Head TY-CHA1 465
Bombardier(Canadair) Challenger 600 Multi-Link Towbar TY-TB75 465
Bombardier(Canadair) Challenger 850 Fixed Wing Towbar Multi-Link Head TY-CRJ2 466
Bombardier(Canadair) Challenger 850 Multi-Link Towbar TY-TB75 466
Bombardier(Canadair) Continental Fixed Wing Towbar Multi-Link HeadTY-CON1 466
Bombardier(Canadair) Continental Multi-Link Towbar TY-TB75 466
Bombardier(Canadair) CRJ 700 Fixed Wing Towbar Multi-Link Head TY-CRJ1 467

Alphabetical model index

Bombardier(Canadair) CRJ700 Multi-Link Towbar TY-TB125 467
Bombardier(Canadair) Dash 8 Multi-Link Towbar TY-TB75 467
Bombardier(Canadair) Dash8 Fixed Wing Towbar Multi-Link Head TY-D8-4 467
Bombardier(Canadair) Global Express Fixed Wing Towbar Multi-Link Head TY-GLO1 468
Bombardier(Canadair) Lear Jet Multi-Link Towbar TY-TB75 468
Bombardier(Canadair) LearJet Fixed Wing Towbar Multi-Link Head TY-CIT1 468
Bombardier(Canadair) Multi-Link Towbar TY-TB125 468
Bombardier(Canadair)215 Fixed Wing Towbar Multi-Link Head TY-CA415 469
Bowed Truss Gangway 165
BP1A Series Platform Step Ladders 148
Brass Drum Vent Adaptor 286
British Aerospace ATP Fixed Wing Towbar Multi-Link Head TY-ATP1 469
British Aerospace ATP Universal Towbar TY-TB75 469
British Aerospace BAE 146 Fixed Wing Towbar Multi-Link Head TY-B125 469
British Aerospace BAE 146 Fixed Wing Towbar Multi-Link Head TY-B146 470
British Aerospace Jet Stream31 Fixed Wing Towbar Multi-Link Head TY-BJS1 470
British Aerospace Jetstream 31 Multi-Link Towbar TY-TB75 470
British Aerospace Jetstream 41 Fixed Wing Towbar Multi-Link Head TY-BJS2 470
British Aerospace Jetstream 41 Multi-Link Towbar TY-TB75 471
BS1A Series Fiberglass Single Ladder 167
BSH-1A Series Shelf Ladder 148
C-130 Aircraft Maintenance Exterior Access Stands 402
C-130 Aircraft Maintenance Full Docking Platform System 402
C-130 Aircraft Wing Stands 402
C1 Maintenance Platform NSN 1730-00-395-2781 397
C5M Aircraft Engine Work Stand 402
Cabinet Water Cart 544
Cable Assembly Harnesses 413
Cable Assembly Sets 413
Cable Epoxy Adhesive Tape 413
Cable Guidance 413
Cable Identification Labels 414
Cantilever Carts 252
Cantilever Rolling Ladder 41
Cantilever Rolling Ladder CL-10 10 Step 41
Cantilever Rolling Ladder CL-11 11 Step 41
Cantilever Rolling Ladder CL-12 12 Step 41
Cantilever Rolling Ladder CL-13 13 Step 42
Cantilever Rolling Ladder CL-14 14 Step 42
Cantilever Rolling Ladder CL-15 15 Step 42
Cantilever Rolling Ladder CL-6 6 Step 42
Cantilever Rolling Ladder CL-7 7 Step 43
Cantilever Rolling Ladder CL-8 8 Step 43
Cantilever Rolling Ladder CL-9 9 Step 43
Cargo Bars 561
Cart-and-Climb Ladders 44
Carton Flow Rack 364
Casa 212 Multi-Link Head TY-CAS1 471
Casa 212 Multi-Link Towbar TY-TB75 471
Casa 235 Aircraft Complete Maintenance Stand System 403
Castor Oil Cake Extraction Machine 387
CE1500FB Truck-Mounted Electric Mast Crane 1500lbs Lifting Capacity 313
CE6K Truck-Mounted Electric Mast Crane 2000lbs Lifting Capacity 313
CENTRAAIR® Series Air Powered Levelers 553
Cessna 100 Fixed Wing Towbar TH-53 471
Cessna 100 Universal Towbar TH-5 472
Cessna 100 Universal Towbar TR-34 472

Alphabetical model index

Cessna 140 Fixed Wing Towbar TH-5 472
Cessna 140 Fixed Wing Towbar TH-53 472
Cessna 140 Universal Towbar Adapters 473
Cessna 140 Universal Towbar TR-34 473
Cessna 195 Custom Towbar TR-73 473
Cessna 300 Series Universal Towbar TH-53 473
Cessna 300 Series Universal Towbar TR-34 474
Cessna 400 Light Twin Series Universal Towbar TR-34 474
Cessna 400 Universal Towbar TH-5 474
Cessna 400 Universal Towbar TH-53 474
Cessna 400 Universal Towbar TR-34 475
Cessna Caravan 208 Towbar (multiple application) (TOWMULTI-3) 475
Cessna Caravan 208 Towbar (multiple application) (TOWMULTI-3-8) 475
Cessna Caravan 208 Towbar Head (TOWHEAD-31S) 475
Cessna Caravan 406 Towbar (multiple application) (TOWMULTI-3-8) 476
Cessna Caravan 406 Towbar Head (TOWHEAD-31S) 476
Cessna Caravan Universal Towbar TR-34 476
Cessna Citation I Towbar (multiple application) (TOWMULTI-3) 476
Cessna Citation II Towbar (multiple application) (TOWMULTI-3) 477
Cessna Citation II Towbar Head (TOWHEAD-3L) 477
Cessna Citation III Towbar (multiple application) (TOWMULTI-3) 477
Cessna Citation III Towbar (multiple application) (TOWMULTI-3-8) 477
Cessna Citation Multi-Link Head TY-CIT1 478
Cessna Citation Multi-Link Towbar TY-TB75 478
Cessna Citation VI Towbar (multiple application) (TOWMULTI-3-8) 478
Cessna Citation VI Towbar Head (TOWHEAD-3M) 478
Cessna Citation X Towbar (multiple application) (TOWMULTI-3-8) 479
Cessna Citation X Towbar Head (TOWHEAD-3M) 479
Cessna Citation XL Towbar Head (TOWHEAD-3M) 479
Cessna Citation2 Multi-Link Towbar TY-TB75 479
Cessna Citation2 Towbar Multi-Link Head TY-CIT2 480
Cessna CitationJet 525 Towbar (multiple application) (TOWMULTI-3) 480
Cessna CitationJet 525 Towbar Head (TOWHEAD-3L) 480
Cessna Fixed Wing Towbar TR-6 480
CH-47 Helicopter Towbar 481
CH47 CH54 Helicopter Maintenance Platform 541
Chain Drum Lifter 286
Cirrus SR20 Fixed Wing Universal Towbar TH-5 481
Cirrus SR20 Fixed Wing Universal Towbar TH-53 481
Cirrus SR20 Fixed Wing Universal Towbar TR-34 481
Cirrus SR20 Universal Adapter T-349A 482
Clean Room Ladders 44
Cluster Table with Laminate top 24 by 48 642
Cluster Table with Laminate top 24x48 634
Cluster Table with Laminate top 30x48 634
Cluster Table with Laminate Top and Stainless Steel Chairs - 24x48 633
Cluster Table with Laminate Top and Stainless Steel Chairs - 30x48 634
Cluster Table with Stainless Steel Top - 24x48 634
Cluster Table with Stainless Steel Top - 30x48 635
Cluster Table with Stainless Steel Top 24x48 642
Cluster Table with Stainless Steel Top 30x48 642
Cluster Table with Stainless Steel Top and Chairs - 24x48 681
Cluster Table with Stainless Steel Top and Chairs - 30x48 635
Cluster Table with Stainless Steel Top and Chairs 30x48 642
CMD Dock Lift 279
Coconut Oil Cake Extraction Machine 387
Coil Racks 364

Alphabetical model index

Collapsible Bulk Storage Containers 365
Colorful Office Ladders 148
Combination Hand Pump and Electric Stacker 246
Comfort Class Series Anti-Microbial/Anti-Bacterial Vinyl Stack Chair 643
Comfort Class Series Stack Chair 643
Comfort Series Superchair 643
Comfort Series Superchair with Arms 643
Comfort Series Superchair with Arms and Drafting Kit 644
Comfort Series Superchair with Drafting Kit 644
Commander 112 Universal Adapter T-750A 482
Commander 112 Universal Towbar TH-53 482
Commander 114 Universal Adapter TR-34 482
Commercial Belt Drive Portable Blower 562
Commercial Circulator Fans 562
Commercial Direct Drive Blower 562
Commercial Floor Fan 562
Compact 2032 E Scissor Lift 214
Compact 2047E Electric Scissor Lift 215
Compact 2247 E Scissor Lift 215
Compact 2668 RT Scissor Lift 215
Compact 2668 RTE Scissor Lift 215
Compact 2747 E Scissor Lift 216
Compact 3347 E Scissor Lift 216
Compact 3368 RT Scissor Lift 233
Compact 3947 E Scissor Lift 216
Compact Scissor Lift Table - Captured-Roller Design 382
Compressed Gas Security Cage 350
Computer Task Chair 644
Computer Task Chair with Drafting Kit 644
Conference Table (42" Round) 687
Configurable Crossover Fixed Ladder - UCL5003242 104
Configurable Crossover Fixed Ladder - UCL5003246 104
Configurable Crossover Fixed Ladder - UCL5004246 104
Configurable Crossover Fixed Ladder - UCL5005242 105
Configurable Crossover Fixed Ladder - UCL5005246 105
Configurable Crossover Fixed Ladder - UCL5006242 105
Configurable Crossover Fixed Ladder - UCL5006246 105
Configurable Crossover Fixed Ladder - UCL5007242 106
Configurable Crossover Fixed Ladder - UCL5007246 106
Configurable Crossover Fixed Ladder - UCL5008246 106
Configurable Crossover Fixed Ladder - UCL5009242 727
Configurable Crossover Fixed Ladder - UCL5009246 106
Configurable Crossover Fixed Ladder - UCL7503242 107
Configurable Crossover Fixed Ladder - UCL7503246 107
Configurable Crossover Fixed Ladder - UCL7504242 107
Configurable Crossover Fixed Ladder - UCL7505242 107
Configurable Crossover Fixed Ladder - UCL7505246 108
Configurable Crossover Fixed Ladder - UCL7506242 108
Configurable Crossover Fixed Ladder - UCL7506246 108
Configurable Crossover Fixed Ladder - UCL7507242 108
Configurable Crossover Fixed Ladder - UCL7507246 109
Configurable Crossover Fixed Ladder - UCL7508242 109
Configurable Crossover Fixed Ladder - UCL7508246 109
Configurable Crossover Fixed Ladder - UCL7509242 109
Configurable Crossover Fixed Ladder - UCL7509246 110
Configurable Crossover Fixed Ladder - UCL9003246 110
Configurable Crossover Fixed Ladder - UCL9004246 110
Configurable Crossover Fixed Ladder - UCL9005246 110
Configurable Crossover Fixed Ladder - UCL9006246 111
Configurable Crossover Fixed Ladder - UCL9007246 111
Configurable Crossover Fixed Ladder - UCL9008246 111
Configurable Crossover Fixed Ladder - UCL9009246 111
Configurable Crossover Ladder - UCL5008242 112
Construction Chutes 563

Alphabetical model index

Container unloading Platform 563
Contour Series Mobile Club Chair 645
Conversion/Dump Hoists - VC416 268
Conversion/Dump Hoists - VC516 268
Conversion/Dump Hoists - VC520 268
Conversion/Dump Hoists - VC620 269
Conversion/Dump Hoists - VC628 269
Conversion/Dump Hoists VC6620 269
Conversion/Dump Hoists VC6628 269
Corner Connector Table 30 Sides 698
Corner Gard 602
Corner Table with 5 Legs 709
Corner Table with Sled Base 709
Corrosive & Sanitary Environment Pallet Truck 383
Counter Balanced Floor Cranes 345
Counter-Balanced Pallet Master/Servers 318
Counter-Balanced Powered Drive Lift 270
Counter-Balanced Stackers 318
Crane Body Accessories 358
Crane Mounting Pedestals 358
Crane/Hoist Drum Lifters 286
Crew Access Stands 403
Crimb Tools 414
CRJ 200 Engine Maintenance Stand 403
CRJ 200 Tail Dock System 403
CRJ700 Engine Maintenance Stand 404
Crocodile System 414
Crossover Platform Ladder 81
Crown Pallet Rack Decking 365
CT-FR1-PKG 727
CT2003FB Truck-Mounted Electric Mast Crane 313
CT2004FB Truck-Mounted Electric Mast Crane 314
CT2005 Truck-Mounted Electric Mast Crane 314
CT310KX Truck-Mounted Electric Mast Crane 1900lbs Lifting Capacity 314
Custom Aluminum Scaffolding Tower 620
Custom Designed Ladders 83
Custom Span Scaffold 620
Custom Steel Work Platforms 201
Custom Work Platform 202
Cylinder Cabinets 743
Cylinder Storage Cabinet 365
Cylinder Storage Cabinets 365
Cylinder Storage Pallet Box 350
Danbelle Series Cafe Height Vinyl Chair 630
Danbelle Series Contract Reception Chair 645
Dassault Falcon 10 Towbar (multiple application) (TOWMULTI-3) 483
Dassault Falcon 10 Towbar Head (TOWHEAD-3R) 483
Dassault Falcon 100 Towbar (multiple application) (TOWMULTI-3) 483
Dassault Falcon 100 Towbar (multiple application) (TOWMULTI-3-8) 483
Dassault Falcon 100 Towbar Head (TOWHEAD-3R) 484
Dassault Falcon 20 Towbar (multiple application) (TOWMULTI-3) 484
Dassault Falcon 20 Towbar Head (TOWHEAD-3R) 484
Dassault Falcon 200 Towbar (multiple application) (TOWMULTI-3-8) 484
Dassault Falcon 200 Towbar Head (TOWHEAD-3R) 485
Dassault Falcon 2000 Towbar (multiple application) (TOWMULTI-3) 485
Dassault Falcon 2000 Towbar (multiple application) (TOWMULTI-3-8) 485
Dassault Falcon 2000 Towbar Head (TOWHEAD-3S) 485
Dassault Falcon 50 Towbar (multiple application) (TOWMULTI-3-8) 486
Dassault Falcon 50 Towbar Head (TOWHEAD-3S) 486
Dassault Falcon 7X Towbar (multiple application) (TOWMULTI-3-8) 486

Alphabetical model index

Dassault Falcon 900 Towbar (multiple application) (TOWMULTI-3-8) 486
Dassault Falcon 900 Towbar Head (TOWHEAD-3S) 487
DC & Manual Scissor Carts 253
DC Battery Connector 414
DC External Receptable 415
DC Powered Mobile Scissor Lift Table 272
DC Powered Quick-Lift - PEL Model Range 318
deHavilland Twin Otter Fixed Wing Towbar Multi-Link Head TY-MIT1 487
deHavilland Twin Otter Universal Towbar TY-TB75 487
Deluxe Combination Fork Mounted Drum Lifter 287
Deluxe Drywall/Panel Hoist 319
Deluxe Roller Stands 319
Deluxe Rotating Drum Carts 287
Deluxe Smoking Shelters 366
Deluxe Tilt Back Drum Trucks 287
Desk Mover 319
Detachable 400HZ Connector Head 415
Diamond DA20 Universal Adapter T-260A 487
Diamond DA20 Universal Towbar TH-5 488
Diamond DA20 Universal Towbar TH-53 488
Diamond DA20 Universal Towbar TR-34 488
Diamond DA40 Universal Adapter T-1500A 488
Diamond DA40 Universal Towbar TH-5 489
Diamond DA40 Universal Towbar TH-53 489
Diamond DA40 Universal Towbar TR-34 489
Diamond DA42 Universal Adapter T-700A 489
Diamond DA42 Universal Towbar TH-5 490
Diamond DA42 Universal Towbar TH-53 490
Diamond DA42 Universal Towbar TR-34 490
Die Shelves for Pallet Rack Beams 366
Die Table 319
Digital Newton Pin Testers 415
Direct Drive Portable Blower 563
Dispensing Bottles 287
Dispensing Containment Cart 288
Distinct Series Soft Seating Lounge Chair 645
Distinct Series Soft Seating Sofa 645
Dock Barricade 563
Dock Bug Screen Doors 564
Dock Bug Wire Mesh Door 564
Dock Chain Barrier Bollard System 564
Dock Ladders 85
Dock Loading Lights 564
Dock Seal and Shelter Combination - D-150/650 Series 554
Dock Seal Draft Blockers 565
Dock Seal Shelter Combinations 565
Dock Seal/Shelter Combinations 565
Dock Seals 565
Dock Shelter 566
Dock Shelters 566
Dock Traffic Systems 566
Dock-Pro 566
Dockleveler Insulation Blankets 567
Double Entry Mobile Platform Ladder 148
Double Entry Rolling Platform 82
Double Entry Work Platform Ladder 206
Double Pantograph High Travel Scissor Lift 320
Double Scissor Lift Table 320
Double Scissors Lift Tables 273
Double Stainless Steel Scissor Lift Tables 257
Double Wide Scaffold Base Set 611
Double Wide Scaffold Extension 65 620
Double Wide Scaffold Guardrail Set 621

Alphabetical model index

Double Wide Upper Scaffold Extension	621	DTDC Steamed Off-line	387
Double-Sided Horizontal Bar Rack	366	Dual Mast Work Platform	308
Double-Unit Marque Plexi-Reception Station	722	Dual Side Track Caged Ladder	16
Double-Unit Marque Reception Station	722	Dual Track Mounted Shelf Ladder	149
Drawer Units	359	Dual Vertical Ram Lift	202
Driveable Mini Scissor Lifts	216	Dunnage Racks	366
Driver Cages	725	Dust cover 28VDC - 400 Hz	415
Drum Caddies	288	DVML-18 Drivable Vertical Mast Lift	233
Drum Clutchers	288	DXS Series Compact Scissor Lift Table	226
Drum Controller	288	E-Low Profile Scissor Lift Table	258
Drum Dispensing Equipment	289	E300AJ Electric Articulating Boom Lift	178
Drum Faucets	289	E300AJP Electric Articulating Boom Lift	178
Drum Grab	289	E33MJ Mast Telescopic Boom Lift	178
Drum Grippers	289	E400A Electric Articulating Boom Lift	179
Drum Jacks	290	E400AJP Electric Articulating Boom Lift	179
Drum Lid Tool	290	E400AJPN Electric Articulating Boom Lift	179
Drum Lifter	290	E400AN Electric Articulating Boom Lift	179
Drum Liners	290	E450A Electric Articulating Boom Lift	180
Drum Lock	291	E450AJ Electric Articulating Boom Lift	180
Drum Slings	291	E600J Electric Articulating Boom Lift	180
Drum Stacker	291	E600JP Electric Articulating Boom Lift	180
Drum Stackers	308	EADS CASA C-295 Towbar (TOWC295-L-001)	490
Drum Stands	291	EADS CASA CN-235 Towbar (TOWC235-L)	491
Drum Stik	292	Easy Up Scaffold Base	621
Drum Storage Hard Top Container	292	Easy Up Stairwell Scaffold	621
Drum Tiers	292	Eclipse 500 Fixed Wing Towbar TH-53	491
Drum Tops	292	Eclipse 500 Universal Adapter T-750A	491
Drum Truck with Spring Assist	293	Eclipse 500 Universal Towbar TR-34	491
Drum Vent & Indicator	293	Econo-Master Mobile Hydraulic Floor Cranes	310
Drum Wedge	293	Economic Material Racks	367
Drum Wheel	293	Economical Mechanical Drum Transporter	294
DT7K Truck-Mounted Electric Crane 2200lbs Lifting Capacity	310	Economical Portable Loading Platform	567

Alphabetical model index

Economical Safety Swing Gate 567
Economy Drum Positioners 294
Economy Pallet Truck 320
Economy Portable Drum Lifter/Rotator/Transporter 281
Economy Rotating Drum Carts 294
Economy Stabilizing Jack 567
Economy Stabilizing Jack SJ-35 568
Economy Trailer King Pin Lock 568
Economy Transporter / Tilter 320
Economy Wire Reel Caddy 730
Elastic Drum Covers 294
Electric Adjustable Height Work Bench 321
Electric Cable Ties 416
Electric Cables 416
Electric Drum Pumps 295
Electric Hydraulic Dockleveler 568
Electric Hydraulic Edge-O-Dock 568
Electric Hydraulic Scissor Lift Table - Series EHLT 321
Electric Mast Outrigger Packages 727
Electric Motor Maintenance Lift 234
Electric Order Picker 321
Electric Outrigger Packages 727
Electric Pallet Truck with Scale 314
Electric Powered Floor Cranes 346
Embraer 120 Fixed Wing Towbar Multi-Link Head TY-EMB2 492
Embraer 120 Towbar Head (TOWHEAD-3K) 492
Embraer 125 Towbar (TOWE145-L) 492
Embraer 135 Fixed Wing Towbar Multi-Link Head TY-EMB1 492
Embraer 170 Fixed Wing Towbar Multi-Link Head TY-EMB3 493
Embraer 170 Fly-Away Towbar (TOWE170-C-1+8) 493
Embraer 170 Towbar (TOWE170-C-4) 493
Embraer 175 Fly-Away Towbar (TOWE170-C-1+8) 493
Embraer 175 Towbar (TOWE170-C-4) 494
Embraer 190 Fly-Away Towbar (TOWE170-C-1+8) 494
Embraer 190 Towbar (TOWE170-C-4) 494
Embraer 195 Fly-Away Towbar (TOWE170-C-1+8) 494
Embraer 195 Towbar (TOWE170-C-4) 495
Embraer CN-235 Towbar Head (TOWHEAD-31E) 495
Embraer ERJ-135 Towbar (TOWHEAD-3F) 495
Embraer ERJ-140 Towbar (TOWHEAD-3F) 495
Embraer ERJ-145 Towbar (TOWHEAD-3F) 496
Embraer Legacy Towbar (TOWHEAD-3F) 496
Embraer Phenom 300 Fixed Wing Towbar Multi-Link Head TY-PHE3 496
Embraer Phenom Fixed Wing Towbar Multi-Link Head TY-PHE2 496
Embrear EMB-110 Towbar Head (TOWHEAD-31K) 497
Encore Series Leatherette Guest Chair 646
Encore Series Leatherette High-Back Chair 646
Encore Series Leatherette Mid-Back Chair 646
End Table with 4 Legs 709
End Table with Sled Base 710
Endure Series Small Stool 646
Endure Series Standing Height Eight Seat Table 647
Endure Series Standing Height Sixteen Seat Table 647
Endure Series Standing Height Twelve Seat Table 647
Engine Access Maintenance Ladder 397
Engine Access Work Platform 404
Ergonomic Drum Truck with Scale 295
Ergonomic Manager's Chair 647
Ergonomic Matting 321
Ergonomic Pallet Truck with Power Assist 353
Ergonomic Power Assist Pallet Truck 383
Ergonomic Task Chair 648

Alphabetical model index

Ergonomic Task Chair with Drafting Kit 648
Ergonomic Worker Chairs 322
ESD-Safe Warehouse Ladders 85
Essentials Executive Conference Chair - Black Vinyl 648
Essentials Executive Conference Chair - Polyurethane 648
Essentials Executive Mid-Back Chair 649
Essentials Mesh Task Chair - 17.25 × 15.5 in Seat 649
Essentials Mesh Task Chair - 18.5 × 19 in Seat 649
Essentials Mesh Task Chair - 19.5 × 18.5 in Seat 649
Essentials Stool 630
ET12K Truck-Mounted Electric Crane 3500lbs Lifting Capacity 310
ET12KX Truck-Mounted Electric Crane 3500lbs Lifting Capacity 311
ET16KX Truck-Mounted Electric Crane 4000lbs Lifting Capacity 311
ET18KX Truck-Mounted Electric Crane 4500lbs Lifting Capacity 311
ET25KX Truck-Mounted Electric Crane 5000lbs Lifting Capacity 311
ET30KX Truck-Mounted Electric Crane 5000lbs Lifting Capacity 312
ET36KX Truck-Mounted Electric Crane 6000lbs Lifting Capacity 312
ET6K Truck-Mounted Electric Crane 2000lbs Lifting Capacity 312
ET8K Truck-Mounted Electric Crane 2700lbs Lifting Capacity 312
ET8KX Truck-Mounted Electric Crane 2700lbs Lifting Capacity 313
Europa Stack Chair 650
Europa Stack Chair with Arms 650
Executive Desk 704
Executive Series Double Pedestal Panel End Credenza 26.50 by 67 682
Executive Series Double Pedestal Panel End Desk 29.50 by 57.25 682
Executive Series Double Pedestal Panel End Executive Desk 36.25 by 72 682
Executive Series L-Shaped Panel End Desk with Left Pedestal Return 682
Executive Series L-Shaped Panel End Desk with Right Pedestal Return 683
Executive Series Single Pedestal Panel End Desk 29.25 by 67 683
Executive Series Single Pedestal Panel End Desk with Center Drawer 29.50 by 47.25 683
Executive/Conference Chair with Adjustable Arms 650
Expandable Vertical Bar Rack 367
External Cable Strap 416
Extra Travel Tri-Post Jibs 346
Extruded Aluminum Hose & Cable Bridges 725
Extruded Bumper Stops 569
Extruded Rubber Bumper 569
EZ Light Double Front Step Ladders 149
EZ Light Ladder 149
EZ Light Ladder - Plate to Rail 149
EZ Light Ladder -1AA 150
EZY Climb Ladder 83
F-16 Aircraft Multi-Link Towbar TY-TB75 497
Fabricated Aluminum Hose & Cable Bridges 569
Fairchild Dornier Fixed Wing Towbar Multi-Link Head TY-GAL2 497
Fairchild Merlin Fixed Wing Towbar Multi-Link Head TY-KQA1 497
Fairchild/Swearingen Merlin Towbar Head (TOWHEAD-31H) 498
Fairchild/Swearingen Metro III Towbar Head (TOWHEAD-31H) 498
Fairchild/Swearingen Metro IV Towbar Head (TOWHEAD-31H) 498
Falcon 10 Fixed Wing Towbar Multi-Link Head TY-FAL1 498
Falcon 50 Fixed Wing Towbar Multi-Link Head TY-FAL2 499
Falcon 7x Fixed Wing Towbar Multi-Link Head TY-FAL3 499
Fast Assemble Tower Crane 359
Fast Assemble Tower Crane IMLTC20 359

Alphabetical model index

Fiberglass Autoloader 569
Fiberglass Sawhorse/Work Stand 84
Fiberglass Storage Cases 367
Fixed Caged Handrail Ladder 16
Fixed Crossover Ladder 82
Fixed Handrail Ladder 112
Fixed Height Tilters TT30-10 260
Fixed Height Tilters TT30-15 260
Fixed Height Tilters TT30-20 260
Fixed Height Tilters TT30-40 260
Fixed Height Tilters TT30-60 261
Fixed Height Tilters TT45-10 261
Fixed Height Tilters TT45-15 261
Fixed Height Tilters TT45-20 261
Fixed Height Tilters TT45-40 262
Fixed Height Tilters TT45-60 262
Fixed Height Tilters TT60-10 262
Fixed Height Tilters TT60-15 262
Fixed Industrial Ladders 112
Fixed Ladder 112
Fixed Ladder - F10S C1 113
Fixed Ladder - F11S C1 113
Fixed Ladder - F12S C1 113
Fixed Ladder - F13S C1 113
Fixed Ladder - F14S C1 114
Fixed Ladder - F15S C1 114
Fixed Ladder - F17S C1 114
Fixed Ladder - F19S C1 114
Fixed Ladder - F4S C1 115
Fixed Ladder - F4W C1 115
Fixed Ladder - F5S C1 115
Fixed Ladder - F5W C1 115
Fixed Ladder - F6S C1 116
Fixed Ladder - F6W C1 116
Fixed Ladder - F7S C1 116
Fixed Ladder - F7W C1 116
Fixed Ladder - F8S C1 117
Fixed Ladder - F8W C1 117
Fixed Ladder - F9S C1 117
Fixed Ladder - F9W C1 117
Fixed Ladder with Safety Cage - F10WC C1 16
Fixed Ladder with Safety Cage - F11WC C1 16
Fixed Ladder with Safety Cage - F12WC C1 17
Fixed Ladder with Safety Cage - F13WC C1 17
Fixed Ladder with Safety Cage - F14WC C1 17
Fixed Ladder with Safety Cage - F15WC C1 17
Fixed Ladder with Safety Cage - F16WC C1 18
Fixed Ladder with Safety Cage - F17WC C1 18
Fixed Ladder with Safety Cage - F18WC C1 18
Fixed Ladder with Safety Cage - F19WC C1 18
Fixed Ladder with Safety Cage - F20WC C1 19
Fixed Ladder with Safety Cage - F21WC C1 19
Fixed Ladder with Safety Cage - F22WC C1 19
Fixed Ladder with Safety Cage - F23WC C1 19
Fixed Ladder with Safety Cage - F24WC C1 20
Fixed Ladder with Safety Cage - F24WC C1 - Pre-Owned Never Used 20
Fixed Ladder with Safety Cage - F25WC C1 20
Fixed Ladder with Safety Cage - F26WC C1 20
Fixed Ladder with Safety Cage - F27WC C1 21
Fixed Ladder with Safety Cage - F28WC C1 21
Fixed Ladder with Safety Cage - F29WC C1 21
Fixed Ladder with Safety Cage - F30WC C1 21
Fixed Ladder with Safety Cage - F8WC C1 22
Fixed Ladder with Safety Cage - F9WC C1 22

Alphabetical model index

Fixed Ladder with Safety Cage - M11SC C1 22
Fixed Ladder with Safety Cage - M13SC C1 22
Fixed Ladder With Safety Cage - M13SC L10 C1 23
Fixed Ladder with Safety Cage - M13SC L9 C1 23
Fixed Ladder with Safety Cage - M13WC C1 23
Fixed Ladder with Safety Cage - M14SC C1 118
Fixed Ladder With Safety Cage - M14SC L10 C1 23
Fixed Ladder with Safety Cage - M14SC L9 C1 24
Fixed Ladder with Safety Cage - M14WC C1 24
Fixed Ladder with Safety Cage - M15SC C1 24
Fixed Ladder With Safety Cage - M15SC L10 C1 24
Fixed Ladder with Safety Cage - M15SC L9 C1 25
Fixed Ladder with Safety Cage - M16SC C1 25
Fixed Ladder With Safety Cage - M16SC L10 C1 25
Fixed Ladder With Safety Cage - M16SC L9 C1 25
Fixed Ladder with Safety Cage - M16WC C1 26
Fixed Ladder with Safety Cage - M17SC C1 26
Fixed Ladder With Safety Cage - M17SC L10 C1 26
Fixed Ladder With Safety Cage - M17SC L9 C1 26
Fixed Ladder with Safety Cage - M17WC C1 27
Fixed Ladder with Safety Cage - M18SC C1 27
Fixed Ladder With Safety Cage - M18SC L10 C1 27
Fixed Ladder With Safety Cage - M18SC L9 C1 27
Fixed Ladder with Safety Cage - M18WC C1 28
Fixed Ladder with Safety Cage - M19SC C1 28
Fixed Ladder With Safety Cage - M19SC L10 C1 28
Fixed Ladder With Safety Cage - M19SC L9 C1 28
Fixed Ladder with Safety Cage - M20SC C1 29
Fixed Ladder With Safety Cage - M20SC L10 C1 29
Fixed Ladder With Safety Cage - M20SC L9 C1 29
Fixed Ladder with Safety Cage - M21SC C1 29
Fixed Ladder With Safety Cage - M21SC L10 C1 30
Fixed Ladder With Safety Cage - M21SC L9 C1 30
Fixed Ladder with Safety Cage - M21WC C1 30
Fixed Ladder with Safety Cage - M22SC C1 30
Fixed Ladder With Safety Cage - M22SC L10 C1 31
Fixed Ladder With Safety Cage - M22SC L9 C1 31
Fixed Ladder with Safety Cage - M23SC C1 31
Fixed Ladder With Safety Cage - M23SC L10 C1 31
Fixed Ladder With Safety Cage - M23SC L9 C1 32
Fixed Ladder with Safety Cage - M24SC C1 32
Fixed Ladder With Safety Cage - M24SC L10 C1 32
Fixed Ladder With Safety Cage - M24SC L9 C1 32
Fixed Ladder with Safety Cage - M25SC C1 33
Fixed Ladder With Safety Cage - M25SC L10 C1 33
Fixed Ladder With Safety Cage - M25SC L9 C1 33
Fixed Ladder with Safety Cage - M26SC C1 33
Fixed Ladder With Safety Cage - M26SC L10 C1 34
Fixed Ladder With Safety Cage - M26SC L9 C1 118
Fixed Ladder with Safety Cage - M27SC C1 34
Fixed Ladder With Safety Cage - M27SC L10 C1 34
Fixed Ladder With Safety Cage - M27SC L9 C1 34
Fixed Ladder with Safety Cage - M28SC C1 35
Fixed Ladder With Safety Cage - M28SC L10 C1 35
Fixed Ladder With Safety Cage - M28SC L9 C1 35
Fixed Ladder with Safety Cage - M29SC C1 35
Fixed Ladder With Safety Cage - M29SC L10 C1 36
Fixed Ladder With Safety Cage - M29SC L9 C1 36
Fixed Ladder with Safety Cage - M30SC C1 36
Fixed Ladder With Safety Cage - M30SC L10 C1 36
Fixed Ladder With Safety Cage - M30SC L9 C1 37
Fixed Storage Tank Ladder - ST06AL C1 118
Fixed Storage Tank Ladder - ST07AL C1 118
Fixed Storage Tank Ladder - ST08AL C1 119

Alphabetical model index

Fixed Storage Tank Ladder - ST09AL C1 119
Fixed Storage Tank Ladder - ST10AL C1 119
Fixed Storage Tank Ladder - ST11AL C1 119
Fixed Storage Tank Ladder - ST12AL C1 120
Fixed Storage Tank Ladder - ST13AL C1 120
Fixed Storage Tank Ladder - ST14AL C1 120
Fixed Storage Tank Ladder - ST15AL C1 120
Fixed Tank Storage Ladder - NTAL-10 121
Fixed Tank Storage Ladder - NTAL-12 121
Fixed Tank Storage Ladder - NTAL-7 121
Fixed Walk-Thru Ladder - F10W C1 121
Fixed Walk-Thru Ladder - F11W C1 122
Fixed Walk-Thru Ladder - F12W C1 122
Fixed Walk-Thru Ladder - F13W C1 122
Fixed Walk-Thru Ladder - F14W C1 122
Fixed Walk-Thru Ladder - F15W C1 123
Fixed Walk-Thru Ladder - F16W C1 123
Fixed Walk-Thru Ladder - F17W C1 123
Fixed Walk-Thru Ladder - F19W C1 123
Fixed Walk-Thru Ladder - F20W C1 124
Fixed Wing Towbar Multi-Link Head TY-CHA1 499
Fixed Wing Towbar Multi-Link Head TY-F-16 499
Flammable Safety Cabinets 344
Flexible Gooseneck Dock Lights 570
Flexure Folding Chair 650
Floor Cord Covers 416
Floor Level Container Tilters ZRT50-20 263
Floor Level Container Tilters ZRT50-40 263
Floor Mounted Jibs 346
Floor Tape Applicators 570
Floor-Mounted Jib Crane 344
Focos LED Highbay Industrial UFO 150W High Bay 732
Fodder Expander 388
Fokker 100 Fixed Wing Towbar Multi-Link Head TY-FOK2 500
Fokker 50 Fixed Wing Towbar Multi-Link Head TY-FOK1 500
Fokker F-28 Towbar (TOWFO28-L) 500
Fokker F-7 Towbar (TOWFO27-L) 500
Fokker Fokker 50/60 Towbar (TOWFO50-C) 501
Fokker Fokker 70/100 Fly-Away Towbar (TOWFO70-C-1+8) 501
Fokker Towbar Head (TOWHEAD-3Q) 501
Fold and Store Ladder 134
Fold-A-Way Ramp 570
Foldable Aluminum Scaffolding Part No.197 622
Foldable Aluminum Scaffolding Part No.198 622
Foldable Aluminum Scaffolding Part No.997 622
Foldable Aluminum Scaffolding Part No.998 622
Foldable/Nestable Roller Containers 367
Folding Bulk Crate 570
Folding Container 344
Folding Ladders 135
Folding Rolling Ladder 135
Folding Security Carts 345
Fork Extension Storage Rack 368
Fork Mounted Drum Carrier/Rotator 281
Fork Mounted Drum Grippers 295
Fork Mounted Drum Lifters 295
Fork Mounted Hydraulic Drum Grippers 296
Fork Mounted Poly Drum Handlers 296
Fork Truck Jacks 322
Forklift Platform 225
Forklift Work Platform 225
Formed Aluminum Dockboards 556
Forward Descent Rolling Ladder 150

Alphabetical model index

Freight Saver Lockstep Ladder 150
Freight Saver Spring Loaded Caster Ladder 150
FS60 Portable Aerial Work Platform 181
FS80 Portable Aerial Work Platform 181
Fuel Tank Steps 604
Full Featured Deluxe Pallet Truck 322
Full Featured Ergonomic Pallet Truck 353
Fully Powered Electric Pallet Truck 353
Fully Powered Electric Pallet Trucks with Lead Acid Batteries 315
G10-43A JLG Telehandler 234
G10-55A JLG Telehandler 234
G12-55A JLG Telehandler 234
G450 Gulfstream Tail Dock System 404
G5-18A JLG Telehandler 235
G6-42A JLG Telehandler 235
G9-43A JLG Telehandler 235
GA Cable Set 417
Galaxy Aerospace Business Fixed Wing Towbar Multi-Link Head TY-GAL1 501
Galaxy Aerospace Business Fixed Wing Towbar Multi-Link Head TY-WES1 502
Galaxy Aerospace Jet Commander Fixed Wing Towbar Multi-Link Head TY-WES1 502
Galaxy Aerospace Westwind Fixed Wing Towbar Multi-Link Head TY-WES1 502
Galaxy Astra Fixed Wing Towbar Multi-Link Head TY-WES1 502
Galvanized Industrial Stairways 84
Galvanized Storage Cabinets 368
Galvanized Welded Wire Pallets 571
Gas Cylinder Caged Cabinet 350
Gas Engine Maintenance Lift 235
Gas Powered All Terrain Pallet Truck 322
Gate Boxes 417
GCampSite 728
Genie Articulating Booms Diesel Engine 181
Genie Articulating Booms Electric & BiEnergy 181
Genie Rough Terrain Scissor Lifts 236
Genie Slab Scissor Lifts 217
Genie Telescopic Boom Lifts 182
Genie Trailer Mounted Z-Booms 236
Gimbal Install Removal Device (G.I.R.D.) 544
Glass Conference Table 689
Glass Conference Table 39x77 687
Glass Conference Table 47x94 687
Glass Conference Tables 689
Global 5000 Engine Stand 404
Grate Ramp 571
Ground Lift Scissor Table 273
Ground Lift Tilter 323
Grumman G-44 Fixed Wing Towbar Custom TR-14 503
Guard Rail Systems 571
Guest/Reception Chair 651
Guest/Reception Chair with Arms 651
Gulfstream A4G400 Towbar (TOWHEAD-31B) 503
Gulfstream Aero Commander Towbar Head (TOWHEAD-3J) 503
Gulfstream Aerospace G1 Fixed Wing Towbar Multi-Link Head TY-GUL1 503
Gulfstream Aerospace G100 Fixed Wing Towbar Multi-Link Head TY-WES1 504
Gulfstream Aerospace G150 Fixed Wing Towbar Multi-Link Head TY-GAL2 504
Gulfstream Aerospace GII Fixed Wing Towbar Multi-Link Head TY-GUL1 504
Gulfstream Aerospace GII Fixed Wing Towbar Multi-Link Head TY-GUV1 504
Gulfstream Engine Stand 405
Gulfstream Fuselage Ladder 397

Alphabetical model index

Gulfstream G1 Towbar (TOWHEAD-31B) 505
Gulfstream G11 Towbar (TOWHEAD-31B) 505
Gulfstream G111 Towbar (TOWHEAD-31B) 505
Gulfstream G200 Towbar Head (TOWHEAD-31P) 505
Gulfstream G300 Towbar (TOWHEAD-31B) 506
Gulfstream G350 Towbar (TOWHEAD-31B) 506
Gulfstream G350 Towbar Head (TOWHEAD-3G) 506
Gulfstream G450 Towbar Head (TOWHEAD-3G) 506
Gulfstream G500 Towbar Head (TOWHEAD-3G) 507
Gulfstream G550 Towbar Head (TOWHEAD-3G) 507
Gulfstream GIV Towbar (TOWHEAD-31B) 507
Gulfstream GIV-SP Towbar (TOWHEAD-31B) 507
Gulfstream GV Towbar Head (TOWHEAD-3G) 508
Gulfstream Turbo Commander Towbar Head (TOWHEAD-3J) 508
H135-155FT Pneumatic Tire Lift Truck 323
H170-190FT Pneumatic Tire Lift Truck 323
H30-35FT H40FTS Pneumatic Tire Lift Truck 323
H40-70FT Pneumatic Tire Lift Truck 324
H50CT Pneumatic Tire Lift Truck 324
H80-120FT Pneumatic Tire Lift Truck 324
HA 33 JE Articulating Boom Lift 182
HA 43 JE Articulating Boom Lift 182
HA 46 JRT Articulating Boom Lift 182
HA 46 RTJ O Articulating Boom Lift 183
HA 46 RTJ PRO Articulating Boom Lift 183
HA 51 JRT Articulating Boom Lift 183
HA 61 JRT Articulating Boom Lift 183
HA 80 JRT Articulating Boom Lift 184
HA100JRT Articulating Boom Lifts 184
HA130JRT Articulating Boom Lift 184
HA32 CJ Electric Articulating Boom Lift 184
HA32 CJ+ Electric Articulating Boom Lift 185
HA33CJ Articulating Boom Lift 185
HA43 Articulating Boom Lift 200
HA51JRT MARKII Diesel Articulating Boom Lift 185
HA61 LE Articulating Boom Lift 200
HA61 LE PRO Articulating Boom Lift 195
HA61 RTJ O Articulating Boom Lift 200
HA61 RTJ PRO Articulating Boom Lift 185
HA80 RTJ O Articulating Boom Lift 201
HA80 RTJ PRO Articulating Boom Lift 201
Halogen Work Lights 571
Hand Pump Hydraulic (series PP) 572
Hand Winch Lift Trucks 324
Hand-Crank Trailer Stabilizing Jack - CJ-BEAM-PN 572
Hand-Crank Trailer Stabilizing Jack - CJ-BEAM-SN / CJ-BEAM-PN 572
Hanging Flipper Door Cabinet 36.25 698
Hanging Flipper Door Cabinet 47.75 699
Hanging Magnetic Sweepers 572
Hardened Molded Bumpers 573
Haulotte Compact 2632 E DUAL Electric Scissor Lift 217
Hawker Beechcraft 125 Towbar (TOWHEAD-31A) 508
Hawker Beechcraft Beech 1900 Towbar Head (TOWHEAD-3T) 508
Hawker beechcraft Beech Premier Towbar Head (TOWHEAD-31X) 509
Hawker Beechcraft Beechjet 400 Towbar Head (TOWHEAD-31N) 509
Hawker Beechcraft C-12 Towbar Head (TOWHEAD-3T) 509
Hawker Beechcraft King Air Towbar Head (TOWHEAD-3T) 509
Hawker Beechcraft Queen Air Towbar Head (TOWHEAD-3T) 510
Hawker Beechcraft Starship Towbar Head (TOWHEAD-3T) 510
Hawker Beechcraft T-44 Towbar Head (TOWHEAD-3T) 510
HB 135 JRT Telescoping Boom Lift 186

Alphabetical model index

HB 40 Telescoping Boom Lift 186
HB 44 J Telescoping Boom Lift 186
HB 62 Telescoping Boom Lift 186
HB 68 J Telescoping Boom Lift 187
HB 76 J Telescoping Boom Lift 187
HB 86 TJ Plus Telescoping Boom Lift 187
Heavy Cable Shrink Houses 417
Heavy Duty Air Bag Scissor Lift Tables 248
Heavy Duty Air Curtains 573
Heavy Duty Farm Jacks 573
Heavy Duty Guard Rail 573
Heavy Duty Helicopter Dolly Handler 541
Heavy Duty LED Dock Loading Lights 574
Heavy Duty Manual Turntables 355
Heavy Duty Portable Evaporator Cooler 574
Heavy Duty Precision Turret Bearings 325
Heavy Duty Reversible Boom Crane 355
Heavy Duty Roll-Out Shelving 706
Heavy Duty Swinging Traffic Door 574
Heavy Duty Vertical Drum Lifter 296
Heavy Duty XL Helicopter Dolly Handler 541
Heavy Industrial Coil Handling Cars 574
Heavy-Duty Cantilever Racks 368
Heavy-Duty Fiberglass Walk Ramps 575
Heavy-Duty King Pin Carousel 325
Heavy-Duty Power Pack (hydraulic maintenance sets) 325
Hefti-Lift 325
Helicopter Maintenance Canopy 396
Helicopter Maintenance Stand 395
Helicopter Maintenance Stand Extension 542
Hercules C-130 Aircraft Complete Maintenance Stand System 405
Hex Series Table with Chrome Frame 710
High Capacity Powered Turntable 296
High Performance Circulator Fan 575
High Reach Scissor Lifts 187
High Rise Lift Truck 326
High Speed Strapping Machine 326
High Travel Double Pantograph Scissor Lift 326
High Travel Personnel Work Platform Lifts 202
Hinge Tilt Model: EHTT 326
Hitch Lift 575
Hitch Mounted Truck Jib Crane 346
Hoist Mounted Drum Carrier/Rotator 281
Hoist Mounted Pail Carrier/Rotator 281
Honda R&D Fixed Wing Towbar Custom TR-HON 510
Horizontal Drum Cradle 297
Horizontal Drum Positioner 297
Horizontal Drum Tap 297
Horizontal Semi-Automatic Drum Tong 297
Horizontal Sheet Rack 368
HS 3388 RT Scissor Lift 236
HS 4388 RT Scissor Lift 236
HS 5388 RT Scissor Lift 237
HT132 RTJ PRO Telescopic Boom Lift 188
HT25 Crane Service Body 270
HT25KX Truck-Mounted Cranes 5,000lbs Lifting Capacity 356
HT30KX Truck-Mounted Crane 5000lbs Lifting Capacity 356
HT40 Crane Service Body 270
HT40KX Truck-Mounted Crane 6000lbs Lifting Capacity 356
HT40KX-25 Truck-Mounted Crane 6000lbs Lifting Capacity 356
HT50 Crane Service Body 271
HT50KX Truck-Mounted Crane 8000lbs Lifting Capacity 357
HT50KX-25 Truck-Mounted Crane 8000lbs Lifting Capacity 357

Alphabetical model index

HT61 RT O Telescopic Boom Lift 188
HT61 RT PRO Telescopic Boom Lift 188
HT66 Crane Service Body 271
HT66KX Truck-Mounted Crane 11000lbs Lifting Capacity 357
HT67 RTJ O Telescopic Boom Lift 188
HT67 RTJ PRO Telescopic Boom Lift 189
HT80 RT O Telescopic Boom Lift 205
HT85 RTJ PRO Telescopic Boom Lift 205
HT85 RTJO Telescopic Boom Lift 206
HTL11532 TIERIII Telescopic Telehandler 203
HTL15932 TIERIII Telescopic Telehandler 203
HTL7732 TIERIII Telescopic Telehandler 204
HTL8045 TIERIII Telescopic Telehandler 204
HTL8055 TIERIII Telescopic Telehandler 204
Husky-Master Mobile Hydraulic Floor Cranes 359
Hydra Lift Carts 254
Hydraulic Box Dumper 327
Hydraulic Corner Tilters 327
Hydraulic Double Leaf Bascule Bridge 250
Hydraulic Drum Crusher/Compactor 282
Hydraulic Elevating Carts 252
Hydraulic Elevating Platform 237
Hydraulic Motorcycle Lift 327
Hydraulic Outrigger Packages 728
Hydraulic Post Tables 327
Hydraulic Scissor Lift 228
Hydraulic Scissor Lift - Series EHLT 226
Hydraulic Scissor Lift Table 273
Hydraulic Stackers 328
Hydraulic Work Positioner - WT-2016-FP 328
Ilyushin DC-10 Towbar (multiple application) (TOWMULTI-1) 511
Ilyushin IL-62 Towbar (TOWHEAD-1H) 511
Ilyushin IL-76 Towbar (TOWIL76-L) 511
Ilyushin IL-86 Towbar (TOWIL86-L) 511
Ilyushin IL-96 Towbar (multiple application) (TOWMULTI-1) 512
Ilyushin IL-96 Towbar (TOWIL96-C-8) 512
Ilyushin IL-96 Towbar Head (TOWHEAD-1B) 512
Ilyushin IL-96 Universal Towbar (TOWUNIV-2) 512
IML Telehandler G10-43A 237
IML Telehandler G10-55A 237
IML Telehandler G5-18A 238
IML Telehandler G6-42A 204
IML Telehandler G9-43A 189
Industrial Acrylic Convex Mirrors 575
Industrial Ceiling Fans 576
Industrial Duty Circulator Fan 576
Industrial Rolling Ladders 165
Industrial Rolling Ladders - Square Tube 60 151
Industrial Sliding Doors 576
Industrial Stairway Ladder 151
Industrial Truck Ladder 84
Industrial Work Stand 3 Step 18 inch Platform 405
Industrial Work Stand 3 Step 36 inch Platform 405
Industrial Work Stand 4 Step 18 inch Platform 406
Industrial Work Stand 4 Step 36 inch Platform 406
Industrial Work Stand 5 Step 18 inch Platform 406
Industrial Work Stand 5 Step 36 inch Platform 406
Industrial Work Stand 6 Step 18 inch Platform 407
Industrial Work Stand 6 Step 36 inch Platform 407
Infinity Air Compressors 728
Intermediate Bulk Crates 630
Internestable Portable Stackable Rack Systems 369
Internestable Stackable Racks 369

Alphabetical model index

InterPlay Series Chair No Tablet 651
InterPlay Series Sofa No Tablet 651
InterPlay Series Tablet Chair 652
InterPlay Series Tablet Sofa 652
Isolated Battery Connectors 417
J250G Deep-Cycle Flooded 6-Volt Battery 195
J250P 6V Deep Cycle Battery 196
J305E-AC 6V Deep Cycle Battery 196
J305G-AC 6V Deep Cycle Battery 196
J305H-AC 6V Deep Cycle Battery 196
J305P-AC 6V Deep Cycle Battery 197
Jib-Master Forklift Cranes 360
JLG 1230ES Mast Lift 238
JLG 20MVL MOBILE VERTICAL LIFT 238
JLG Telehandler G12-55A 55 ft 238
Jupiter Series Table 710
KC135 Aircraft Maintenance Platform Full Docking System 407
L-1011 Aircraft Towbar Head (TOWHEAD-1A) 513
L-1011 Aircraft Towbar Head (TOWHEAD-1B) 513
L-Shaped Workstation 60 by 60 with 24 D Top 699
L-Shaped Workstation 60 by 60 with 30 D Top 699
L-Shaped Workstation 72 by 72 with 24 D Top 699
L-Shaped Workstation 72 by 72 with 30 D Top 700
L16E-AC 6V Deep Cycle Battery 197
L16G-AC 6V Deep Cycle Battery 197
L16H-AC 6V Deep Cycle Battery 197
L16P-AC 6V Deep Cycle Battery 198
Lake LA-4 Multi-Link Towbar TR-34 513
Laminated Dock Bumpers 576
Lancair IV Multi-Link Towbar TH-5 513
Large Adjustable Work Platforms 248
Large Racetrack Conference Table 687
Lavatory Service Cart - 150 gal Waste / 100 gal Charge 544
Lavatory Service Cart - 250 gal Waste / 150 gal Charge 544
Lavatory Service Cart With 757 Platform 545
LD3 Container Dolly IML-LD3-P011601 542
Lear 23 Fixed Wing Towbar Multi-Link Head TY-CIT1 514
Lear 23 Multi-Link Towbar TY-TB75 514
Lear 25 Fixed Wing Towbar Multi-Link Head TY-CIT1 514
Lear 25 Multi-Link Towbar TY-TB75 514
Leather Executive/Conference Chair 652
Leather Executive/Conference High-Back Chair 652
Leather Guest/Reception Chair 653
LED Canopy Light 150W, 140Lmw, IP65 for Gas Station 733
LED Flood Light 50W ,180° Adjustable Knuckle, Waterproof Outdoor Area Lighting 733
LED Hallenstrahler 100W Philips LEDs Meanwell Netzteil IP65 120° 733
LED High Bay UFO Light 100W 733
LED High Bay UFO Light 150W 734
LED High Bay UFO Light 200W 734
LED High Bay UFO Light 240W 734
LED High Bay UFO Light 80W 734
LED Stadium Light 1000W, Super Bright Outdoor Flood Light 135Lmw, IP65 Waterproof 735
LED Stadium Light 240W, Super Bright Outdoor Flood Light , IP65 Waterproof 735
LED Stadium Light 360W,Super Bright Outdoor Flood Light, IP65 Waterproof 735
LED Stadium Light 480W, Super Bright Outdoor Flood Light, IP65 Waterproof 735
LED Stadium Light 720W, Super Bright Outdoor Flood Light, IP65 Waterproof 736
Lever Action Drum Pumps 298
Library Table 690
Library Table 36x72 710
Library Table 48x96 711
Library Tables 690

Alphabetical model index

Lift & Tilt Carts with Sequence Select 254
Lift & Tilt Scissor Tables 328
Lift & Tilt Workstation Tables 328
Lift and Tilt Table 298
Lift and Tilt Tables 273
Lift Table Ladder 84
Lift-and-Dump Hydraulic Drum Dumpers 285
Lifter Jibs 347
Light Bulb Crusher 298
Light Communication System (LCS) 577
Light Duty Electric Scissor Lift Table 274
Light Duty Ergonomic Stand - WT-2221 329
Light Duty Manual Scissor Lift Table 226
Light Duty Swinging Traffic Door 577
Light Load Lifts 329
Line Markers 577
Linear Actuated Adjustable Height Workstation 329
Linear Actuated Elevating Cart 254
Linear Actuated Pail Dumper 298
Linear LED Highbay Light 150W, IP65 Waterproof Indoor Industrial Lights 736
Linearizer 329
Lite Use Computer Task Chair 653
Lite Use Computer Task Chair with Arms 653
Lite Use Computer Task Stool with Arms and Drafting Kit 653
Lite Use Computer Task Stool with Drafting Kit 654
LITERISER 10 SP Vertical Mast Lift 239
Load Binders 577
Loadbanks/Switch Boards 418
Lock-N-Stock Folding Safety Ladder 135
Long Bar Pigeon Hole Rack 369
Long Deck Carts 254
Long Extruded Rubber Cable Protectors 578
Low Profile "U" Type Electric Lift Tables 274
Low Profile Air Bag Lift Table - Series ABLT-H-LP 249
Low Profile Lavatory Service Cart - 150 / 100 gal 545
Low Profile Lavatory Service Cart - 50 / 50 gal 545
Low Profile Lavatory Service Cart - 60 / 40 gal 545
Low Profile Pallet Truck 354
Low Profile Pallet Trucks 330
Low Profile Potable Water Cart 250 Gallon 546
Low Profile Potable Water Cart Fully Winterized 546
Low Profile Potable Water Service Cart 546
Low Profile Zero Low Lift Tables 274
LPG Engine Maintenance Lift 239
M-2000 Rolling Safety Ladder 151
M-502 Portable Inverter Water Cooling Fan 602
M-602 Portable Inverter Water Cooling Fan 546
M-702 Portable Inverter Water Cooling Fan 547
M-703 Portable Inverter Water Cooling Fan 547
M-802 Portable Inverter Water Cooling Fan 547
M-902 Portable Inverter Water Cooling Fan 547
M1230E Electric Mast Lift 239
M3369LE Electric Scissor Lift 217
M400A Articulating Boom Lift 189
M400AJP Articulating Boom Lift 189
M400AJPN Electric Articulating Boom Lift 190
M400AN Electric Articulating Boom Lift 190
M4069LE Electric Scissor Lift 217
M450A Electric Articulating Boom Lift 190
M450AJ Electric Articulating Boom Lift 190
M600J Electric Articulating Boom Lift 191
M600JP Electric Articulating Boom Lift 191
Magazine Table with 4 Legs 711

Alphabetical model index

Magazine Table with Sled Base 711
Magnetic Catcher 578
Magnetic Easy Lift 578
Magnetic Lifters 578
Magnetic Rail Car Wheel Chock - RC-WC 579
Maintenance Order Picking Man Lift 201
Manor Series Cafe Height Chair 631
Manor Series Cafe Height Chair with Arms 631
Manual & Electric Drum Deheader 299
Manual Carousels 330
Manual Drum Carrier/Rotator 282
Manual Drum Upender 299
Manual Pail Tippers 299
Manual Push Sweeper 579
Manual Stackers 382
Manual Tilt Master 330
Manual Trailer Movers 330
Manual Trash Compactor 299
Manual Winch Elevating Platform 239
Manual Work Positioners 331
Marine Access Ladder GW100 165
Marine Access Ladder SGW 165
Marine Access Ladders 166
Marine Gangway Ladder 151
Marine GW500 Access Ladder 166
Marque 4-Unit Reception Station 711
Marque ADA Reception Station 712
Martisa Series Plastic Task Chair 654
Martisa Series Plastic Task Stool with Drafting Kit 654
Massage & Heat Cushion 331
Masterstep Office Ladder 152
Material Handler-Track Guided 3-Axis 383
Material Handling / Material Picking Lifts 383
Maule All Fixed Wing Towbar Adapter TY-MAULE1 515
Maule All Universal Towbar TH-5 515
Maule All Universal Towbar TH-53 515
Maule All Universal Towbar TR-34 515
MC Donnel Douglas DC-10 Towbar Head (TOWHEAD-1B) 516
MC Donnel Douglas MD-11 Towbar Head (TOWHEAD-1B) 516
MC Donnell Douglas DC-10 Universal Towbar (TOWUNIV-2) 516
Mc Donnell Douglas DC-8 Towbar (TOWDC08-L) 516
MC Donnell Douglas DC-9 Towbar (multiple application) (TOWMULTI-2) 517
MC Donnell Douglas DC-9 Towbar (TOWMD80-L) 517
MC Donnell Douglas DC-9 Towbar Head (TOWHEAD-2D) 517
MC Donnell Douglas MD-11 Towbar (multiple application) (TOWMULTI-1) 517
MC Donnell Douglas MD-11 Universal Towbar (TOWUNIV-2) 518
MC Donnell Douglas MD-80 Towbar (multiple application) (TOWMULTI-2) 518
MC Donnell Douglas MD-80 Towbar (TOWMD80-L) 518
MC Donnell Douglas MD-80 Towbar Head (TOWHEAD-2D) 518
MC Donnell Douglas MD-90 Towbar (multiple application) (TOWMULTI-2) 519
MC Donnell Douglas MD-90 Towbar Head (TOWHEAD-2D) 519
MC Donnell Douglas MD90 Towbar (TOWMD80-L) 519
MC Donnell Douglas TU-204 Towbar (multiple application) (TOWMULTI-1) 519
McDonnell Douglas MD-80 De-Icing Ladders 397
MD80 Cantilever Tail Dock 407
MD80 Maintenance Tail Dock 611
Mechanical Docklevelers 579
Mechanical Edge-O-Dock (series FM) 579
Mechanical Lift Table 274

Alphabetical model index

Mechanical Machinery Jacks 580
Mechanical Post Table 275
Mechanical Scissor Cart 255
Mechanical Screw Jacks 580
Mechanically Actuated Horizontal Ball Screw Lift Table 331
Mechanics/Maintenance Ladders 136
MechanX Air Compressors 728
Medium-Duty Cantilever Racks 369
Merchandise Ladder Cart 252
Mesa Series Double Pedestal Credenza 26.75 by 67 683
Mesa Series Half Round Table 24 by 48 712
Mesa Series L-Shaped Desk with Left Pedestal Return 684
Mesa Series L-Shaped Desk with Right Pedestal Return 684
Mesa Series Media Terminal/Workstation 48 by 48 684
Mesa Series Nesting Training Table/Desk 23.50 by 47.25 712
Mesa Series Nesting Training Table/Desk 23.50 by 59 712
Mesa Series Nesting Training Table/Desk with Privacy Panel 23.50 by 47.25 713
Mesa Series Nesting Training Table/Desk with Privacy Panel 23.50 by 59 713
Mesa Series Nesting Training Table/Desk with Privacy Panel 23.50 by 71 713
Mesa Series Privacy Panel for Nesting Training Table/Desk 23.50 by 47.25 713
Mesa Series Privacy Panel for Nesting Training Table/Desk 23.50 by 59 714
Mesa Series Privacy Panel for Nesting Training Table/Desk 23.50 by 71 714
Mesa Series Single Pedestal Desk 684
Mesa Series Standing Height Training Table/Desk with Drawers 27.75 by 47.25 714
Mesa Series Standing Height Training Table/Desk with Drawers 27.75 by 55.25 714
Mesa Series Standing Height Training Table/Desk with Drawers 27.75 by 59 715
Mesa Series Training Table 20 by 59 715
Mesa Series Training Table/Desk with Drawers 27.75 by 47.25 715
Mesa Series Training Table/Desk with Drawers 27.75 by 55.25 715
Mesa Series Training Table/Desk with Drawers 27.75 by 59 716
Mesh Base Conference Table - 36 × 72 in 690
Mesh Base Conference Table - 48 × 96 in 688
Mesh Base Conference Table 36x72 688
Mesh Base Conference Tables 690
Mesh Comfort Series Ergonomic Task Chair 654
Mesh Comfort Series Ergonomic Task Chair with Arms 655
Mesh Comfort Series Ergonomic Task Chair with Arms and Drafting Kit 655
Mesh Comfort Series Ergonomic Task Chair with Drafting Kit 655
Mezzanine Ladders 7
Micco 26 Custom Towbar TR-15 520
Military Aircraft Systems 408
Military Derivative Circular Connectors 418
Mini Bascule Bridge 250
Mini Merchandise Lift 240
Mini Overhead Cantilever Jibs 347
Mini Scissors Lift Table 275
Miscella Distillation 388
Miscella Vacuum Evaporation 388
Mitsubishi MU-2 Fixed Wing Towbar Multi-Link Head TY-MIT1 520
Mitsubishi MU-2 Multi-Link Towbar TY-TB75 520
MLJ32EX Explosion Proof Vertical Mast Lift 223
Mobile Belt Loader 542
Mobile Drum Dollies 283
Mobile Foldaway Step Stand - KDMF102166 152
Mobile Foldaway Step Stand - KDMF103166 152
Mobile Foldaway Step Stand - KDMF104166 152

Alphabetical model index

Mobile Maintenance Platform Ladder	153	Moon Cafe Height Silver Chair	632
Mobile Office Stand	153	Moon Cafe Height Vinyl Chrome Chair	632
Mobile Tilting Work Tables	331	Moon Cafe Height Vinyl Silver Chair	632
Mobile Work Platform Ladder	153	Moon Swivel Chair	657
Mobile Work Platforms - 500 lb Rating	153	Moon Swivel Chair with Arms	657
Mobile Work Platforms - Up to 800 lb Rating	202	Moon Swivel Chair with Arms and Drafting Kit	657
MobileArm Leather Executive/Conference Chair	655	Moon Swivel Chair with Drafting Kit	657
Modular Computer/Privacy Table 24x36	716	Moon Swivel Plastic Chair	658
Modular Computer/Privacy Table 24x48	705	Moon Swivel Plastic Chair with Arms	658
Modular Conference Table	691	Moon Swivel Plastic Chair with Arms and Drafting Kit	658
Modular Conference Table 48x96	688	Moon Swivel Plastic Chair with Drafting Kit	658
Modular Privacy Station	685	Moon Swivel Vinyl Chair	659
Modular Steel Work Platform System	154	Moon Swivel Vinyl Chair with Arms	659
Modular Storage Buildings	370	Moon Swivel Vinyl Chair with Arms and Drafting Kit	659
Modular Study Carrel 24x36	685	Moon Swivel Vinyl Chair with Drafting Kit	659
Modular Study Carrel 24x48	685	Mooney M20 Universal Towbar TH-5	520
Modular Study Table 24x48	685	Mooney M20 Universal Towbar TH-53	521
Modular Style Stairway	154	Mooney M20 Universal Towbar TR-34	521
Modular Training/Utility Table 20x55	705	Morph Series Soft Seating Chair	660
Modular Training/Utility Table 24 by 55	716	MRO Telescoping Man Lift	240
Modular Training/Utility Table 24x55	686	MSL-10 Mini Scissor Lift	240
Mold on Type	418	MSL-12 Mini Scissor Lift	240
Molded Bulk Containers - MHBC Series	370	Multi-Channel Cable Protectors	581
Molded Rubber Hose & Cable Bridges	580	Multi-Directional Ladder	154
Molded Urethane & Plastic Wheel Chocks	580	Multi-Duty Sheds	370
Mono Mobile Tower	608	Multi-Duty Storage Buildings	370
Moon 3-Unit Beam Seating with 2 Seats & 1 Table	656	Multi-Height Container	371
Moon 3-Unit Beam Seating with 3 Seats	656	Multi-Level Plastic Drum Dolly	283
Moon 4-Unit Beam Seating with 3 Seats & 1 Table	656	Multi-Link Aircraft Towbar TY-TB75	521
Moon 4-Unit Beam Seating with 4 Seats	656	Multi-Pail Dolly	283
Moon Cafe Height Chair	631	Multi-Purpose Dollies	283
Moon Cafe Height Plastic Silver Chair	631	Multi-Purpose Overhead Drum Lifter/Wrench	300

Alphabetical model index

Multi-Purpose Ramps 581
Multi-Purpose Split Level Laptop Stand 686
Multi-Station Transportable Jib Cranes 347
Multi-Use Modular Table 24x48 686
Multi-Use Stack Chair with Plastic Seat & Back with Arms 660
MVL12EX Explosion Proof Vertical Mast Lift 223
MVL16EX Explosion Proof Vertical Mast Lift 223
Narrow Scissor Lift Tables 332
NATO Aviation Battery Power Connectors 418
Nestable Presswood Pallets 581
NET Series 3 Seats & 1 Table Beam 660
NET Series 4 Seat Beam 660
NET Series 4-Legged Chair 661
NET Series 5 Seat Beam 661
NET Series Large Glass Table 716
NET Series Small Glass Table 717
NET Series Swivel Chair with Gas Lift 661
North American AT-6 Custom Towbar TR-6 521
North American Navion Universal Towbar TH-5 522
North American Navion Universal Towbar TH-53 522
North American Navion Universal Towbar TR-34 522
North American Sabreliner Fixed Wing Towbar Multi-Link Head TY-SAB1 522
North American Sabreliner Multi-Link Towbar TY-TB75 523
Nylon Pallet Rack Netting 371
Octo & Heavy Duty Drum Dollies 284
Office Ladders 154
Oil Filter Crusher 300
Open Area Rack Decking 371
Opti Bench (Mechanical Work Tables) 332
Optimum 1530E Scissor Lift 241
Optimum 1930E Scissor Lift 218
ORO Series Designer High-Back Multi-Task Chair 661
ORO Series Executive High-Back Body Bolster Multi-Task Chair 662
Oval Tank Containment with Drain 300
Overpack Drum Dollies & Containers 284
Pail dollies 300
Pail Hand Truck 301
Pail Lid Closing Press 301
Pallet Buster 581
Pallet Canopy 582
Pallet Cargo Decking 582
Pallet Cart & Carousel 255
Pallet Inverter - PI-51 and PI-61 Models 332
Pallet Inverter - PI-E Models 384
Pallet Puller 582
Pallet Rack and Flow Rack Label Holders 371
Pallet Rack Back Guard 738
Pallet Rack Back Guards 372
Pallet Rack Bay Dividers 372
Pallet Rack Drum Cradle 301
Pallet Rack Lifting Dolly 372
Pallet Rack Sump 372
Pallet Rack Wire Decking 373
Pallet Racking 373
Pallet Racking Trash Bags 373
Pallet Server 332
Pallet Stackers 384
Pallet Support Bar 373
Pallet Truck with Hand Brake 333
Pallet Truck with Scale 354
Pallet Trucks for Corrosive & Sanitary Environments 333
Pallet Washer 582
Pallet Wedge 583

Alphabetical model index

Paraffin Oil Recovery Machinery - Efficient Industrial Oil Purification System 388
Parker Ridge Series Executive Mesh Chair 662
Parker Ridge Series Executive Mesh Chair with Headrest 662
Parking Stops with Raised Lettering 583
PDQ Dock Lift 279
Peanut Oil Cake Extraction Machine 389
Peninsula Desk 705
Pennisula Desk 30x72 700
Pennisula Desk 34x60 700
Personnel Forklift Platform 225
Piaggio Avanti Fixed Wing Towbar Multi-Link Head TR-PIA 523
Piaggio Avanti Fixed Wing Towbar Multi-Link Head TY-PIA 523
Piaggio Avanti Multi-Link Towbar TY-TB75 523
Piaggio P180 Towbar Head (TOWHEAD-31T) 524
Pick Up Hoists VP/VC 6600 308
Pick Up Hoists VP6F 308
Pick Up Hoists VP6S 309
Pilatus PC-12 Custom Towbar TR-PC 524
Pilatus PC-12 Custom Towbar TR-PCS 524
Pilatus PC-12 Fixed Wing Towbar Adapter T-451A 524
Pilatus PC-12 Fixed Wing Towbar Multi-Link Head TY-PIL1 525
Pilatus PC-12 Multi-Link Towbar TY-TB75 525
Pilatus PC-12 Towbar Head (TOWHEAD-3X) 525
Pilatus PC-12 Universal Towbar TR-34L 525
Pin Tester 419
Piper Apache Universal Towbar TR-34 526
Piper Aztec Universal Towbar TH-53 526
Piper Cheyenne 400LS Towbar Head (TOWHEAD-3J) 526
Piper Cheyenne I Towbar Head (TOWHEAD-3J) 526
Piper Cheyenne II Towbar Head (TOWHEAD-3J) 527
Piper Cheyenne III Towbar Head (TOWHEAD-3J) 527
Piper Cheyenne IIIA Towbar Head (TOWHEAD-3J) 527
Piper Cheyenne Universal Towbar TR-34 527
Piper Chieftan Towbar Head (TOWHEAD-3J) 528
Piper Malibu Fixed Wing Towbar Adapter T-820A 528
Piper Malibu Universal Towbar TR-34 528
Piper Mojave Towbar Head (TOWHEAD-3J) 528
Piper Navajo Towbar Head (TOWHEAD-3J) 529
Piper Navajo Universal Towbar TR-34 529
Piper PA-18 Fixed Wing Towbar Adapter TWA-10A 529
Piper PA-18 UiversalTowbar TR-34 529
Piper PA-18 Universal Towbar TH-5 530
Piper PA-18 Universal Towbar TH-53 530
Piper PA-22 Fixed Wing Towbar Adapter T-P228A 530
Piper PA-22 Universal Towbar TH-5 530
Piper PA-22 Universal Towbar TH-53 531
Piper PA-22 Universal Towbar TR-34 531
Piper PA-24 Fixed Wing Towbar Adapter T-795A 531
Piper PA-24 Universal Towbar TH-53 531
Piper PA-24 Universal Towbar TR-34 532
Piper Seneca Universal Towbar TH-53 532
Piper Seneca Universal Towbar TR-34 532
Pit Mounted Truck Leveler 279
Pivoting Rolling Ladder 155
Plastic Bulk Shelving & Storage 374
Plastic Floor Grid 333
Plastic Pallet/Skid 583
Plastic Pallets & Drum Spill Containers 301
Plastic Pallets and Skids 583
Plastic Work Bench 390
Plate Dryer 389
PLD Dock Lift 279

Alphabetical model index

PLTC Dock Lift 584
Pneumatic Scissor Lift Table 333
Pneumatic Tilters AT10-3648 263
Pneumatic Tilters AT10-4848 263
Pneumatic Tilters AT10-4856 264
Pneumatic Tilters AT10-4860 264
Pneumatic Tilters AT20-3648 264
Pneumatic Tilters AT20-4848 264
Pneumatic Tilters AT20-4856 265
Pneumatic Tilters AT20-4860 265
Pneumatic Tilters AT40-4848 265
Pneumatic Tilters AT40-4856 265
Pneumatic Tilters AT40-4860 266
Pneumatic Tilters AT60-4848 266
Pneumatic Tilters AT60-4856 266
Pneumatic Tilters AT60-4860 266
Pocket Bung 302
Poly Drum Heaters 302
Poly Drum Heaters (CSA APPROVED-for use in Canada Only) 302
Polyethylene Drum Dollies 284
Polyethylene Drum Rack 302
Pop-Up Pits System 419
Port-O-Giant Hydraulic Floor Crane 360
Portable Aluminum Load Lifter 334
Portable Container Tilters PT-20 267
Portable Container Tilters PT-40 267
Portable Container Tilters PTS50-20 267
Portable Container Tilters PTS50-40 267
Portable Crossover Ladder with Slopped Stairway 82
Portable Crossover Platform Ladder 82
Portable Drum Lifter/Rotator/Transporter 303
Portable Electric Heater 584
Portable Electric Infrared Heat Panels 584
Portable Electric Infrared Heaters 584
Portable Electric Salamander 585
Portable Electric Scissor Lift Table 227
Portable Hand Winch Lifter 334
Portable Hangar Ladders 155
Portable Helicopter Maintenance Deck - ME-251 393
Portable Hydraulic Drum Carrier/Rotator 282
Portable Infrared Heaters 585
Portable Jib Crane 347
Portable Manual Scissor Lift Table 227
Portable Offset Jib Cranes 348
Portable Pallet Inverter 334
Portable Parts Bin 374
Portable Receptable 419
Portable Receptable 6 Poles 419
Portable Scissor Table 334
Portable Stackable Vertical Sheet Rack 374
Portable Stacking Racks 374
Portable Stage System US Platform 3X3 739
Portable Steel Yard Ramp 585
Portable Storage U-Rack 375
Portable Uni-Tilt 335
Portable Work Station Fan 585
Posi-Crank 335
Post Guards 603
Post Lift Tables 275
Post Protectors 739
POST47 RiZe Corner Connector Posts for 47 Floor Panels 700
POST63 RiZe Corner Connector Posts for 63 Floor Panels 701
Posture Series Task Chair 662

Alphabetical model index

Posture Series Task Chair with Arms 663
Posture Series Task Chair with Arms and Drafting Kit 663
Posture Series Task Chair with Drafting Kit 663
Potable Water Service Cart - 250 gal 548
Potable Water Service Cart - 400 gal 548
Powder Coated Boltless Shelving 391
Power Lift Jib Cranes 348
Power Stocker Lift 155
Power Traction Drive System 335
Power Units 420
Powered Carousel 335
Powered Drive and Powered Lift Hydraulic Scissor Carts 255
Powered Portable Loading Dock 252
Powered Turntables 336
PowerStak Counterweight Stackers 270
PowerStak Stacker 384
PR4500 Rider Lift Truck 336
Pratt & Whitney Governor Part #3039335 Propeller Overspeed 548
Premium Scissor Lift Carts 255
Premium Truck Scissor Dock Lifts 586
Profile Series Cocktail Table 717
Profile Series End Table 717
Profile Series Lamp Table 717
Profile Series Wedge Table 718
Promotional Leather High-Back Chair 663
Propane Cages 350
Propane Island Cage 351
Protecting Cable Guards 586
Protection Cable Rays 420
Protective Bollards 553
PS-12D Drivable Power Stocker 241
PS47 RiZe Floor Panel Supports for 47 Panels 701
PS63 RiZe Floor Panel Supports for 63 Panels 701
Push Around Stainless Steel Scissor Lift Tables 258
PVC Plywood Storage Cases 375
Quarter Round Table/Telephone Stand 718
Quartz Infrared Spot Heater 586
Quick Bases Part No.171 623
Quick Bases Part No.172 623
Quick Bases Part No.173 623
Quick Bases Part No.174 623
Quick Bases Part No.175 624
Quick Bases Part No.176 729
Quick Lift Pallet Trucks 336
Quilted Moving Pads 586
Quin Stool OFM 55-PU606 664
Racetrack Conference Table 691
Racetrack Conference Table 36x72 688
Racetrack Conference Tables 691
Rack Guard 604
Railroad Car Chocks 587
Rapeseed Oil Cake Extraction 389
Ratchet Beam Jack LO-J-BEAM 587
Ratchet-Top Jack SP-TOP-R 587
RC200 Series Inflatable Rail 587
RC300 Series Flexible Frame Rail 588
ReadyLink Add-On Chair 664
ReadyLink Add-On Chair with Tablet 664
ReadyLink Row Starter Chair 664
ReadyLink Row Starter Chair with Tablet 665
Receptable Housing 420
Receptable Pin Tester 420
Receptacle Battery Connector 421
Recoil Series Lounge Chair 665

Alphabetical model index

Recycled Plastic Parking Stops 588
Recycling Lid 303
Reel Racks 729
Republic RC3 Custom Towbar TR-14 532
Retractable Dock Shelter 588
Retro Bench with Stainless Steel 24x48 Table Top and Middle Frame 627
Retro Bench with Stainless Steel 24x48 Table Top and Wall Frame 627
Retro Bench with Stainless Steel 30 by 48 Table Top and Wall Frame 665
Retro Bench with Stainless Steel 30" x 48" Table Top and Middle Frame 627
Retro Bench with Stainless Steel 30" x 48" Table Top and Wall Frame 627
Reversible Boom Crane 360
Revolving Drum Cart 303
Rico Stack Chair 665
Rico Stack Chair with Arms 666
Rico Student Stack Chair - 12 Inch Seat Height 666
Rico Student Stack Chair 14 Inch Seat Height 666
Rico Student Stack Chair 16 Inch Seat Height 666
RiZe 63 by 25 Vinyl Floor Panels with Translucent Tops 701
RiZe 63 by 31 Vinyl Floor Panels with Translucent Tops 702
RiZe 63 by 37 Vinyl Floor Panels with Translucent Tops 702
RiZe 63 by 48 Vinyl Floor Panels with Translucent Tops 702
RiZe 63 by 60 Vinyl Floor Panels with Translucent Tops 702
Rize Cubicle Information 703
Rize Cubicle Kit - 154.5 × 78.5 in 703
Rize Cubicle Kit - 72 × 72 in 703
Rize Cubicle Kit - 78.5 × 78.5 in 703
Rize Hanging Open Shelf 36.25 704
Rize Hanging Open Shelf 47.75 704
Roll Pallet Truck 354
Roll-a-Fold Ladder 155
Roll-O-Ramp 588
Rolling Safety Ladder 156
Rolling Steel Safety Ladder 156
Rolling Steel Work Platform Ladder 156
Rolling Stock Picking Ladder 156
Rotary Air/Hydraulic Scissor Lift Tables 336
Rotary Drum Pumps 303
Roto Grip Magnets 589
RotoCel Extraction System - High-Efficiency Continuous Oil Extraction 389
Rough Terrain Elevating Carts 256
Round Metal Can With Lid 304
Rounded Dome Bumpers 589
RT4000 Rider Lift Truck 337
Rubber Ramps 589
Rubber Wedges 589
Rubber Wheel Chocks 590
Rugged Aluminum Storage Container 375
S-76 Rotor and Tail Maintenance Stands 542
S135-155FT Cushion Tire Lift Truck 271
S16-FR1-PKG 729
S2770/3370RT Rough Terrain Scissor Lift 241
S30-35FT & S40FTS Cushion Tire Lift Trucks 271
S40-70FT Cushion Tire Lift Truck 272
S50CT Cushion Tire Lift Truck 272
S80-120FT Cushion Tire Lift Truck 272
Saab 2000 Towbar Head (TOWHEAD-3D) 533
Saab 340 Fixed Wing Towbar Multi-Link Head TY-SAA1 533
Saab 340 Multi-Link Towbar TY-TB75 533
Saab 340 Towbar Head (TOWHEAD-3D) 533
SAF-T Header Banger Bar 603
SAF-T Rail Protection System 603
SAF-T- Guard Handrail System 603

Alphabetical model index

Safe Access Ladders 604
Safety Gates - A Series 739
Safety Gates - A Series - Aluminum 739
Safety Gates - A Series - Stainless Steel 740
Safety Gates - DG Series - Carbon Steel 725
Safety Gates - DVG Series 740
Safety Gates - G Series - Carbon Steel 740
Safety Gates - G Series - Stainless Steel 740
Safety Gates - MZ Series 741
Safety Gates - R Series 741
Safety Gates - RX Series 741
Safety Gates - XL Series - Aluminum 741
Safety Gates - XL Series - Carbon Steel 742
Safety Gates - XL Series - Stainless Steel 742
Safety Gates - Z Series 742
Safety Gates - ZT Series 742
Safety Lift Gate 590
Safety Rail 743
Scaffold Platform 624
Scissor Cart with Built-In Scale 256
Scorpion Aircraft Tug 408
Security Cabinets 375
Security Mesh Partitions 744
Security Seals 590
Self Closing Safety Gate 743
Self Propelled Maintenance Lift 199
Self Propelled Zero-Low Scissors Lift Table 391
Self Supporting Bridge Cranes 348
Self-Elevating Lift Carts 256
Self-Venting Drum Pumps 304
Semi-Automatic Pallet Probe Strapping Machine 337
Serapid Mechanical Scissors Lift 275
Serenity Series Left Arm Lounge Chair 667
Serenity Series Left Arm Lounge Chair with Electrical Outlet 667
Serenity Series Right Arm Lounge Chair 667
Serenity Series Right Arm Lounge Chair with Electrical Outlet 667
Series 1700 Rolling Ladder 157
Series 200 (45º Tilt) 337
Series 2600 Rolling Ladder 157
Series 35 Double High Scissor Lift Tables 337
Series 35 Electrical Powered Turntable 304
Series 35 Extra Narrow Scissor Lift Table 276
Series 35 Extra Wide Scissor Lift Table 338
Series 35 Low Profile Work Station Scissors Lift Table 338
Series 35 Manual Turntable 391
Series 35 Triple High Scissor Lift Tables 276
Series 500 (90º Tilt) 338
Series DWP Rolling Work Platform 206
Series SC Fixed Safety Cage Ladder 37
Series WP Rolling Work Platform 203
Series35 Air Compressors 729
SeriesC Fixed Ladder Cage 37
Service Cranes Radio Remotes 360
Shallow Pit Mounted Truck Leveler 280
Sharp Series Leather Executive Guest Chair 668
Sharp Series Leather Executive High-Back Chair 668
Sharp Series Leather Executive Mid-Back Chair 668
Shop Desks 376
Short Brothers 330 Towbar (TOWHEAD-31C) 534
Short Brothers 360 Towbar (TOWHEAD-31C) 534
Short Brothers C23A Towbar (TOWHEAD-31C) 534
Shorty Scissor Lift Tables 338
Shutter Mounted Exhaust Fans 590

Alphabetical model index

Side Step Fixed Dock Ladder - WLA10SS 124
Side Step Fixed Dock Ladder - WLA8SS 124
Side Step Fixed Dock Ladder - WLS10SS 124
Side Step Fixed Dock Ladder - WLS6SS 125
Side Step Fixed Dock Ladder - WLS8SS 125
Side Step Fixed Dock Ladder -WLA6SS 125
Side Winder Pallet Truck 354
Sidewinder Cable Protector 591
Single Arm Scissors Lift Table 339
Single Dual Sided Bar Stock Trees 376
Single Entry Mobile Platform Ladder 157
Single Leaf Bascule Bridge 250
Single Pallet Aircraft Engine Maintenance Stand 408
Single Scissor Lift & Tilt Table 339
Single Track Mounted Shelf Ladder 157
Single Vertical Ram Lift 276
Single Wide Scaffold Base Set 624
Single Wide Scaffold Guardrail Set 624
Single Wide Span Scaffold 49 625
Single Wide Span Scaffold 65 625
Single-Unit Marque Plexi-Reception Station 722
Single-Unit Marque Reception Station 723
Sino Swearingen Fixed Wing Towbar Multi-Link Head TY-KQA1 534
Sino Swearingen Fixed Wing Towbar TY-TB75 535
Skid Adaptor for Pallet Trucks 339
SL26SL/SL30SL Speed Level Lift 191
Sliding Tilt Model: EHTT-L 339
Smart Series Stack Chair 668
Smoking Shelter/ Bus Stop 376
Snappy Low-Level Tower 608
Snorkel S3006P Push-Around Mini Scissor Lifts 241
Snorkel S3008P Push-Around Mini Scissor Lifts 242
Snorkel S3010P Push-Around Mini Scissor Lifts 242
Socata TB10 Universal Towbar TH-5 535
Socata TB10 Universal Towbar TH-53 535
Socata TB10 Universal Towbar TR-34 535
Socata TBM700 Fixed Wing Towbar Head T-451A 536
Socata TBM700 Towbar Head (TOWHEAD-31U) 536
Socata TBM700 Universal Towbar TR-34 536
Socata Trinidad Fixed Wing Towbar Adapter T-375A 536
Socata Trinidad Universal Towbar TH-53 537
Socata Trinidad Universal Towbar TR-34 537
Solid Deck Steel Pallet 591
Solvent Condensation & Recovery 390
Span 300 Mobile Tower 609
Span 400 Mobile Tower 609
Span 500 Mobile Tower 609
Spare Parts Connectors 421
Spare Parts Receptacles 421
Special Connectors 421
Specialty Covers 304
Specialty Drum Adaptors 305
Specialty Molded Bumpers 591
Spin-Top Jack SP-TOP 591
Spiral Lift Mechanical Scissor Lifts 276
Spring Driven Low Pressure Hose Reels 730
Spring Self-Elevating Table 340
Stack Chair with Anti-Microbial/Anti-Bacterial Vinyl Seat & Back 669
Stack Chair with Plastic Seat & Back 669
Stackable Bar Cradles 723
Stackable Drum Racks 305
Stackable Steel Bulk Containers 376
Stacker with Powered Drive and Powered Lift 246
Stacker with Powered Lift 247

Alphabetical model index

Stage Gangway 166
Stainless Steel Flag Poles 592
Stainless Steel Fold-N-Store Ladders 158
Stainless Steel Hydraulic Elevating Carts 256
Stainless Steel Ladders 158
Stainless Steel Lockers 723
Stainless Steel Lockstep Ladders 158
Stainless Steel Low Profile Scissor Lift Tables 258
Stainless Steel Pneumatic Scissor Lift Table 258
Stainless Steel Scissor Carts 257
Stainless Steel Scissor Lift & Tilt Table 259
Stainless Steel Scissor Lift Table 259
Stainless Steel Shelving 377
Stainless Steel Single & Double Portable Scissor Lift Tables 259
Stainless Steel Solid Rivet Shelving 377
Stainless Steel Spring Loaded Caster Ladders 158
Stainless Steel Tilt & Roll Ladders 159
Stainless Steel Zero Low Scissor Lift Tables 277
Stairway Mobile Tower 609
Standard Flip Up Step 605
Standard Height Black Finish Small XT Base 718
Standard Helicopter Dolly Handler 543
Standard Pallet Truck 355
Standard Rolling Ladder Spring Loaded Casters 159
Standard Sheet Rack 377
Standard Steel Drums 305
Standoff Landing Platform 37
Stanza Nesting Fabric Stack Chair 669
Stanza Nesting Fabric Stack Chair with Arms 669
Stanza Nesting Plastic Stack Chair 670
Stanza Nesting Plastic Stack Chair with Arms 670
STAR 22J/26J Vertical Mast Man Lift 242
STAR13 Vertical Mast Lift 242
Star13P Electric Vertical Mast Lift 243
Star20 Vertical Mast Lift 243
Stars 3-Unit Beam Seating with 2 Plastic Seats & 1 Table 670
Stars 3-Unit Beam Seating with 2 Vinyl Seats & 1 Table 670
Stars 3-Unit Beam Seating with 3 Plastic Seats 671
Stars 3-Unit Beam Seating with 3 Vinyl Seats 671
Stars 4-Unit Beam Seating with 3 Vinyl Seats & 1 Table 671
Stars 4-Unit Beam Seating with 4 Plastic Seats 671
Stars 4-Unit Beam Seating with 4 Seats 672
Stars 4-Unit Beam Seating with 4 Vinyl Seats 672
Stars Cafe Height Chair 632
Stars Cafe Height Plastic Chair 633
Stars Cafe Height Vinyl Chrome Chair 633
Stars Cafe Height Vinyl Silver Chair 633
Stars Swivel Chair 672
Stars Swivel Chair with Arms 672
Stars Swivel Plastic Chair 673
Stars Swivel Plastic Chair with Arms 673
Stars Swivel Plastic Chair with Arms and Drafting Kit 673
Stars Swivel Plastic Chair with Drafting Kit 673
Stars Swivel Stool 674
Stars Swivel Stool with Arms 674
Stars Swivel Vinyl Chair 674
Stars Swivel Vinyl Chair with Arms 674
Stars Swivel Vinyl Chair with Arms and Drafting Kit 675
Stars Swivel Vinyl Chair with Drafting Kit 675
Stationary Hydraulic Drum Dumpers 285
Stature Series Upholstered Executive Mid-Back Conference Chair 675
Stature Series Uphosltered Executive High Back Conference Chair 675
Steel Bulk Containers 377

Alphabetical model index

Steel Construction Wire Containers 730
Steel Container Ramps 592
Steel Dockboard 556
Steel Dockboards 557
Steel Dockplates 557
Steel Drum Funnel 305
Steel Drum Heaters 306
Steel Drum Heaters (CSA APPROVED-for use in Canada Only) 306
Steel Fixed Ladder - F16S C1 125
Steel Fixed Ladder - F18S C1 126
Steel Fixed Ladder - F18W C1 126
Steel Fixed Ladder - F20S C1 126
Steel Fixed Ladder - F20W C1 38
Steel Fixed Ladder - M22WC C1 38
Steel Fixed Ladder with Safety Cage - M24WC C1 38
Steel Fixed Ladder with Safety Cage - M26WC C1 38
Steel Fixed Ladder with Safety Cage - M28WC C1 39
Steel Fixed Ladder with Safety Cage - M30WC C1 39
Steel Fixed Storage Tank Ladder - NTAL-15 126
Steel Gantry Crane 348
Steel Mobile Steel Stool - WLSR001166 159
Steel Mobile Step Stool - WLSR001162 159
Steel Mobile Step Stool - WLSR001163-WM 160
Steel Mobile Step Stool - WLSR001242 160
Steel Mobile Step Stool - WLSR001243 160
Steel Mobile Step Stool - WLSR001246 160
Steel Pail Lid Closing Tool 306
Steel Pallets with Galvanized Finish 592
Steel Quick-Lift 340
Steel Rail Dockboards - RS Series 557
Steel Rolling Ladder Series 1000 161
Steel Rolling Ladder Series 1500 161
Steel Rolling Warehouse Ladders 161
Steel Step Stool - KDST003242 161
Steel Step Stool - WLST002212 162
Steel Step Stool - WLST002212CAS 162
Steel Step Stools 162
Steel Storage Sheds 378
Steel Wheel Alignment Curbs 592
Steel Wheel Chocks 593
Steel Wheel Risers 593
Steel Yard Ramps 593
Step-Up 150/100 Low-Level Tower 610
Stimulus Series Leatherette Executive High-Back Chair 676
Stimulus Series Leatherette Executive Mid-Back Chair 676
Stimulus Series Leatherette Executive Mid-Back Chair with Adjustable Arms 676
Stimulus Series Leatherette Executive Mid-Back Guest Chair 676
Stock Picking Ladder 162
Stockpicking Ladders 163
Storage Cases 378
Storage Lockers 378
Straddle Base TILTNROLL Ladder 163
Straddle Stackers 384
Straight Truss Gangway 166
Straton Series Anti-Microbial/Anti-Bacterial Vinyl Task Chair 677
Straton Series Anti-Microbial/Anti-Bacterial Vinyl Task Chair with Arms 677
Straton Series Anti-Microbial/Anti-Bacterial Vinyl Task Chair with Drafting Kit 677
Straton Series Vinyl Task Chair with Arms and Drafting Kit 677
Structural Cantilever Racking 378
Structural Guard Rail - drop-in and bolt-on style 593
Structural Guard Rail Systems 594

Alphabetical model index

STS-12 Cylinder Cage 351
STS-12-FW-2 Cylinder Cage 351
STS-20 Cylinder Cage 351
STS-20-FW-2 Cylinder Cage 352
STS-9 Cylinder Cage 352
Study Carrel Kit 48 inches 705
Sukhoi Superjet 100 Fly-Away Towbar (TOWRRJ-C-1+8) 537
Sukhoi Superjet 100 Towbar (TOWRRJ-C-4) 537
Super Helicopter Dolly Handler 543
Super Titan Double Long Heavy Duty Scissor Lifts 340
Super Titan Double Wide Heavy Duty Scissor Lifts 340
Super Titan Heavy Duty Scissor Lift Tables 382
Super Titan Quad Heavy Duty Scissor Lifts 341
Super-Master Mobile Hydraulic Floor Cranes 361
Surface Mounted Truck Leveler 280
SweepMaster SM-300 730
Swing Gate 743
Swivel Dock Gate 594
T-105 6V Deep Cycle Battery 198
T-105 Plus 6V Deep Cycle Battery 198
T-125 6V Deep Cycle Battery 198
T-125 Plus 6V Deep Cycle Battery 199
T-1275 Plus Deep Cycle Battery 199
T-730A Towbar Adapter - Compatibility Confirmation Required 538
T20E Telescopic Mast Boom Lift 191
T26E Telescopic Mast Boom Lift 192
T350 Towable Boom Lift 192
T40EX Explosion Proof Telescopic Manlift 224
T46JEX Explosion Proof Telescopic Manlift 224
T500J Towable Boom Lift 192
T60EX Explosion Proof Telescopic Manlift 224
T66JEX Explosion Proof Telescopic Manlift 224
T80EX Explosion Proof Telescopic Manlift 225
Talisto Series Executive High-Back Leather & Mesh Chair 678
Talisto Series Executive Mid-Back Leather & Mesh Chair 678
Talisto Series Executive Mid-Back Leather & Mesh Guest Chair 678
Tandem Scissor Lift Table 277
Tandem Traveler Locking Pin Locator 594
Tank Top Lift Ladder 163
TANK TOP MAN LIFT 163
Task Light 704
TC-888 Mobile Belt Loader 543
TC1000 Series Weather Sentry™ 594
TC300 Series Flexible Steel Frame 595
TC400 Series Rigid Wood Frame 595
TC500 Series Flexible Wood Frame 595
TC900 Series Soft Sided 595
TE35-GEL 6V Deep Cycle Gel Battery 199
Tele-Mast Straddle Crane 361
Telehandlers HTL 9045 205
Telehandlers HTL 9055 205
Telescopic Mast Jib Crane 361
Telescopic Wheel Chair Ramp 596
Telescoping Ladder 398
TH80 Telehandler 243
Thin Line Folding Rolling Safety Ladder 164
Thin Spin Carousel 341
Tie Rod Jibs (for high ceilings) 349
Tiller® 341
Tilt and Roll Ladder 164
Tilt Master & Tilt Master Straddle 257
Tilt Trucks 341
Tilt-N-Roll Ladder 164

Alphabetical model index

Tilting Drum Dollies 284
Tilting Drum Rings 306
Titan Heavy Duty Scissor Lift Tables 382
TL1000PL Lavatory Service Truck 548
TL175 Lavatory Service Truck 549
TL600 Lavatory Service Truck 549
TL600-Military Lavatory Service Truck 549
TL600-Platform Lavatory Service Truck 549
TL700 Lavatory Service Truck 550
Tork Heavy Duty Scissor Lift Table 342
Tork Non-Intrusive Tilter 268
TorkLift T2 Heavy Duty Scissor Lift 342
TorkLift T3 Heavy Duty Scissors Lift 342
Tote Lifters 342
Tote-A-Load 343
Tower 400 Aluminum Rolling Scaffold System 625
Toyota 19 Foot AC Electric Scissor Lift SV1930D 218
Toyota 20 Foot AC Electric Scissor Lift SV2032D 218
Toyota 26 Foot AC Electric Scissor Lift SV2632D 218
Toyota 39.4 Foot Telescopic Wheeled Boom Lift SP400C 192
Toyota 40 Foot Diesel Crawler Boom Lift SR400C 193
Toyota 45.7 Foot Telescopic Wheeled Boom Lift SP460CJ 193
Toyota 46 Foot Diesel Crawler Boom Lift SR460CJ 193
Toyota Forklift 3000 lbs Capacity 8FGCU15 380
Toyota Forklift 3500 lbs Capacity 8FGCU18 380
Toyota Lift Truck 10000 lbs Capacity 8FGC45U 380
Toyota Lift Truck 12000 lbs Capacity 8FGC55U 381
Toyota Lift Truck 13500 lbs Capacity 8FGC60U 381
Toyota Lift Truck 15500 lbs Capacity 8FGC70U 381
Toyota Lift Truck 8000 lbs Capacity 8FGC35U 381
Track Armor Door Protection 604
Tracked Hydraulic Stacker 247
Traction Drive Electric Hydraulic Elevating Carts 257
Tradie Folding Low-Level Tower 610
Trailer Crane Bumpers 596
Trailer Jacks 596
Trailer Lock Systems 596
Trailer Mover 597
Trailer Tuck Away Step 605
Trapezoid Table 48x24 718
Trapezoid Table 60x24 719
Trash Cans 307
Triple-L UT28 Utility Trailer 206
Triple-L UT410 Utility Trailer 207
Triple-L UT49 Utility Trailer 207
Triple-L UT610 Utility Trailer 207
Triple-L UT612 Utility Trailer 207
Triple-L UT614 Utility Trailer 208
Triple-L UT912 Utility Trailer 208
Triple-Unit Marque Plexi-Reception Station 723
Triple-Unit Marque Reception Station 719
Triumph Series Armless 90 Degree Lounge Chair with Vinyl Seat and Chrome Frame 678
Triumph Series Lounge Chair with Tablet Vinyl Seat and Chrome Frame 679
Triumph Series Lounge Chair with Vinyl Seat and Chrome Frame 679
Triumph Series Right Arm Modular Lounge Chair with Tablet Vinyl Seat and Chrome Frame 679
Truck Actuated Dockleveler 597
Truck Angled Slide Away Ladder 605
Truck Frame Ladder 605
Truck Frame Step 606
Truck Leveler - Low Profile 606
Truck Mounted Strap Winches 597

Alphabetical model index

Truck Scissor Dock Lift 597
Truck Slide Away Steps 606
Truck Straight Slide-Away Ladder 606
Truck-Mounted Crane Boom Rests 361
Truck-Mounted Foldable Hydraulic Crane 362
Truck-Mounted Knuckle Krane 362
Truck-Mounted Pick-Up Cranes 362
Truck/Dock Access Ladder 85
Trucks Dollies Carts 385
TS100 Low-Level Tower 610
TS101 Series Fixed Head 598
TS101L Series Fixed Head “L” Side Pad 598
TS103 Series Curtain Head 553
TS103L Series Curtain Head “L” Side Pad 554
TS200 Series Inflatable Fixed Head 598
TS500 Series Counterweighted Adjustable Head 554
TSL Dock Lift 280
TT250 Mobile Tower 610
Tupolev Towbar (multiple application) (TOWMULTI-1) 538
Tupolev TU-134 Towbar (multiple application) (TOWMULTI-2) 538
Tupolev TU-154 Towbar (multiple application) (TOWMULTI-2) 538
Tupolev TU-204 Towbar Head (TOWHEAD-1G) 539
Tupolev TU-214 Towbar (multiple application) (TOWMULTI-1) 539
Tupolev TU-214 Towbar Head (TOWHEAD-1G) 539
Turntables with Powered Height Adjustment 343
Two-Step Access Platform 203
UFO LED HighBay Light 100W 135Lm/w, IP65 Waterproof 736
UFO LED HighBay Light 150W 135Lm/w, IP65 Waterproof 736
UFO LED HighBay Light 200W 135Lm/w, IP65 Waterproof 737
UFO LED HighBay Light 240W 135Lm/w, IP65 Waterproof 737
UFO LED HighBay Light 300W 135Lm/w, IP65 Waterproof 737
UFO LED HighBay Light 400W 135Lm/w, IP65 Waterproof 737
UFO LED HighBay Light 500W 135Lmw, IP65 Waterproof 738
UH-60 Tail Rotor Work Platform - Model ME-1010 551
Universal B Maintenance Platform 408
Universal Helicopter Maintenance Platform Model#: ME-201 Light/Medium Helicopter Types 393
Universal Subframe Hoists - 416 309
Universal Subframe Hoists - 516 309
Universal Subframe Hoists - 520 309
Universal Subframe Hoists - 620 310
Universal-Lift 362
Uno Series Backless Seat 679
Uno Series Lounge Chair 680
Uno Series Pillow Back Seat 680
Uno Series Wedge Seat 680
Upender Inverter 385
Urethane Hose & Cable Bridges 598
Utilistool Model 902 680
Utilistool with Drafting Kit 681
Utility Table 24x48 719
Utility Table 24x60 719
Utility Table 30x48 720
Utility Table 30x60 720
Utility Trays 307
UTX 30 Utility Vehicle Scissor Lift 243
UTX 44 Utility Vehicle Scissor Lift 244
V-Master Mobile Hydraulic Floor Cranes 363
V-X INSTANT DOUBLE-WIDE SPAN Scaffold 612
V10 HYDRAULIC TOE JACK 385

Alphabetical model index

V15 HYDRAULIC TOE JACK	385	Walkthru Alternating Tread Stairs - ATS-4-68	130
V20 HYDRAULIC TOE JACK	386	Walkthru Alternating Tread Stairs - ATS-5-56	130
V5 HYDRAULIC TOE JACK	386	Walkthru Alternating Tread Stairs - ATS-5-68	130
Variable Height Sheet Rack	379	Walkthru Alternating Tread Stairs - ATS-6-56	130
VC500FB Van Service Crane 500lbs Lifting Capacity	363	Walkthru Alternating Tread Stairs - ATS-6-68	131
Vehicle Position Jacks	599	Walkthru Alternating Tread Stairs - ATS-7-56	131
Versa Racks	379	Walkthru Alternating Tread Stairs - ATS-7-68	131
Versatile Quicklifts	343	Walkthru Alternating Tread Stairs - ATS-8-56	131
Versatile Utility Boxes	744	Walkthru Alternating Tread Stairs - ATS-8-68	132
Vertical Ball Screw Actuated Lift	277	Walkthru Alternating Tread Stairs - ATS-9-56	132
Vertical Bar Rack	379	Walkthru Alternating Tread Stairs - ATS-9-68	132
Vertical Drum Clamp	307	Walkthru Fixed Dock Ladder - DKL-10	132
Vertical Drum Lifter	307	Walkthru Fixed Dock Ladder - DKL-2	133
Vertical Reciprocating Conveyor	386	Walkthru Fixed Dock Ladder - DKL-3	133
Vertical Storage Rack	379	Walkthru Fixed Dock Ladder - DKL-5	133
Vinyl Strip Doors	599	Walkthru Fixed Dock Ladder - DKL-6	133
Visibility Storage Lockers	380	Walkthru Fixed Dock Ladder - DKL-7	134
Vision Series Executive Guest Chair	681	Walkthru Fixed Dock Ladder - DKL-8	134
Vision Series Executive Task Chair	681	Walkthru Fixed Dock Ladder - DKL-9	134
Waco UPF-7 Fixed Wing Towbar TR-71	539	Walkthru Fixed Ladder with Safety Cage - M12SC C1	39
Walk-Thru Dock Ladder - D3WT C1 P6	127	Walkthru Fixed Ladder with Safety Cage - M23WC C1	39
Walkthru Alternating Tread Stairs - ATS-10-56	127	Walkthru Fixed Ladder with Safety Cage - M25WC C1	40
Walkthru Alternating Tread Stairs - ATS-10-68	127	Walkthru Fixed Ladder with Safety Cage - M27WC C1	40
Walkthru Alternating Tread Stairs - ATS-11-56	127	Walkthru Fixed Ladder with Safety Cage - M29WC C1	40
Walkthru Alternating Tread Stairs - ATS-11-68	128	Wall Jibs (for low ceilings)	349
Walkthru Alternating Tread Stairs - ATS-12-56	128	Wall Mounted Cylinder Brackets	744
Walkthru Alternating Tread Stairs - ATS-12-68	128	Warehouse Dollies, Trucks and Carts	391
Walkthru Alternating Tread Stairs - ATS-13-56	128	Warehouse Material Handling Lift	386
Walkthru Alternating Tread Stairs - ATS-13-68	129	Welded Steel Dock Ladder	85
Walkthru Alternating Tread Stairs - ATS-14-56	129	Wet Extruder HP162	390
Walkthru Alternating Tread Stairs - ATS-14-68	129	Wet Meal Desolventizing	390
Walkthru Alternating Tread Stairs - ATS-4-56	129	Wheel Chock Accessories	599

Alphabetical model index

Wheel Nose Pallet Truck 355
Wide Base Standard Duty Scissor Lift Table 387
Winch Operated Truck Jib Crane 349
Wire Cages 725
Wonderful LED UFO High Bay Lights Fixtures 738
Wood Track Library Ladder 164
Work Area Portable Gantry Cranes 349
Work Positioners Low Mast Stacker 277
Work Station Electric Hydraulic Scissor Tables 278
Work Station Fan 599
WT450 Water Service Truck 550
WT600 Water Service Truck 550
WT700 Water Service Truck 550
X390AJ Compact Crawler Boom Lift 193
X5 18 Divider OFM S508010018 720
X5 24 Anti-Slide Side Plate 720
X5 U-Shaped Handle 18 721
X550AJ Compact Crawler Boom Lift 194
X700AJ Compact Crawler Boom Lift 194
XLR Hydraulic Scissor Lift Table 343
Yakovlev Yak-40 Towbar Head (TOWHEAD-31M) 540
Yakovlev Yak-42 Towbar (TOWYK42-L) 540
Z0044 Rolling Scaffold Tower 612
Zero Lift & Tilt Table 344
Zero-Low Lift & Tilt Tables 278
Zero-Low, 3-Point Entry Lift Table 278
“HED” Series Hydraulic Edge Of Dock Leveler 600
“HOLD-TITE®” Automatic Vehicle Restraint 600
“HP” Series Standard Duty Hydraulic 600
“MA” Series Air Powered Levelers 553
“MEDLF” Series Mechanical Edge Of Dock Lift FreeLeveler 600
“MP” Series Mechanical Leveler 601
“RRH” Series Rail Ramp Hydraulic Leveler 601
“STOP-TITE®” Automatic Vehicle Restraint 601
“STOP-TITE®” Manual Vehicle Restraint Series 601
“TPR™” Automatic Vehicle Restraint 602
“VSH” Series Vertical Storing Hydraulic Leveler 602